

LAYOUT 4/30/02 PM INSP 4 5/9/02 1:00  
INSP 2 5/1/02 PM INSP 5 \_\_\_\_\_  
INSP 3 5/7/02 1-2 INSP 6 \_\_\_\_\_

ISSUE DATE: 4/22/2002

APPROVAL DATE: 8/2/2002

**PERMIT  
INDEXED**

P 516 944

A 511435-I

#334376

**ON-SITE SEWAGE DISPOSAL SYSTEM  
HOWARD COUNTY HEALTH DEPARTMENT  
BUREAU OF ENVIRONMENTAL HEALTH**

Fogles Septic Clean, Inc IS PERMITTED TO INSTALL ☒ ALTER ☐  
ADDRESS: 580 Obrecht Road, Sykesville PHONE NUMBER: 410-795-5670  
SUBDIVISION: Estates @ Sandhill LOT NUMBER: 9  
ADDRESS: 12033 Sandhill Manor Drive PROPERTY OWNER: THOMAS P MACCHIA  
Oakhill Properties  
SEPTIC TANK CAPACITY (GALLONS): 1250 OUTLET BAFFLE FILTER REQUIRED ☐  
PUMP CHAMBER CAPACITY (GALLONS): N/A COMPARTMENTED TANK REQUIRED ☒  
NUMBER OF BEDROOMS: 4  
SQUARE FEET PER BEDROOM: 180  
LINEAR FEET OF TRENCH REQUIRED: 245 HOUSE SERVED BY PUBLIC WATER ☒

|           |                                                                                                                                                                                                                         |
|-----------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| TRENCHES: | Trench to be 3.0 feet wide. Inlet 2.5 feet below original grade. Bottom maximum depth 4.5 feet below original grade. Effective area begins at 3.0 feet below original grade. 2.0 feet of stone below distribution pipe. |
| LOCATION: | Place the distribution box approximately 20 feet from the highest corner easement stake as shown on Building Permit plan. Run trenches on contour in both directions.                                                   |
| NOTES:    |                                                                                                                                                                                                                         |

PLANS APPROVED: Brian Baker OK 3/26/02 (S) DATE: 3/12/2002

NOTES: PERMIT VOID AFTER 2 YEARS  
CONTRACTOR IS RESPONSIBLE FOR SCHEDULING A PRE-CONSTRUCTION INSPECTION FOR ALL INSTALLATIONS  
WATERTIGHT SEPTIC TANKS REQUIRED  
ALL PARTS OF SEPTIC SYSTEM SHALL BE 100 FEET FROM ANY WATER WELL UNLESS SPECIFICALLY AUTHORIZED  
MANHOLE RISERS REQUIRED ON ALL SEPTIC TANKS AND PUMP CHAMBERS UNLESS SPECIFICALLY AUTHORIZED  
CONTRACTOR RESPONSIBLE FOR COMPLIANCE WITH APPLICABLE REGULATIONS, GUIDELINES AND THE TERMS OF THIS PERMIT


**NEITHER THE HOWARD COUNTY COUNCIL NOR THE HEALTH DEPARTMENT IS  
RESPONSIBLE FOR THE SUCCESSFUL OPERATION OF ANY SYSTEM  
PERMITTEE RESPONSIBLE FOR OBTAINING FINAL APPROVAL ON THIS PERMIT**

**BUILDING PERMIT SIGNED AND RETURNED**  
ALL 410-313-2640 FOR INSPECTION OF SEPTIC SYSTEM

5/14/2003 30014/855 DECK  
8/12/02 800149851-EG ROL

4511435-I

NOT TO SCALE



Sand Hill Manor Drive

ROAD

| TRENCH/DRAINFIELD DATA  |       |        |
|-------------------------|-------|--------|
| WIDTH                   | INLET | BOTTOM |
| 3                       | 2.5   | 4.5    |
| NUMBER OF TRENCHES      |       | 5      |
| TOTAL LENGTH            |       | 245    |
| ABSORPTION AREA         |       | 735    |
| DISTRIBUTION BOX LEVEL  |       | ✓      |
| DISTRIBUTION BOX BAFFLE |       | ✓      |
| DISTRIBUTION BOX PORT   |       | ✓      |

| SEPTIC TANK DATA    |          |
|---------------------|----------|
| SEPTIC TANK 1 LEVEL |          |
| CAPACITY            | 1250 GAL |
| SEAM LOC            | Top      |
| TANK LID DEPTH      | 2.2.5    |
| BAFFLES             | yes      |
| BAFFLE FILTER       | —        |
| MANHOLE LOC         | Center   |
| 6" PORT LOC         | Front    |
| WATERTIGHT TEST     | —        |
| SEPTIC TANK 2 LEVEL |          |
| CAPACITY            | — GAL    |
| SEAM LOC            | —        |
| TANK LID DEPTH      | —        |
| BAFFLES             | N/A      |
| BAFFLE FILTER       | —        |
| MANHOLE LOC         | —        |
| 6" PORT LOC         | —        |
| WATERTIGHT TEST     | —        |

PRE-CONSTRUCTION 4/30/02 Layout per B.P. (SO)

INSTALLATION 5/1/02 No work done. (BB) 5/7/02 Top 40' trench 6" too deep  
 Ok to cover work completed (SO) 5/9/02 2 trenches closest to the  
 house have been moved too far off D.B. System has used up alot of SRA  
 for discussion w/ Greg Mellon, There should be adequate area available for future repairs as required  
 by regulations, OK to sign off on this permit. (SO) 8/2/02

FINAL INSPECTOR [Signature]

DATE OF APPROVAL 8/2/02

BUILDING PERMIT SIGNED AND RETURNED



## HOWARD COUNTY HEALTH DEPARTMENT

Bureau of Environmental Health  
3525-H Ellicott Mills Drive, Ellicott City, Maryland 21043-4544  
(410) 313-2640 Fax (410) 313-2648  
TDD (410) 313-2323 Toll Free 1-877-4MD-DHMH

***Penny E. Borenstein, M.D., M.P.H., Howard County Health Officer***

August 2, 2002

Oak Hill Properties, LLC  
107 Loudon Street, S.E.  
Leesburg, VA 20175-3106

RE: The Estates @ Sandhill, Lot #9  
12033 Sandhill Manor Drive  
BP# B00134420  
**PUBLIC WATER**

Dear Sir/Madam:

This is to advise you that the septic system for the above referenced property has been installed and inspected. **Final approval of the septic system was granted on 8/02/2002.**


The property is served by public water and is therefore exempt from the Health Department water sampling requirements.

By issuance of this letter, this office recommends release of the Use and Occupancy permit for the referenced property.


Approving Authority

Ronald J. Pinkley  
Registered Environmental Sanitarian  
Well & Septic Program

sjn  
cc: Building Inspector's Office  
File



|                           |          |
|---------------------------|----------|
| FIRST FLOOR EL            | = 609.83 |
| INV. OUT OF HOUSE         | = 598.20 |
| INV. IN SEPTIC TANK       | = 598.85 |
| INV. OUT OF SEPTIC TANK   | = 598.80 |
| EXIST. EL. AT SEPTIC TANK | = 602.00 |
| PROP. EL. AT SEPTIC TANK  | = 602.00 |
| EXIST. EL. AT DIST. BOX   | = 602.00 |
| INV. IN DIST. BOX         | = 598.50 |



G.P. # 01-101


## THE ESTATES AT SAND HILL

PLOT PLAN LOT # 9  
12033 SAND HILL MANOR DRIVE

|                      |               |                         |
|----------------------|---------------|-------------------------|
| ELECTION DISTRICT: 3 | TAX MAP: 16   | HOWARD COUNTY, MARYLAND |
| DRAWN BY: M.M.P.     | SCALE: 1"=50' | DATE: FEBRUARY 6 2002   |

**MILDENBERG,  
BOENDER & ASSOC., INC.**  
Engineers Planners Surveyors

5072 Dorsey Hall Drive, Suite 202, Elkton City, Maryland 21042  
(410) 997-0296 Ball (301) 621-5521 Wash (410) 997-0298 Fax



**SAND HILL MANOR DRIVE**

**THE ESTATES AT  
SAND HILL**

LOTS 1 THROUGH 80  
NON-BUILDABLE PARCELS  
A & B

PLAT NO. 14580-14585  
ELECTION DISTRICT No. 3  
HOWARD COUNTY, MARYLAND

ADDRESS No.: 12021 SAND HILL MANOR DRIVE  
FIRST FLOOR ELEV. = 640.74'

THE INFORMATION SHOWN HAS BEEN ESTABLISHED BY CURRENT  
ACCEPTABLE SURVEY PROCEDURES AND FROM AVAILABLE RECORD  
INFORMATION. THIS DRAWING IS TO BE USED FOR TITLE TRANSFER  
FINANCING, OR REFINANCING ONLY AND IS NOT TO BE USED FOR  
THE ESTABLISHMENT OF PROPERTY LINES, LOCATION OF FENCES,  
GARAGES, BUILDINGS, OR OTHER EXISTING OR FUTURE IMPROVEMENTS.  
FLOOD INSURANCE RATE MAP (FIRM) FLOOD ZONE "C" AREA OF  
MINIMUM FLOODING PER COMMUNITY PLAN, NUMBER 240044-00188  
DECEMBER, 4 1988

**MILDENBERG  
BOENDER, & ASSOC., INC.**

Engineers Planners Surveyors  
6072 Dorsey Hall Drive, Suite 202, Ellicott City, Maryland 21043  
(410) 887-0898 Bal. (301) 681-6521 Wash. (410) 887-0288 Fax

|                     |         |                  |          |
|---------------------|---------|------------------|----------|
| FOUNDATION          | DATE:   | FINAL            | DATE:    |
| DRAWN BY:           | T. HILL | SCALE: 1" = 50'  | 04/15/02 |
| PROJECT NO.: 00-064 |         | LOCATION DRAWING |          |



# APPLICATION

PERCOLATION TESTING

A 511435

P \_\_\_\_\_

HOWARD COUNTY HEALTH DEPARTMENT  
BUREAU OF ENVIRONMENTAL HEALTH  
3525-H ELLICOTT MILLS DRIVE/ELLICOTT CITY, MARYLAND 21043  
TELEPHONE: 313-2640

DISTRICT \_\_\_\_\_

DATE 2/24/99

TO: THE COUNTY HEALTH OFFICER  
ELLICOTT CITY, MARYLAND

I HEREBY APPLY FOR THE NECESSARY TEST PRIOR TO APPLICATION FOR PERMIT TO CONSTRUCT (OR RECONSTRUCT) A SEWAGE DISPOSAL SYSTEM.

PROPERTY OWNER R. Jeanette Miller, Trustee; Clyse Day Pendleton, Et Al

ADDRESS 14965 Frederick Road, Woodbine, MD 21797 PHONE \_\_\_\_\_

AGENT OR PROSPECTIVE BUYER Oak Hill Properties, LLC; Attn: Mr. Kevin Rogers

ADDRESS 107 Loudoun Street, SE, Leesburg, VA. 20175 PHONE 703 443 0400

PROPERTY LOCATION:

DIVISION Sand Hill Property LOT NO. 1 though 78

ROAD AND DESCRIPTION East side intersection of Sand Hill Road and Mt. View Road

TAX MAP 16 PARCEL # 3

SIZE OF LOT 40,000 to 60,000 S.F. TYPE BLDG. Single Family Dwelling  
(SINGLE FAMILY DWELLING OR COMMERCIAL)

THE SYSTEM INSTALLED UNDER THIS APPLICATION IS ACCEPTABLE ONLY UNTIL PUBLIC FACILITIES BECOME AVAILABLE. I FULLY UNDERSTAND THE  
FEE CONNECTED WITH THE FILING OF THIS PERC TEST APPLICATION IS NON-REFUNDABLE UNDER ANY CIRCUMSTANCES. I ALSO AGREE TO  
COMPLY WITH ALL M.O.S.H.A. REQUIREMENTS IN TESTING THIS LOT. Oak Hill Properties, LLC  
Kevin B. Rogers  
(SIGNATURE OF APPLICANT)

APPROVED BY \_\_\_\_\_ FOR \_\_\_\_\_ DATE \_\_\_\_\_

DISAPPROVED BY \_\_\_\_\_ FOR \_\_\_\_\_ DATE \_\_\_\_\_

HOLD PENDING FURTHER TESTS \_\_\_\_\_

REASONS FOR REJECTION OR HOLDING \_\_\_\_\_

PERCOLATION TEST PLAT/PRELIMINARY PLAT - TITLE OR I.D. # \_\_\_\_\_ DATE \_\_\_\_\_

SITE DEVELOPMENT PLAN/FINAL PLAT - TITLE OR I.D. # \_\_\_\_\_ DATE \_\_\_\_\_

## THIS IS NOT A PERMIT

COUNTY #

SOIL PROFILE  
12e

no  
distinct  
clay  
layer  
orange  
brown  
micaceous  
salm  
w/ pockets  
of dark,  
red salm  
grey  
mottles  
@ 10-11"

9e

11c/12b

beigh  
brown  
silm


red  
brn  
salm  
30%  
micaceous  
shale

refusal  
@ 9.0'

12c

brown  
silm

bright  
red  
salm  
micaceous  
zones  
of or  
salm  
from  
parent  
rock  
< 5%  
Rx



INDICATE NORTH - NAME ADJOINING ROADWAY AS BASE LINE.

SOIL PROFILE

11c 10e

orange  
brown  
silm  
20%  
stones

orange  
brown  
salm  
25%  
micaceous  
shale

10c/11b  
red brn  
silm

horizontal  
bands of  
red/or/  
grey/yellow  
salm  
25%  
shale

| DATE    | TEST NO. | DEPTH        | PRE-WET                  |       | TEST - 1" DROP |       | TIME  |
|---------|----------|--------------|--------------------------|-------|----------------|-------|-------|
|         |          |              | START                    | STOP  | START          | STOP  |       |
| 4-13-99 | 12e      | 3.0<br>V12.0 | 12:10                    | 12:13 | 12:13          | 12:16 | 3min  |
|         | 11c/12b  | 4.5<br>V9.0  | 1:02                     | 1:05  | 1:05           | 1:10  | 5min  |
|         |          | 6.5<br>V9.0  | 1:01                     | 1:05  | 1:05           | 1:28  | 23min |
|         | 12c      | Visual       | to 12.0' - see profile - |       |                |       | OK    |
|         | 11e      | 4.5<br>V12.0 | 1:14                     | 1:15  | 1:15           | 1:16  | 1min  |
|         | 10e      | 3.5<br>V12.0 | 1:19                     | 1:21  | 1:21           | 1:24  | 3min  |
|         | 10c/11b  | Visual       | to 12.0' - see profile - |       |                |       | OK    |
|         | 9e       | 3.5'<br>V9.0 | 1:29                     | 1:33  | 1:33           | 1:40  | 7min  |
|         | 9c/10b   | 8.0<br>V12.0 | 1:57                     | 2:02  | 2:02           | 2:10  | 8min  |
|         |          | 4.0<br>V12.0 | 1:58                     | 2:00  | 2:00           | 2:02  | 2min  |

REMARKS

TYPE OF SOIL

TESTED BY Amy McMullen

ALSO PRESENT Ketterman

TRENCH DESIGN DATA: AVERAGE PERCOLATION TIME

TRENCH WIDTH

INLET DEPTH

MAXIMUM BOTTOM DEPTH

SQ. FT/BEDROOM

# APPLICATION

## PERCOLATION TESTING

A 511435

P \_\_\_\_\_

HOWARD COUNTY HEALTH DEPARTMENT  
BUREAU OF ENVIRONMENTAL HEALTH  
3525-H ELLICOTT MILLS DRIVE/ELLICOTT CITY, MARYLAND 21043  
TELEPHONE: 313-2640

DISTRICT \_\_\_\_\_

DATE 2/24/99

TO: THE COUNTY HEALTH OFFICER  
ELLICOTT CITY, MARYLAND

I HEREBY APPLY FOR THE NECESSARY TEST PRIOR TO APPLICATION FOR PERMIT TO CONSTRUCT (OR RECONSTRUCT) A SEWAGE DISPOSAL SYSTEM.

PROPERTY OWNER R. Jeanette Miller, Trustee; Clyse Day Pendleton, Et Al

ADDRESS 14965 Frederick Road, Woodbine, MD 21797 PHONE \_\_\_\_\_

AGENT OR PROSPECTIVE BUYER Oak Hill Properties, LLC; Attn: Mr. Kevin Rogers

ADDRESS 107 Loudoun Street, SE, Leesburg, VA. 20175 PHONE 703 443 0400

### PROPERTY LOCATION:

SUBDIVISION Sand Hill Property LOT NO. 1 through 78

ROAD AND DESCRIPTION East side intersection of Sand Hill Road and Mt. View Road

TAX MAP 16 PARCEL # 3

SIZE OF LOT 40,000 to 60,000 S.F. TYPE BLDG. Single Family Dwelling  
(SINGLE FAMILY DWELLING OR COMMERCIAL)

THE SYSTEM INSTALLED UNDER THIS APPLICATION IS ACCEPTABLE ONLY UNTIL PUBLIC FACILITIES BECOME AVAILABLE. I FULLY UNDERSTAND THE  
FEE CONNECTED WITH THE FILING OF THIS PERC TEST APPLICATION IS NON-REFUNDABLE UNDER ANY CIRCUMSTANCES. I ALSO AGREE TO  
COMPLY WITH ALL M.O.S.H.A. REQUIREMENTS IN TESTING THIS LOT. Oak Hill Properties, LLC  
Kevin B. Rogers  
(SIGNATURE OF APPLICANT)

APPROVED BY \_\_\_\_\_ FOR \_\_\_\_\_ DATE \_\_\_\_\_

DISAPPROVED BY \_\_\_\_\_ FOR \_\_\_\_\_ DATE \_\_\_\_\_

HOLD PENDING FURTHER TESTS \_\_\_\_\_

REASONS FOR REJECTION OR HOLDING \_\_\_\_\_

PERCOLATION TEST PLAT/PRELIMINARY PLAT - TITLE OR I.D. # \_\_\_\_\_ DATE \_\_\_\_\_

SITE DEVELOPMENT PLAN/FINAL PLAT - TITLE OR I.D. # \_\_\_\_\_ DATE \_\_\_\_\_

# THIS IS NOT A PERMIT



COUNTY #

SOIL PROFILE

0'

red  
brown  
SiClm

3.0

dark  
brn  
grey  
micaceous  
30%  
Shale

12.0


8d/9a

Or Br  
SiClbom

4'


Very  
dark br  
to grey  
gritty  
sand  
very  
micaceous  
20%  
Shale

12'



SOIL PROFILE

0'



INDICATE NORTH - NAME ADJOINING ROADWAY AS BASE LINE.

| DATE   | TEST NO. | DEPTH    | PRE-WET               |      | TEST - 1" DROP |      | TIME |
|--------|----------|----------|-----------------------|------|----------------|------|------|
|        |          |          | START                 | STOP | START          | STOP |      |
| 5-4-99 | 9f       | Visual   | to 12.0 - see profile |      |                |      | OK   |
|        | 8d/9a    | 4.5'/12v | 2:00                  | 2:01 | 2:01           | 2:02 | 1    |
|        |          |          |                       |      |                |      |      |
|        |          |          |                       |      |                |      |      |
|        |          |          |                       |      |                |      |      |
|        |          |          |                       |      |                |      |      |
|        |          |          |                       |      |                |      |      |
|        |          |          |                       |      |                |      |      |
|        |          |          |                       |      |                |      |      |
|        |          |          |                       |      |                |      |      |
|        |          |          |                       |      |                |      |      |

REMARKS

TYPE OF SOIL

TESTED BY

Amy McMillen

ALSO PRESENT


TRENCH DESIGN DATA: AVERAGE PERCOLATION TIME

TRENCH WIDTH

INLET DEPTH

MAXIMUM BOTTOM DEPTH

SQ. FT./BEDROOM



HOA PRESERVATION  
PARCEL 'A'

166,012 sq. ft.  
NON-BUILDABLE

Approved  
SP.00.02  
2/2/00

HOA Preservation  
Parcel 'A'

20' PUBLIC DRAINAGE & UTILITY EASEMENT

100 YEAR FLOOD  
75' STREAM BUFFER

PUBLIC DRAINAGE & UTILITY EASEMENT (TYP.)

PUBLIC DRAINAGE & UTILITY EASEMENT SITE DISTANCE EASEMENT

238,574 sq. ft.  
NON-BUILDABLE

TO BE REMOVED

TO BE REMOVED

TO BE REMOVED

PROPOSED SITE DISTANCE EASEMENT

0+00=20+00

PC=21+65.49

PT=22+00

TO BE REMOVED

TO BE REMOVED

TO BE REMOVED

TO BE REMOVED


TO BE REMOVED

TO BE REMOVED

TO BE REMOVED

John G. & Laura J. Warfield  
1018/093

F 00.137  
12.11.00




SHEET 3 OF 6


SAND HILL MANOR DRIVE

PRESERVATION  
(NON-BUILD)  
Owner: Oak Hill

Easement Holders: Hc  
Pe  
Sand Hill  
Partial Area (This Plat): 27  
Total Area: 2,311,503



FIRST FLOOR EL. = 609.83  
 INV. OUT OF HOUSE = 602.35  
 INV. IN SEPTIC TANK = 602.15  
 INV. OUT OF SEPTIC TANK = 601.90  
 EXIST. EL. AT SEPTIC TANK = 602.00  
 PROP. EL. AT SEPTIC TANK = 604.00  
 EXIST. EL. AT DIST. BOX = 604.00  
 INV. IN DIST. BOX = 601.50



NO GRAVITY SERVICE TO THE BASEMENT

G.P. # 01-101

## THE ESTATES AT SAND HILL

PLOT PLAN LOT # 9  
 12033 SAND HILL MANOR DRIVE


|                      |               |                         |
|----------------------|---------------|-------------------------|
| ELECTION DISTRICT: 3 | TAX MAP: 16   | HOWARD COUNTY, MARYLAND |
| DRAWN BY: M.M.P.     | SCALE: 1"=50' | DATE: MARCH 12, 2002    |



**MILDENBERG,  
 BOENDER & ASSOC., INC.**

Engineers Planners Surveyors

5072 Dorsey Hall Drive, Suite 202, Ellicott City, Maryland 21042  
 (410) 997-0296 Ball. (301) 621-6521 Wash. (410) 997-0298 Fax



## SAND HILL MANOR DRIVE

### THE ESTATES AT SAND HILL

LOTS 1 THROUGH 80  
NON-BUILDABLE PARCELS  
A & B.

PLAT NO. 14580-14585  
ELECTION DISTRICT No. 3  
HOWARD COUNTY, MARYLAND


ADDRESS No.: 12021 SAND HILL MANOR DRIVE  
FIRST FLOOR ELEV. = 840.74'

THE INFORMATION SHOWN HAS BEEN ESTABLISHED BY CURRENT ACCEPTABLE SURVEY PROCEDURES AND FROM AVAILABLE RECORD INFORMATION. THIS DRAWING IS TO BE USED FOR TITLE TRANSFER FINANCING, OR REFINANCING ONLY AND IS NOT TO BE USED FOR THE ESTABLISHMENT OF PROPERTY LINES, LOCATION OF FENCES, GARAGES, BUILDINGS, OR OTHER EXISTING OR FUTURE IMPROVEMENTS. FLOOD INSURANCE RATE MAP (FIRM) FLOOD ZONE "C" AREA OF MINIMUM FLOODING PER COMMUNITY PANEL NUMBER 240044-00168 DECEMBER, 4 1988

**MILDENBERG  
BOENDER, & ASSOC., INC.**

Engineers Planners Surveyors  
8078 Dorsey Hall Drive, Suite 208, Ellicott City, Maryland 21043  
(410) 897-0288 Bulk (301) 821-6621 Wash. (410) 897-0288 Fax





# SAND HILL MANOR DRIVE

THE ESTATES AT  
SAND HILL  
LOTS 1 THROUGH 80  
NON-BUILDABLE PARCELS  
A & B  
PLAT NO. 14580-14585  
ELECTION DISTRICT No. 3  
HOWARD COUNTY, MARYLAND

SCALE: 1" = 50'

ADDRESS No.: 12021 SAND HILL MANOR DRIVE  
FIRST FLOOR ELEV. = 640.74'

THE INFORMATION SHOWN HAS BEEN ESTABLISHED BY CURRENT ACCEPTABLE SURVEY PROCEDURES AND FROM AVAILABLE RECORD INFORMATION. THIS DRAWING IS TO BE USED FOR TITLE TRANSFER FINANCING, OR REFINANCING ONLY AND IS NOT TO BE USED FOR THE ESTABLISHMENT OF PROPERTY LINES, LOCATION OF FENCES, GARAGES, BUILDINGS, OR OTHER EXISTING OR FUTURE IMPROVEMENTS. FLOOD INSURANCE RATE MAP (FIRM) FLOOD ZONE "C" AREA OF MINIMUM FLOODING PER COMMUNITY PLAN NUMBER 240044-00168 DECEMBER, 4 1986

MILDENBERG

RECEIVED