REPAIR

MARYLAND STATE DEPARTMENT OF HEALTH*

HOWARD COUNTY

INDEXED

ELLICOTT CITY 2nd DATE 9/17/79

Arnold Septic Tank Service ADDRESS 1708 Woodstock Road PROPERTY OWNER Mrs. Faith Gregory (tenant-Susan Nolan) 1708 Woodstock Road SPECIFICATIONS 3 bedrooms SEPTIC TANK CAPACITY 1000 DEPTH __ __ FEET, BOTTOM AREA _ ___ FEET, BOTTOM AREA _____ SQ. FT. _ABSORBENT SIDE-WALL AREA ______SQ. FT. _____11 FT. BELOW ORIGINAL GRADE, MAXIMUM DEPTH. FT. FROM _____LOT LINE AND ____ FACING LOT FROM the road.

COVER NO WORK UNTIL INSPECTED AND APPROVED.

NEITHER THE HOWARD COUNTY COUNCIL NOR THE HEALTH DEPARTMENT IS RESPONSIBLE FOR THE SUCCESSFUL OPERATION OF ANY SYSTEM.

IF TRENCH IS USED CALL FOR INSPECTION BEFORE PLACING GRAVEL IN TRENCH. NOTE:

NOTE: NO DRY WELL SHALL EXCEED 15 FOOT IN DIAMETER.

NOTE: ALL PIPE FROM HOUSE TO DISPOSAL AREA MUST BE CAST IRON.


James Stayer

PERMIT VOID AFTER THREE YEARS.

PLANS APPROVED BY ..

INSTALL STAND PIPE ON SEPTIC TANK AND DRY WELL. STAND PIPES MUST BE 6 INCHES IN DIAMETER. CAST IRON, CONCRETE OR TERRA COTTA ACCEPTED.

*INSTALLER IS RESPONSIBLE FOR OBTAINING FINAL APPROVAL ON THIS PERMIT.



	C 1 4845 SEQUENCE NO.	STATE OF MARYLAND	THIS REPORT MUST BE SUBMITTED WITHIN
	4040 (WRA USE ONLY)	WELL COMPLETION REPORT	30 DAYS AFTER WELL IS COMPLETED
	(THIS NUMBER IS TO BE PUNCHED IN COLS. 3-6 ON ALL CARDS)	FILL IN THIS FORM COMPLETELY PLEASE PRINT OR TYPE	COUNTY P30/87
: .	Date Received 11/10/80		PERMIT NO.
	DATE WELL COMPLETED	Depth of Well	FROM "PERMIT TO DRILL WELL"
	8+13 15 20	²² (TO NEAREST FOOT) ²	HO - 73 - 3 736 1 29 30 31 32 33 34 35 36 37
# 50.	OWNER GREGORY	WILLIAM & F	AITH
	STREET OR RED_1708 Woods To	first name	
	SUBDIVISION FINERO		LOT
	WELL LÖG Not required for driven wells	GROUTING RECORD YES NO	C 3
A	STATE THE KIND OF FORMATIONS PENETRATED, THEIR COLOR, DEPTH,	(Circle Appropriate Box)	1 2 3 (seq no) 6
	THICKNESS AND IF WATER BEARING	TYPE OF GROUTING MATERIAL CEMENT (M BENTONITE CLAY B C	PUMPING TEST HOURS PUMPED (nearest hour)
	DESCRIPTION (Use additional sheets if needed) FEET Check if water FROM TO bearing	45046	(nearest nour)
		NO. OF BAGS NO. OF POUNDS FOO GALLONS OF WATER	PUMPING RATE (gal. per min.
	topso1 012	DEPTH OF GROUT SEAL (to nearest foot) from ft. toft	to nearest gal.) METHOD USED TO
7.54	the same of the sa	from 48 τοξ (enter O if from surface)	MEASURE PUMPING RATE SUCKET WATER LEVEL (distance from land surface)
	brown shale 2 10	casing CASING RECORD	BEFORE PUMPING
	10	insert ST CO	17 20
	Granta 10 23	appropriate code code below STEEL CONCRETE	WHEN PUMPING 1/22 25 TYPE OF PUMP USED (for test)
	brown shale 22 25	PLASTIC OTHER	(A) air P piston T turbine
23	brown shale 23 25 -	MAIN Nominal diameter Total depth	27 27
		CASING top(main)casing of main casing	centrifugal R rotary Other (describe
	Granite 25 30	TYPE (nearest inch) (nearest foot)	27 27 27 below)
şá.	brown shale a let	$\begin{array}{ c c c c c c c c c c c c c c c c c c c$	Submersible
	D10 WN S 1/412 30 34 C	E OTHER CASING (if used)	
147	GAANITE 34 136	A diameter depth (feet) inch from to	
		Ç	PUMP INSTALLED YES NO
(1) (3)	GAANITE	S N	ORILLER WILL INSTALL PUMP (CIRCLE APPROPRIATE BOX)
18	and		IF DRILLER INSTALLS PUMP, THIS SECTION MUST BE COMPLETED FOR ALL WELLS
	quanta 130 140 C	screen type SCREEN RECORD or openhole	EXCEPT HOME USE TYPE OF PUMP (WRITE APPROPRIATE
	4,,,,	insert ST BR HO	LETTER IN BOX - SEE ABOVE:
		(code) STEEL BRASS, OPEN BRONZE HOLE	(A, C, J, P, R, S, T, O)
		below PL OT	GALLONS PER MINUTE (to nearest gallon)
		PLASTIC OTHER	PUMP HORSE POWER
:•		h 2 /3 , seq.no.l , 6 - 5 DEPTH (nearest ft.)	PUMP COLUMN LENGTH (nearest ft)
			CASING HEIGHT (circle appropriate box
.		$\begin{bmatrix} A & 1 & 1 & 1 & 1 & 1 & 1 & 1 & 1 & 1 &$	and enter casing height)
		S C 2	LAND SURFACE
	OLDOL F ARRESON ATT TO	R 23 24 26 30 32 36	The land of the second of the
i ignalis	CIRCLE APPROPRIATE BOX A WELL WAS ABANDONED AND SEALED	E 3	below 50 51 foot)
	MHEN THIS WELL WAS COMPLETED	39 39 41 45 47 51	LOCATION OF WELL ON LOT SHOW PERMANENT STRUCTURE SUCH AS
	E ELECTRIC LOG OBTAINED	SLOT SIZE 13	BUILDING, SEPTIC TANKS, AND/OR LANDMARKS AND INDICATE NOT LESS
ļ.	P TEST WELL CONVERTED TO PRODUCTION WELL	DIAMETER (NEAREST OF SCREEN INCH)	THAN TWO DISTANCES (MEASUREMENTS TO WELL)
	I HEREBY CERTIFY THAT I HAVE COMPLIED WITH ALL CONDITIONS STATED ON THE ABOVE-CAPTIONED "PERMIT	56 60 from to	1 K Bann
See	TO DRILL WELL", AND THAT INFORMATION CONTAINED IN THIS REPORT IS TRUE, ACCURATE, AND COMPLETE	GRAVEL PACK	Woodstock KUBD
	TO THE BEST OF MY KNOWLEDGE, INFORMATION AND BELIEF.	IF WELL DRILLED WAS FLOWING WELL CIRCLE BOX	20'7 8 (1.01/
186	DRILLERS IDENT. NO.	FLOWING WELL CIRCLE BOX (F)	House
4	Degree In Tantole	(NOT TO BE FILLED IN BY DRILLER)	ROIS
'	DRILLERS SIGNATURE (MUST MATCH SIGNATURE ON APPLICATION	T (E.R.O.S.) W Q	00
	Rohr K. Kluebne	70 72 75 76	
	SITE SUPERVISOR (sign of driller of journeyman responsible for sitework if different from permittee)	TELESCOPE LOG OTHER DATA	
	responsible for sitework it different from betmiffee)	CASING INDICATOR HEALTH	<u> </u>

APPLICATION SEWAGE DISPOSAL TESTING STATE OF MARYLAND - DEPARTMENT OF HEALTH AND MENTAL HYGIENE HOWARD COUNTY HEALTH DEPARTMENT **ENVIRONMENTAL HEALTH SERVICES** P.O. BOX 476 ELLICOTT, MARYLAND 21043 TELEPHONE: 992-2330 THE COUNTY HEALTH OFFICER FLUCOTT CITY, MARYLAND I. HEREBY, APPLY FOR THE NECESSARY TEST IN ORDER TO CONSTRUCT (OR RECONSTRUCT) A SEWAGE DISPOSAL SYSTEM Mrs. Faith Gregory Bud Arnold ADDRESS 713 Bishop Drive, Virginia Beach, Virginia 795-7873 PROPERTY LOCATION: 1708 Woodstock Road (Tenant - Susan Nolan - 465-1323)


THE SYSTEM INSTALLED UNDER THIS APPLICATION IS ACCEPTABLE ONLY UNTIL PUBLIC FACILITIES BECOME AVAILABLE.

I FULLY UNDERSTAND THE FEE CONNECTED WITH THE FILING OF THIS PERC TEST APPLICATION IS NON-REFUNDABLE UNDER

ANY CIRCUMSTANCES.

A 9-9-	VED BY			dry well		DATE _	8/24/79	
Arrinovicus:		- 1010	0			_ 0416 _	· //	
REJECTED BY	· · · · · · · · · · · · · · · · · · ·	FOR				_ DATE _		
	•			1			. *	
HOLD PENDING FURTHER TESTS	··········					_ DATE _		
REASONS FOR REJECTION OR HOLDING		•		1	*			
				• 1				
the state of the s	the second secon						A Company of the Comp	

THIS IS NOT A PERMIT



PRE-WET TEST · 1" DROP TEST NO. DATE DEPTH TIME START STOP START STOP 1:52 2:20 28 8/24/9 1:30 1:35 1130

REMARKS _									
· 75.	/								
1 100	\$	\mathcal{L}_{i}^{\pm}	1. 1. 19. 25		Jan 174		A 18 18 18 18	A	
TYPE OF SOI				314	Jp.	çin,		. i. 454	
4)	N. 18 18 18 18		146	佐 編 一	the first of	橋	(1) D ₁	and the same	
	Same and	Service Services		The said	7	ali. Albertisa	A Branch		
TESTED BY	at at with the same of	and the second	(4) T-4	The state of the s	24.5	AI	SO PRESENT _	*	
, = 0 . = 0									

STOREST BUTTON

Sewage Complaint DATE REPORTED 7/2/79
PROPERTY OWNER Mrs Gregory
P.O. ADDRESS 713 Bishop Drive TELEPHONE
2000
DIRECTIONS TO PROPERTY Wirginia Beach, Virginia 23455
INFORMANT Tenants: Susan Nolan 465-1323
INFORMANT Tenants: Susan Notan 465-1323 1708 Woodstock Road
Woodstock, Md.
Mrs. Nolan called in; stated that system is overflowing and draining into the yard. She
had Jenkins Bros. out to pump the system out; Mr. Jenkins suggested to her that the
system needed repair work and told her to call us. Mrs. Nolan stated that the landlord
CONDITION A FOUND of the problem but has taken no action to rectify it.
2/24/79 750: No one home, Yard fenced : Doberman did not seem
to want company Postcard to avonge appointment:
Dear Ms. Nolan:
On July 24, 1979, I attempted to document the
failing septic system you reported to us Howevery
ACTION TAKEN No one appeared to be home. The yard was fenced,
and your doberman did not seem to want company.
Please call me at 992-2330, that to arrange
to tons an inspection convenient to your schoole.
Very truly yours,
Tom Osh, Sanitarian
Bureau of Environmental
1/24/79 T/c from Mrs. Nolan : Appt for formorrow AM Health.
FINAL DISPOSITION 7/25/39750: Pefinite overflow in backyord. House ~50yrs.