LAYOUT	
INSP 1 INSP 3	
INSP 2 INSP 5	
ISSUE DATE: 8-26 10	P 533999
PR	
APPROVAL SHARED S	SEPTIC SYSTEM A
10/21/2011	535997
Tax	ID # 5749332 INE CONNECTION
HOUSE SEWER L	INE CONNECTIÓN
HOWARD COUNTY HEALTH DEPARTMENT	
BUREAU OF ENVIRO	EALTH DEPARTMENT DNMENTAL HEALTH IS PERMITTED TO INSTALL 🛛 ALTER 🗌
BUREAU OF ENVIRO	ONMENTAL HEALTH
. Tranity tomes BUREAU OF ENVIRO	DNMENTAL HEALTH IS PERMITTED TO INSTALL ALTER
- Trinity tones Address:	DNMENTAL HEALTH IS PERMITTED TO INSTALL ⊠ ALTER □ PHONE NUMBER: 443.324.98 d_
BUREAU OF ENVIRO DIALESS: SUBDIVISION Walnut Grove	DNMENTAL HEALTH IS PERMITTED TO INSTALL ⊠ ALTER □ PHONE NUMBER: 443-324-98d_ LOT NUMBER: 69
BUREAU OF ENVIRO DOTATION HOMESS: SUBDIVISION Walnut Grove ADDRESS: 5211 Sweet Meadow Lane	DNMENTAL HEALTH IS PERMITTED TO INSTALL ⊠ ALTER □ PHONE NUMBER: 443.324-98d_ LOT NUMBER: 69 PROPERTY OWNER: Trinity Quality Homes Inc.

LOCATION.	insuit 4 nouse sower time connection per die approved site plan.
NOTES:	This permit is limited to the installation of the individual house sewer line connection and installation of the grinder pump, if applicable. The Howard County Bureau of Utilities must be contacted for scheduling of inspection of these items as well, at 410-313-4900.

PLANS APPROVED: Heidi Scott DATE: 12/22/09

PERMIT VOID AFTER 2 YEARS

1. CONTRACTOR IS RESPONSIBLE FOR SCHEDULING A PRE-CONSTRUCTION INSPECTION FOR ALL INSTALLATIONS.

2. ALL PARTS OF SEPTIC SYSTEM SHALL BE 100 FEET FROM ANY WATER WELL UNLESS SPECIFICALLY AUTHORIZED.

3. MANHOLE RISERS REQUIRED ON ALL SEPTIC TANKS AND PUMP CHAMBERS UNLESS SPECIFICALLY AUTHORIZED.

4. CONTRACTOR RESPONSIBLE FOR COMPLIANCE WITH APPLICABLE REGULATIONS, GUIDELINES AND THE TERMS OF THIS PERMIT.

5. NEITHER THE HOWARD COUNTY COUNCIL NOR THE HEALTH DEPARTMENT IS RESPONSIBLE FOR THE SUCCESSFUL OPERATION OF ANY SYSTEM.

6. PERMITTEE RESPONSIBLE FOR OBTAINING FINAL APPROVAL ON THIS PERMIT.

CALL 410-313-1771 FOR INSPECTION HOUSE CONNECTION

NOT TO SCALE TRENCH/DRAINFIELD DATA INLET WIDTH BOTTOM do Lot NUMBER OF TRENCHES TOTAL LENGTH ABSORPTION AREA HO-95-0419 DISTRIBUTION BOX LEVEL DISTRIBUTION BOX BAFFLE DISTRIBUTION BOX PORT SEPTIC TANK DATA SEPTIC TANK 1 LEVEL 12 94 MANUFACTURER CAPACITY GAL SEAM LOC TANK LID DEPTH BAFFLES 7 12 BAFFLE FILTER roge MANHOLE LOC 6" PORT LOC WATERTIGHT TEST SLOTTED PUMP/SEPTIC TANK LEVEL MANUFACTURER CAPACITY GAL SEAM LOC 68 TANK LID DEPTH BAFFLES BAFFLE FILTER MANHOLE LOC 0 6" PORT LOC Grindus Pump WATERTIGHT TEST SLOTTED_ PRE-CONSTRUCTION Smetmeadow LANC 1 INSTALLATION: 3/5/11 2% fall throughout 4" sch 40 sours line. Ennything balkfull, pled plat on grander proor to good ok do FINAL INSPECTOR B. Baber ... DATE OF APPROVAL 10/21/2011

