

PERMIT

SEWAGE DISPOSAL SYSTEM HOWARD COUNTY HEALTH DEPARTMENT BUREAU OF ENVIRONMENTAL HEALTH

P 516429-B

A 12691

ISSUE DATE 12/7/1967

APPROVAL DATE 1/10/1968

RE - INDEXED 410-313-2640

03-298361

IS PERMITTED TO INSTALL _____ ALTER _____

ADDRESS _____ PHONE _____

SUBDIVISION Stolt Property LOT NUMBER _____ ADDRESS 1765 Sykesville Rd. (Rt 32)

PROPERTY OWNER _____ PROPERTY OWNER'S ADDRESS _____

SEPTIC TANK CAPACITY _____ GALLONS

PUMP CHAMBER CAPACITY _____ GALLONS

NUMBER OF BEDROOMS _____

SQUARE FEET PER BEDROOM _____

LINEAR FEET OF TRENCH REQUIRED _____

TRENCHES: Trenches to be _____ feet wide. Inlet _____ feet below original grade. Bottom maximum depth _____ feet below original grade. _____ feet of stone below distribution box.

LOCATION: _____

PLANS APPROVED _____ DATE _____

PERMIT VOID AFTER 2 YEARS

NOTE: CONTRACTOR RESPONSIBLE FOR SCHEDULING A PRE-CONSTRUCTION INSPECTION FOR ALL INSTALLATIONS

NOTE: TOP OF SEPTIC TANKS ARE TO BE NO DEEPER THAN 3.0 FEET BELOW FINISH GRADE

NOTE: WATERTIGHT SEPTIC TANKS REQUIRED

NOTE: CLEANOUT REQUIRED EVERY 70 FEET OF SEWER LINE AND/OR AT 90° SWEEPS IN LINES FROM HOUSE TO DRAIN FIELDS, 90° ELBOWS ARE NOT ACCEPTABLE

NOTE: ALL PARTS OF SEPTIC SYSTEMS (I.E. TANK, DISTRIBUTION BOX, DRAINFIELDS) TO BE 100 FEET FROM ANY WATER WELL UNLESS OTHERWISE SPECIFICALLY AUTHORIZED

NOTE: NO ABSORPTION TRENCH TO EXCEED 100 FEET IN LENGTH UNLESS SPECIFICALLY AUTHORIZED

NOTE: ALL PIPE FROM HOUSE TO SEPTIC TANK MUST BE CAST IRON OR SCHEDULE 35/40 PVC OR ABS

NOTE: MANHOLE RISERS REQUIRED ON ALL SEPTIC TANKS AND PUMP CHAMBERS

NOTE: DISTRIBUTION BOXES MUST HAVE BAFFLES

NOTE: IF PUMPED SEPTIC SYSTEM REQUIRED, (1) SEPTIC PUMP DETAIL TO BE PROVIDED BY INSTALLER PRIOR TO ISSUANCE OF SEPTIC PERMIT (2) PUMP PERFORMANCE TEST IS NECESSARY PRIOR TO HEALTH DEPARTMENT APPROVAL OF SEPTIC PERMIT

NEITHER THE HOWARD COUNTY COUNCIL NOR THE HEALTH DEPARTMENT IS RESPONSIBLE FOR THE
SUCCESSFUL OPERATION OF ANY SYSTEM

PERMITTEE RESPONSIBLE FOR OBTAINING FINAL APPROVAL ON THIS PERMIT

CALL 410-313-2640 FOR INSPECTION OF SEPTIC SYSTEM

P 516429-B

1/2/68

8.45
JTD

PERMIT

SEWAGE DISPOSAL

MARYLAND STATE DEPARTMENT OF HEALTH

HOWARD COUNTY

ELLICOTT CITY

INDEXED

DISTRICT 3

DATE 12/7/67

Bealman Brothers, Inc. IS PERMITTED TO INSTALL X ALTER

ADDRESS Hanover Road, Hanover, Maryland PHONE 796-0960

A SEWAGE DISPOSAL SYSTEM LOCATED AT 1765 (RT. 32) - Sykesville Road

SUBDIVISION _____ ROAD Rt. 32 - 1/4 mile E. of Black's Corner LOT _____

PROPERTY OWNER Carl Schneider

ADDRESS 4th driveway on right on 30 white wooden gate

SPECIFICATIONS - 3 bedrooms

DRAIN FIELD _____ DEPTH _____ FEET, BOTTOM AREA _____ SQ. FT.

SEEPAGE PITS _____ ABSORBENT SIDE-WALL AREA _____ SQ. FT.

SEPTIC TANK CAPACITY 750 GALLONS

FOR GARBAGE GRINDER, INCREASE DISPOSAL AREA 25% & TANK CAPACITY 50%.

OTHER Two (2) dry wells - each 10 ft. in diameter by 10 ft. deep below the inlet pipe. First dry well to be located 35 ft. from corner of barbed wire fence and 10 ft. from fence. Second dry well to be at least 30 ft. from first one measured edge to edge. Max max depth 14 ft.

PERMIT VOID AFTER THREE YEARS.

PLANS APPROVED BY J. M. Kilmore DATE 5/26/67

FILL SEPTIC TANK AND DISTRIBUTION BOX WITH WATER BEFORE CALLING FOR AN INSPECTION. COVER NO WORK UNTIL INSPECTED AND APPROVED.

NEITHER THE HOWARD COUNTY COMMISSIONERS NOR THE HEALTH DEPARTMENT IS RESPONSIBLE FOR THE SUCCESSFUL OPERATION OF ANY SYSTEM.

**NOTIFY THE HEALTH DEPARTMENT 48 HOURS
BEFORE EXCAVATIONS ARE TO BE BACK FILLED.**

APPLICATION

SEWAGE DISPOSAL TESTING

MARYLAND STATE DEPARTMENT OF HEALTH

HOWARD COUNTY

ELLICOTT CITY

DISTRICT 3

DATE 5/22/59

Septic Tank 750 gallons.

*2 Day wells. Each 10 ft in diameter by 10 ft deep
below the inlet pipes. First day well to be
located 35 ft from corner of east side fence
and 10 ft from fence. Second day well to be at
least 30 ft from front or rear side edge to edge.
Maximum depth 14 ft.*

TO: THE COUNTY HEALTH OFFICE
ELLICOTT CITY, MARYLAND

I, HEREBY, APPLY FOR THE NECESSARY TESTS IN ORDER TO CONSTRUCT OR RECONSTRUCT A SEWAGE DISPOSAL SYSTEM.

PROPERTY OWNER Carl Schneider

ADDRESS Halsethorpe 27, Maryland

PHONE 242-0035

PROPERTY LOCATION

SUBDIVISION

LOT NO.

ROAD AND DESCRIPTION Rt. 32 - 1/2 mile north of Slack's Corner - where you
turn right - back off road

OCCUPANT

PHONE

PERSON TO CONSTRUCT SYSTEM

ADDRESS

PHONE

SIZE OF LOT 15,380 acra

TYPE BLDG.

IF NOT SINGLE RESIDENCE DESCRIBE

(Single Only, Single.)

SIGNATURE OF APPLICANT William R. Beckman

APPROVED BY J. H. Kilmore

FOR Engineer

DATE

REJECTED BY

FOR

REASON OF SYSTEM

DATE

HOLD PENDING FURTHER TESTS

DATE

REASONS FOR REJECTION OR HOLDING

THIS IS NOT A PERMIT

plat + permit info

Install (1) 1000 Gallon ASME UG LP
TANK, per NFPA 58.

