

PERMIT

SEWAGE DISPOSAL SYSTEM

MARYLAND STATE DEPARTMENT OF HEALTH

HOWARD COUNTY

ELLICOTT CITY

DISTRICT 4th.

DATE 3/11/80

INDEXED

04-339223

A 28046

Approved 3/27/80
J. Stayer
P 30555

Pat Lendrim

IS PERMITTED TO INSTALL ☒ ALTER

ADDRESS 14010 Forsythe Road

PHONE 442-2416

SUBDIVISION Arter Property

ROAD

2315 2340
2315 Millersmill Road

LOT

PROPERTY OWNER

Norman L. Stanton
Lorenzo Stanton

ADDRESS 2336 Millers Mill Road, Cooksville, Md. PHONE: 469-4308

SPECIFICATIONS

3 Bedrooms

SEPTIC TANK CAPACITY 1000 GALLONS

DRAIN FIELD DEPTH FEET, BOTTOM AREA SQ. FT.

DEEP TRENCH DEPTH FEET, BOTTOM AREA SQ. FT.

Dry Well

SEEPAGE PITS ☒ ABSORBENT SIDE-WALL AREA 125 SQ. FT. per bedroom

INLET PIPE 2 1/2 FT. BELOW ORIGINAL GRADE. MAXIMUM DEPTH 8 1/2 FT. BELOW ORIGINAL GRADE

EFFECTIVE DEPTH AT FT. BELOW ORIGINAL GRADE.

LOCATE DISPOSAL AREA FT. FROM LOT LINE AND FT. FROM LOT LINE AS SEEN WHEN
FACING LOT FROM

Location per platt - 92 feet off front property line add 15 feet off left property line
when facing lot from Miller's Mill Road, Perc hole (3,4) due to slope of lot.

If trench is need: 2 - inspections of trench before and after stone in. Leave 5 ft. earth
earth buffer between dry well and trench. Run trench toward #8 perc hole on contour

PLANS APPROVED BY C. B. Streaker DATE 8/3/78

COVER NO WORK UNTIL INSPECTED AND APPROVED.

NEITHER THE HOWARD COUNTY COUNCIL NOR THE HEALTH DEPARTMENT IS RESPONSIBLE FOR THE SUCCESSFUL OPERATION OF ANY SYSTEM.

NOTE: IF TRENCH IS USED CALL FOR INSPECTION BEFORE PLACING GRAVEL IN TRENCH.

NOTE: NO DRY WELL SHALL EXCEED 15 FOOT IN DIAMETER.

NOTE: ALL PIPE FROM HOUSE TO DISPOSAL AREA MUST BE CAST IRON.

PERMIT VOID AFTER THREE YEARS.


NOTE: INSTALL STAND PIPE ON SEPTIC TANK AND DRY WELL. STAND PIPES MUST BE 6 INCHES IN DIAMETER. CAST IRON, CONCRETE OR TERRA
COTTA ACCEPTED.

*INSTALLER IS RESPONSIBLE FOR OBTAINING FINAL APPROVAL ON THIS PERMIT.

A 28046

375

37
12
49



INDICATE NORTH. - NAME ADJOINING ROADWAY AS BASE LINE.

Miller Mill Rd

PERMIT CARD

SEPTIC TANK, LEVEL

CLEANOUTS

DISTRIBUTION BOX, LEVEL

TILE FIELD, DEPTH

8 1/2

FT.

TRENCH WIDTH

FT.

GRAVEL DEPTH

6

IN.

TOTAL LENGTH

46

FT.

NUMBER OF TRENCHES

1

TOTAL BOTTOM AREA

SEEPAGE PITS, INSIDE DIAMETER

49

FT.

DEPTH BELOW INLET

6

FT.

294

ABSORBENT AREA

SQ. FT.

REMARKS

3/27/80 - OK to cover work to trench.

OK to add gravel to trench. JF & SK

3/27/80 OK to cover all work. JF & SK

DATE SYSTEM APPROVED

3/27/80

INSPECTOR

J. Stayer

APPLICATION

A 28046

SEWAGE DISPOSAL TESTING

P _____

STATE OF MARYLAND - DEPARTMENT OF HEALTH AND MENTAL HYGIENE

HOWARD COUNTY HEALTH DEPARTMENT
ENVIRONMENTAL HEALTH SERVICES

P.O. BOX 476, ELLICOTT CITY, MARYLAND 21043
TELEPHONE: 465-5000, EXT. 356

1-3 Bedrooms 1000 gallons
DISTRICT 1, 1TH
4 Bedrooms 1250 gallons
DATE 5/15/78

Pre
6/8/78
9:30 AM
1st

Septic Tank
Dry well to have 125 sq. ft. effective absorbent sidewall area per bedroom below inlet. Inlet to be 2 1/2' below original grade and maximum depth 8 1/2' to location per plat 92' off front property line and 15' off left

TO: THE COUNTY HEALTH OFFICER
ELLICOTT CITY, MARYLAND

property line when facing lot from Miller's Mill Road. Per hole (3,4) due to slope of lot.

I, HEREBY, APPLY FOR THE NECESSARY TEST IN ORDER TO CONSTRUCT (OR RECONSTRUCT) A SEWAGE DISPOSAL SYSTEM.

PROPERTY OWNER Lorenzo Stanton and ANNIE L. Stanton

ADDRESS 2336 Millers Mill Rd, Cooksville, Md. PHONE 489-4308

PROPERTY LOCATION:

SUBDIVISION ArTer Property (1) 2 inspections of trench before and after stone jnt.

ROAD AND DESCRIPTION 2315 Millers Mill Rd. Direct Across from 2344 Millers Mill Rd. LOT NO. 4

Cooksville, Md. - off Busby Park Rd.

SIZE OF LOT 5.357 Acres TYPE BLDG. 3

IF NOT SINGLE RESIDENCE DESCRIBE _____

THE SYSTEM INSTALLED UNDER THIS APPLICATION IS ACCEPTABLE ONLY UNTIL PUBLIC FACILITIES BECOME AVAILABLE.

SIGNATURE OF APPLICANT Lorenzo Stanton between trench and dry well

APPROVED BY C. B. Stueken FOR Dry Well & or Dry well + trench DATE 5/3/78


REJECTED BY _____ FOR _____ DATE _____

HOLD PENDING FURTHER TESTS _____ DATE _____

6/8/78 REASONS FOR REJECTION OR HOLDING for certified holes ✓
C.B.S.

BLDG. PERMIT SIGNED
AND RETURNED 11/8/79
serial # 41737

THIS IS NOT A PERMIT



INDICATE NORTH - NAME ADJOINING ROADWAY AS BASE LINE

DATE	TEST NO.	DEPTH	PRE-WET		TEST - 1" DROP		TIME
			START	STOP	START	STOP	
6/8/78	1	3'	10:08	10:13	10:13	10:23	10 m
	2	10 1/2'	10:09	10:11	10:11	10:13	2 m 5 m
	3	2 1/2'	10:25	10:29	10:27	10:30	3 m
	4	9'	10:25	10:26	10:27	10:27	less than 2
	5	1 1/2'	10:37	10:39	10:39	10:46	7 m
	6	10 1/2'	10:40	10:42	10:42	10:45	3 m
	7	2 1/2' 10'	Visual	Visual			
	8	2' 10'	Visual				5 25

REMARKS

TYPE OF SOIL

TESTED BY

Wooded lot Hold for certified holes

C. B. D.

ALSO PRESENT:

Mr. Stanton
S. B. G. Fyock

S. B. G. Fyock

Sandy Prefab


Below clay

hoon

{ More soil
{ less good test

5 m
Dry at 10:50
Recommend
Good soil
Shallow
Dry well
2' - 5'

B 1		5512		SEQUENCE NO. (WRA USE ONLY)		STATE OF MARYLAND WATER RESOURCES ADMINISTRATION TAWES STATE OFFICE BLDG., ANNAPOLIS, MARYLAND 21401 APPLICATION FOR PERMIT TO DRILL WELL		WRA PERMIT NUMBER HO-73-3402	
1 2 3 (SEQ. NO.) 6 (THIS NUMBER IS TO BE PUNCHED IN COLS. 3-6 ON ALL CARDS)		DATE RECEIVED (WRA USE ONLY)		OWNER		STANTON		Lorenza	
9/10/79		9/10/79		COL 15 LAST NAME		2336 millers mill Rd		FIRST NAME COL. 34	
9/10/79		9/10/79		STREET OR RFD		2336 millers mill Rd		COL. 55	
9/10/79		9/10/79		POST OFFICE		Cooksville		COL. 76	
8-13		B 1		CONTINUED		DRILLER INFORMATION		B 3	
1 2 3 (SEQ. NO.) 6		1 2 3 (SEQ. NO.) 6		DATE		LICENSE NUMBER		LOCATION OF WELL	
9/10/79		9/10/79		9/10/79		273		COUNTY	
9/10/79		9/10/79		9/10/79		9/10/79		(DO NOT ABBREVIATE COUNTY NAME)	
9/10/79		9/10/79		9/10/79		9/10/79		SUBDIVISION	
9/10/79		9/10/79		9/10/79		9/10/79		SECTION	
9/10/79		9/10/79		9/10/79		9/10/79		LOT	
9/10/79		9/10/79		9/10/79		9/10/79		NEAREST TOWN	
9/10/79		9/10/79		9/10/79		9/10/79		MILES FROM TOWN (ENTER 0 IF IN TOWN)	
9/10/79		9/10/79		9/10/79		9/10/79		DIRECTION FROM TOWN	
9/10/79		9/10/79		9/10/79		9/10/79		(CIRCLE APPROPRIATE BOX)	
9/10/79		9/10/79		9/10/79		9/10/79		DRAW A SKETCH BELOW SHOWING LOCATION OF WELL IN RELATION TO NEARBY TOWNS, ROADS AND STREAMS WITH NORTH IN THE DIRECTION OF THE ARROW, AND GIVE DIS- TANCE FROM WELL TO NEAREST ROAD JUNCTION OR STREAM CROSSING SHOWN ON THE SKETCH. ALSO SHOW, BY MEANS OF AN "X", THE WELL LOCATION IN THE BOX BELOW AND THE BOX NUMBER FROM THE WELL LOCATION MAP.	
9/10/79		9/10/79		9/10/79		9/10/79		N 42 CASING	
9/10/79		9/10/79		9/10/79		9/10/79		36 OPEN	
9/10/79		9/10/79		9/10/79		9/10/79		2 ABOVE GROUND	
9/10/79		9/10/79		9/10/79		9/10/79		11 BAGS CEMENT	
9/10/79		9/10/79		9/10/79		9/10/79		R.O. 9/10/79	
9/10/79		9/10/79		9/10/79		9/10/79		MILLERS MILL	
9/10/79		9/10/79		9/10/79		9/10/79		Cooksville	
9/10/79		9/10/79		9/10/79		9/10/79		X	
9/10/79		9/10/79		9/10/79		9/10/79		0/5	
9/10/79		9/10/79		9/10/79		9/10/79		5/0	
9/10/79		9/10/79		9/10/79		9/10/79		ELEVATION AT WELL HEAD (FEET)	
9/10/79		9/10/79		9/10/79		9/10/79		0/0	
9/10/79		9/10/79		9/10/79		9/10/79		5/0	
9/10/79		9/10/79		9/10/79		9/10/79		5/0	
9/10/79		9/10/79		9/10/79		9/10/79		5/0	
9/10/79		9/10/79		9/10/79		9/10/79		5/0	
9/10/79		9/10/79		9/10/79		9/10/79		5/0	
9/10/79		9/10/79		9/10/79		9/10/79		5/0	
9/10/79		9/10/79		9/10/79		9/10/79		5/0	
9/10/79		9/10/79		9/10/79		9/10/79		5/0	
9/10/79		9/10/79		9/10/79		9/10/79		5/0	
9/10/79		9/10/79		9/10/79		9/10/79		5/0	
9/10/79		9/10/79		9/10/79		9/10/79		5/0	
9/10/79		9/10/79		9/10/79		9/10/79		5/0	
9/10/79		9/10/79		9/10/79		9/10/79		5/0	
9/10/79		9/10/79		9/10/79		9/10/79		5/0	
9/10/79		9/10/79		9/10/79		9/10/79		5/0	
9/10/79		9/10/79		9/10/79		9/10/79		5/0	
9/10/79		9/10/79		9/10/79		9/10/79		5/0	
9/10/79		9/10/79		9/10/79		9/10/79		5/0	
9/10/79		9/10/79		9/10/79		9/10/79		5/0	
9/10/79		9/10/79		9/10/79		9/10/79		5/0	
9/10/79		9/10/79		9/10/79		9/10/79		5/0	
9/10/79		9/10/79		9/10/79		9/10/79		5/0	
9/10/79		9/10/79		9/10/79		9/10/79		5/0	
9/10/79		9/10/79		9/10/79		9/10/79		5/0	
9/10/79		9/10/79		9/10/79		9/10/79		5/0	
9/10/79		9/10/79		9/10/79		9/10/79		5/0	
9/10/79		9/10/79		9/10/79		9/10/79		5/0	
9/10/79		9/10/79		9/10/79		9/10/79		5/0	
9/10/79		9/10/79		9/10/79		9/10/79		5/0	
9/10/79		9/10/79		9/10/79		9/10/79		5/0	
9/10/79		9/10/79		9/10/79		9/10/79		5/0	
9/10/79		9/10/79		9/10/79		9/10/79		5/0	
9/10/79		9/10/79		9/10/79		9/10/79		5/0	
9/10/79		9/10/79		9/10/79		9/10/79		5/0	
9/10/79		9/10/79		9/10/79		9/10/79		5/0	
9/10/79		9/10/79		9/10/79		9/10/79		5/0	
9/10/79		9/10/79		9/10/79		9/10/79		5/0	
9/10/79		9/10/79		9/10/79		9/10/79		5/0	
9/10/79		9/10/79		9/10/79		9/10/79		5/0	
9/10/79		9/10/79		9/10/79		9/10/79		5/0	
9/10/79		9/10/79		9/10/79		9/10/79		5/0	
9/10/79		9/10/79		9/10/79		9/10/79		5/0	
9/10/79		9/10/79		9/10/79		9/10/79		5/0	
9/10/79		9/10/79		9/10/79		9/10/79		5/0	
9/10/79		9/10/79		9/10/79		9/10/79		5/0	
9/10/79		9/10/79		9/10/79		9/10/79		5/0	
9/10/79		9/10/79		9/10/79		9/10/79		5/0	
9/10/79		9/10/79		9/10/79		9/10/79		5/0	
9/10/79		9/10/79		9/10/79		9/10/79		5/0	
9/10/79		9/10/79		9/10/79		9/10/79		5/0	
9/10/79		9/10/79		9/10/79		9/10/79		5/0	
9/10/79		9/10/79		9/10/79		9/10/79		5/0	
9/10/79		9/10/79		9/10/79		9/10/79		5/0	
9/10/79		9/10/79		9/10/79		9/10/79		5/0	
9/10/79		9/10/79		9/10/79		9/10/79		5/0	
9/10/79		9/10/79		9/10/79		9/10/79		5/0	
9/10/79		9/10/79		9/10/79		9/10/79		5/0	
9/10/79		9/10/79		9/10/79		9/10/79		5/0	
9/10/79		9/10/79		9/10/79		9/10/79		5/0	
9/10/79		9/10/79		9/10/79		9/10/79		5/0	
9/10/79		9/10/79		9/10/79		9/10/79		5/0	
9/10/79		9/10/79		9/10/79		9/10/79		5/0	
9/10/79		9/10/79		9/10/79		9/10/79		5/0	
9/10/79		9/10/79		9/10/79		9/10/79		5/0	
9/10/79		9/10/79		9/10/79		9/10/79		5/0	
9/10/79		9/10/79		9/10/79		9/10/79		5/0	
9/10/79		9/10/79		9/10/79		9/10/79		5/0	
9/10/79		9/10/79		9/10/79		9/10/79		5/0	
9/10/79		9/10/79		9/10/79		9/10/79		5/0	
9/10/79		9/10/79		9/10/79		9/10/79		5/0	
9/10/79		9/10/79		9/10/79		9/10/79		5/0	
9/10/79		9/10/79		9/10/79		9/10/79		5/0	
9/10/79		9/10/79		9/10/79		9/10/79		5/0	
9/10/79		9/10/79		9/10/79		9/10/79		5/0	
9/10/79		9/10/79		9/10/79		9/10/79		5/0	
9/10/79		9/10/79							



Hold for Bldg Permit

Mr. Stanton in
A.M.



10/31/79
sh

C.B.D

checked with
D.W.M.
sh

NOTES:

1. PROP. DWLG. F.F. ELEV. 202
BASE F.F. 198
2. DRYWELL 8" INSIDE DIA. x 8 1/2' DEEP
3. TRENCH 2' W. x 8' D. x 23' L. WITH 4" OF GRAVEL
5' EARTH BUFFER BETWEEN DRYWELL & TRENCH


PILOT PLAN
SCALE: 1" = 100'

I Certify the Above Measurements
And Elevations are Actual & correct
For this Property

Lorena Stanton
10/31/79 9/19/79 JHC

PROPERTY OF
MR. & MRS. LORENA STANTON
45 ELM. DR. HOWARD COUNTY, MD.

BOOK 371, PAGE 420



Plot Plan
Scale 1" = 100'

I Certify the Above Measurements
And Elevations are Actual & correct
For this Property

Lorena Stanton
10/31/79 9/15/79

PROPERTY OF
MR. & MRS. LORENA STANTON
405 E. 10th St., HOWARD COUNTY, MD.

BOOK 371, PAGE 420

OWNER:
EDWARD M. ARTER
131-41 226th ST.
LAURELTON, N.Y. 11413

EDWARD M. ARTER

ARTER PROPERTY