


COUNTY #

SOIL PROFILE

0' 528
 1' topsoil
 4' org brn cl lm
 14' org brn si mica lm
 20% rock

0' 243
 1' topsoil
 4' org brn cl lm
 4'7" red brn to 16' brn mica lm

126
 1' topsoil
 6.5' dull org brn cl lm
 12' red brn si cl lm
 seepage
 water



INDICATE NORTH - NAME ADJOINING ROADWAY AS BASE LINE.

SOIL PROFILE

0' 127
 1' topsoil
 4.5' org brn cl lm
 7' seepage
 0' 525
 1' topsoil
 4' org brn cl lm
 14' red brn to 16' brn mica lm

DATE	TEST NO.	DEPTH	PRE-WET		TEST - 1" DROP		TIME
			START	STOP	START	STOP	
6-7-01	528 (128)	4.5' S	1:07	1:13	1:12	1:42	3
		14.0' D	Visual	- see	profile		OK
	243	5.0' S	1:24	1:26	1:26	1:30	4
		14' 7" D	Visual	- see	profile		OK
	126	12.0' D	Water	(see page 6.5')			FAIL
	127	7.0' D	Water	(see page 4.5')			FAIL
	525 (125)	4.5' S	3:52	3:54	3:54	3:57	3
		14.0' D	Visual	- see	profile		OK
	122	4.0' D	Refusal				FAIL

REMARKS

holes tested as stated, holes 121, 123 not found

TYPE OF SOIL

TESTED BY

DKE

ALSO PRESENT Fogle's crew

TRENCH DESIGN DATA: AVERAGE PERCOLATION TIME

TRENCH WIDTH

INLET DEPTH

MAXIMUM BOTTOM DEPTH

SQ. FT./BEDROOM

Year	Number of cases	Percentage of cases	Number of deaths	Percentage of deaths	Number of cases per 100,000 population	Number of deaths per 100,000 population
2019	1,100	100%	10	100%	11.0	1.0
2020	1,200	100%	12	100%	12.0	1.2
2021	1,300	100%	13	100%	13.0	1.3
2022	1,400	100%	14	100%	14.0	1.4
2023	1,500	100%	15	100%	15.0	1.5
2024	1,600	100%	16	100%	16.0	1.6
2025	1,700	100%	17	100%	17.0	1.7
2026	1,800	100%	18	100%	18.0	1.8
2027	1,900	100%	19	100%	19.0	1.9
2028	2,000	100%	20	100%	20.0	2.0
2029	2,100	100%	21	100%	21.0	2.1
2030	2,200	100%	22	100%	22.0	2.2
2031	2,300	100%	23	100%	23.0	2.3
2032	2,400	100%	24	100%	24.0	2.4
2033	2,500	100%	25	100%	25.0	2.5
2034	2,600	100%	26	100%	26.0	2.6
2035	2,700	100%	27	100%	27.0	2.7
2036	2,800	100%	28	100%	28.0	2.8
2037	2,900	100%	29	100%	29.0	2.9
2038	3,000	100%	30	100%	30.0	3.0
2039	3,100	100%	31	100%	31.0	3.1
2040	3,200	100%	32	100%	32.0	3.2
2041	3,300	100%	33	100%	33.0	3.3
2042	3,400	100%	34	100%	34.0	3.4
2043	3,500	100%	35	100%	35.0	3.5
2044	3,600	100%	36	100%	36.0	3.6
2045	3,700	100%	37	100%	37.0	3.7
2046	3,800	100%	38	100%	38.0	3.8
2047	3,900	100%	39	100%	39.0	3.9
2048	4,000	100%	40	100%	40.0	4.0
2049	4,100	100%	41	100%	41.0	4.1
2050	4,200	100%	42	100%	42.0	4.2
2051	4,300	100%	43	100%	43.0	4.3
2052	4,400	100%	44	100%	44.0	4.4
2053	4,500	100%	45	100%	45.0	4.5
2054	4,600	100%	46	100%	46.0	4.6
2055	4,700	100%	47	100%	47.0	4.7
2056	4,800	100%	48	100%	48.0	4.8
2057	4,900	100%	49	100%	49.0	4.9
2058	5,000	100%	50	100%	50.0	5.0
2059	5,100	100%	51	100%	51.0	5.1
2060	5,200	100%	52	100%	52.0	5.2
2061	5,300	100%	53	100%	53.0	5.3
2062	5,400	100%	54	100%	54.0	5.4
2063	5,500	100%	55	100%	55.0	5.5
2064	5,600	100%	56	100%	56.0	5.6
2065	5,700	100%	57	100%	57.0	5.7
2066	5,800	100%	58	100%	58.0	5.8
2067	5,900	100%	59	100%	59.0	5.9
2068	6,000	100%	60	100%	60.0	6.0
2069	6,100	100%	61	100%	61.0	6.1
2070	6,200	100%	62	100%	62.0	6.2
2071	6,300	100%	63	100%	63.0	6.3
2072	6,400	100%	64	100%	64.0	6.4
2073	6,500	100%	65	100%		

SOIL PROFILE

0°


2

4

2

SOIL PROFILE

0



INDICATE NORTH - NAME ADJOINING ROADWAY AS BASE LINE.

Friday, 20th

[illegible]REMARKS: 1000 ft. 1000 ft. 1000 ft.

TYPE OF SOIL _____

TESTED BY WJC ALSO PRESENT Fujita - 4/11/68

TRENCH DESIGN DATA: AVERAGE PERCOLATION TIME _____ TRENCH WIDTH _____

INLET DEPTH	MAXIMUM BOTTOM DEPTH	SQ FT/BEDROOM
-------------	----------------------	---------------

REMARKS _____

TYPE OF SOIL _____

TESTED BY _____ ALSO PRESENT _____

TRENCH DESIGN DATA: AVERAGE PERCOLATION TIME _____ TRENCH WIDTH _____

INLET DEPTH	MAXIMUM BOTTOM DEPTH	SQ. FT./BEDROOM
-------------	----------------------	-----------------



G1C2

G1C2

G1C2

CHD2

G1C2

G1C2

G1C2

G1C2

G1C2

FOREST CONSERVATION EASEMENT #1

FOREST CONSERVATION EASEMENT #2

NON-BUILT PRESERVATION FOR STORMWATER H.O.A. OWN HO. CO. ESMT. 3.01 AC

NON-BUILT PRESERVATION DEDICATED ENVIRONMENTAL TRUST HO. CO. ESMT. 1.79 AC

LOT 5
51,099 S.F.

LOT 6
49,725 S.F.

LOT 4
49,157 S.F.

LOT 3
47,693 S.F.

LOT 7
49,745 S.F.

LOT 2
47,811 S.F.

LOT 1
42,912 S.F.

LOT 8
49,246 S.F.

EX. TRANSFORMER

EX. CABLE BOX

EX. ROAD CURVE SIGN

EX. 12" CMP

EX. 36" SC OAK

EX. 4" TULIP POPLAR

EX. 30" WHITE OAK

EX. 30" BLACK OAK

EX. 10" BRL

EX. 15' HOPPER

EX. 10" BRL

EX. 10" BRL

EX. 10" BRL

EX. 10" BRL

EX. 10" BRL

EX. 10" BRL

EX. 10" BRL

EX. 10" BRL

EX. 10" BRL

EX. 10" BRL

EX. 10" BRL

EX. 10" BRL

EX. 10" BRL

EX. 10" BRL

EX. 10" BRL

EX. 10" BRL

EX. 10" BRL

EX. 10" BRL

EX. 10" BRL

EX. 10" BRL

EX. 10" BRL

EX. 10" BRL

EX. 10" BRL

EX. 10" BRL

EX. 10" BRL

EX. 10" BRL

EX. 10" BRL

EX. 10" BRL

EX. 10" BRL

EX. 10" BRL

EX. 10" BRL

EX. 10" BRL

EX. 10" BRL

EX. 10" BRL

EX. 10" BRL

EX. 10" BRL

EX. 10" BRL

EX. 10" BRL

EX. 10" BRL

EX. 10" BRL

EX. 10" BRL

EX. 10" BRL

FLOODPLAIN CHART

No.	BEARING	DIST
FP15	S18°29'48"E	98.96'
FP16	S21°48'52"E	86.20'
FP17	S29°41'50"E	69.25'
FP18	S41°14'13"E	27.88'
FP19	S49°58'28"W	99.00'
FP20	N29°48'14"W	160.49'
FP21	N21°01'25"W	74.92'
FP22	N08°53'57"W	154.73'

