

PERMIT

SEWAGE DISPOSAL SYSTEM

MARYLAND STATE DEPARTMENT OF HEALTH

HOWARD COUNTY

INDEXED

P 03402

A 03198

ELLCOTT CITY

DISTRICT 3

DATE 3/2/61

Bob Ashby IS PERMITTED TO INSTALL ☒ ALTER
ADDRESS Mineral Hill Rd., Randallstown PHONE Builders Mt. Airy 574

A SEWAGE DISPOSAL SYSTEM LOCATED AT _____

SUBDIVISION River Park Estates ROAD River Rd. LOT 5

PROPERTY OWNER Wallace Morris

ADDRESS Rt. 3, Mt. Airy

SPECIFICATIONS

DRAIN FIELD _____ DEPTH _____ FEET, BOTTOM AREA _____ SQ. FT.

SEEPAGE PITS ☒ ABSORBENT SIDE-WALL AREA 300 SQ. FT. below the inlet.

SEPTIC TANK CAPACITY 750 GALLONS

FOR GARBAGE GRINDER, INCREASE DISPOSAL AREA 225 & TANK CAPACITY 500.

OTHER Place the dry well about 45 ft. to 70 ft. from the edge of River Rd. and about 50 ft. to 75 ft. from the side of the lot farthest from lot 4.

Septic tank cannot be installed more than 3 feet below original grade.

PLANS APPROVED BY Raymond Hodges DATE 11/18/60

FILL SEPTIC TANK AND DISTRIBUTION BOX WITH WATER BEFORE CALLING FOR AN INSPECTION. COVER NO WORK UNTIL INSPECTED AND APPROVED.

NEITHER THE HOWARD COUNTY COMMISSIONERS NOR THE HEALTH DEPARTMENT IS RESPONSIBLE FOR THE SUCCESSFUL OPERATION OF ANY SYSTEM.

03198