

## Bureau of Environmental Health

8930 Stanford Soulevard, Columbia, MD 21045 Main: 410-313-2640 | Fax: 410-313-2648 TDD 410-313-2323 | Toll Free 1-866-313-6300 www.hchealth.org

Facebook: www.facebook.com/hocohealth

Maura J. Rossman, M.D., Health Officer

RECEIPT	DATE: 10/13/17 ONSITE SEWAGE DIS	SPOSAL SYSTEM	P <u>561533-</u> 0			
APPROVAL	DATE: Mesole 1 PERMIT:	REPAIR	A			
PROPERTY /						
SUBDIVISIO	N: Glenwood Estates	LOT: <u>1</u>	TAX ID: <u>04-335740</u>			
CONTRACTO	OR: South Carroli Backhoe	EMAIL: scb	ackhoe@comcast.net			
CONTRACTOR	R ADDRESS: 4410 Salem Bottom Road, Westminst	er, MD 21157	PHONE: 410-596-3618			
PROPERTY O	DWNER: Len Shumake	EMAIL:				
OWNER ADDRESS: 3295 Saddle Horse Court PHONE: 443-745-1600						
SEPTIC TANK	K SIZE: Ex. PUMP TANK CAPACITY:	n/a				
DISTRIBUTIO	ON SYSTEM: GRAVITY PRESSURE DO	SED BEDROOMS: <u>5</u>	APPLICATION RATE: 0.8			
	LINEAR FEET REQUIRED: 170		INLET DEPTH: 3			
TRENCHES:	TRENCH WIDTH: 2	MAXIMUM BO	гтом рертн: 9			
1	MINIMUM SPACE BETWEEN TRENCHES: 12	EFFECTIVE AREA SEGIN	MING PEDTM 5			
LOCATION:	TO BE STAKED BY SANITARIAN DURING PRE-CONSTRU		2			
	Install system in open area of front yard near percites!	** <del>(###/********************************</del>	during pre-construction meeting. All			
	utilities must be properly marked in field. Existing dryv	well to be pumped and col	lapsed.			
NOTES:						
	* Automotive					
ISSUED BY:	K. Wolf ISSUE DA	TE: 10/13/2017 E	XPIRATION DATE: 10/13/2018			
NOTE: CONT	FRACTOR MUST SCHEDULE A PRE-CONSTRUCTION INSPECTION	I PRIOR TO BEGINNING ANY	INSTALLATION			
NOTE: CONT	TRACTOR MUST SCHEDULE AN INSPECTION AND GAIN APPROVE	AL OF ALL COMPONENTS PRI	OR TO COVERING			
NOTE: STONE MUST BE APPROVED BY HEALTH DEPARTMENT AND GRAVEL TICKET MUST BE AVAILABLE FOR REVIEW.						
NOTE: WATERTIGHT SEPTIC TANKS REQUIRED						
NOTE: ALL PARTS OF SEPTIC SYSTEM SHALL BE AT LEAST 100 FEET DOWNGRADIENT FROM ANY WATER WELL NOTE: MANHOLE RISERS REQUIRED ON ALL SEPTIC TANKS AND PUMP CHAMBERS						
NOTE: AN ELECTRICAL PERMIT IS REQUIRED FOR INSTALLATION OF ANY ELECTRICAL COMPONENTS OF THE SYSTEM						
	ELECTRICAL PERMIT ISSUED					
	NOTE: THE HIGHD DOES NOT WARRANTY ANY SYSTEM AND CANNOT GUARANTEE THE PERFORMANCE OF THIS SYSTEM AS DESIGNED, BY					
	ACCEPTING THIS PERMIT, THE OWNER AND/OR APPLICANT ACKOWLEDGE THAT THE SPECIFICATIONS DETAILED IN THIS DESIGN ARE ONE POSSIBLE OPTION AND THAT THE HCHD WILL REVIEW OTHER PROPOSALS. YOU HAVE THE OPTION TO SZEK THE ADVICE OF A					
QUAL	QUALIFIED DESIGN CONSULTANT OR PROFESSIONAL ENGINEER FOR FURTHER GUIADNCE.					
	TE: AN INDIVIDUAL CERTIFIED BY MDE AND THE MANUFACTURER FOR BAT INSTALLATION MUST BE PRESENT AT ALL TIMES DURING BAT INSTALLATION.					
	MDE RECOMMENDS SEPTIC TANKS, BAT, AND OTHER PRETREATMENT UNITS BE PUMPED AT A FREQUENCY ADEQUATE TO ENSURE THAT SOLIDS ARE NOT DISCHARGED TO THE DISPOSAL AREA					

NEITHER THE HOWARD COUNTY COUNCIL NOR THE HEALTH DEPARTMENT IS RESPONSIBLE FOR THE SUCCESSFUL OPERATION OF ANY SYSTEM.

PERMITTEE RESPONSIBLE FOR OBTAINING FINAL APPROVAL ON THIS PERMIT.

CALL 410-313-1771 TO SCHEDULE INSPECTIONS.

NOT TO SCALE	TRENC WIDTH
Ex HOSR	NUMBER TOTAL LE ABSORPT DISTRIBU' DISTRIBU'
\$ \$ \$ 3.5 \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	SEPTIC MANU CAPA SEAM TANK BAFFL BAFFL
* D Box to	MANH 6" POR WATEI SLOTT DATE PUMP/SEPT MANU CAPAG
A: B: 52.5'	SEAM TANK BAFFL BAFFL MANHO 6" POR WATEL SLOTT
ROAD NAME	DATE
PRE-CONSTRUCTION:  10 10 10 Perc completed, No layout given. Need to  12 18/17 Layout given Adverted truly layout o  exists truch and Downlow Set Doine C  trucked in appointe directionic Fleverthing of  pointed at No atom on site Drynell you	mark and some
Stone is clean free of fires @ 12/19/2017 Remaring Tree	

WIDTH	INLET	BOTTOM
NUMBER OF	TRENCHES _	
TOTAL LENG	TH	
ABSORPTION	AREA	
DISTRIBUTIO	N BOX LEVEL	·
DISTRIBUTIO	N BOX BAFFL	E
DISTRIBUTIO	N BOX PORT	

SEPTIC TANK DATA SEPTIC TANK 1 LEVEL	<u>A</u>
MANUFACTURER	
CAPACITY	GAJ
SEAM LOC	
TANK I.ID DEPTH	
BAFFLES	
BAFFLE FILTER	
MANHOLE LOC	
6" PORT LOC	
WATERTIGHT TEST	
SLOTTED	
DATE ON LID	
PUMP/SEPTIC TANK LEVEL _	
MANUFACTURER	
CAPACITY	
SEAM LOC	
TANK LID DEPTH	
BAFFLES	
BAFFLE FILTER	
MANHOLE LOC	
6" PORT LOC	
WATERTIGHT TEST	
SLOTTED	
DATE ON LID	

TRIBLE Per completed, No layout given. Need to must utilities (m)

TRIBLE Layout given Advantal trade layout and location due to
exist trade of his loc. Set Dise County out the 43'

Trible In private discussion of the Deputy unped. (m) (50)

INSTALLATION: 12/19/17 PM VISIT. One Trench Completed. I load of Stone arrived on Site.

Stone is clean free of fires @ 17/19/2017 Remarking Trenches, D Box, and affluent live from tank Completed and Completed and Hoco 3.805. D Box

Speed level Set. Ok to Box L. Fill. (D) 12/20/2017 Day Well Collageed and

Brick Filled. (D)

FINAL INSPECTOR

SEA DATE OF APPROVAL 17/20/2017



## HOWARD COUNTY HEALTH DEPARTMENT

Received By

61533D

Received	Suth (cool Beck De , PHONE # 410 576-368
4410	Ston Roton RD Westingster HD 21157
☐ CASH	5032 Linder (+ 12199 Haland Jan 1901
NO.	Northern Kell User, Brother mer 3295 Markethad
\$ 10	Dollars College College Dollars