

HOWARD COUNTY
PERMIT APPLICATION

PERMIT NUMBER

B10003043

Building Address 3975 Sharp Road
Glenwood MD 21738
Suite/Apt. #: _____ SDP/WP/Petition #: _____
Census Tract _____ Subdivision Charles Sharp
Section _____ Area _____ Lot #8
Tax Map _____ Parcel 7710 Grid _____
Zoning _____ Map Coordinates _____ Lot size _____

Property Owner's Name Duke & Mimi, Dhome Sh Inc
Address 3975 Sharp Road
City Glenwood State MD Zip Code 21738
Home Phone 410 981-9136 Work Phone 410 715-1766
Applicant's Name & Mailing Address, (if other than stated hereon): _____
Phone _____ Fax _____

Existing Use Single Family
Proposed Use Same
Estimated Construction Cost \$ 5150,000.00
Description of Work Extend Master Suite
19 - 12' x 16' 1-story w/ bath
1 - 10' x 16' 1-story w/ bath

Contractor Company Myers Handyman Company, LLC
Contact Person Whisper Myers
Address 2375 Duvall Rd
City Libertyville State MD Zip Code 21777
License No. 0801008766
Phone 410 411-1111 Fax 410 981-1111

Occupant or Tenant Same as above
Contact Name Duke & Mimi, Dhome Sh Inc
Address 3975 Sharp Road
City Glenwood State MD Zip Code 21738
Phone _____ Fax _____

Engineer or Architect Company JB Home Design LLC
Contact Person Jon Butts
Address 9416 Concord Court
City Baltimore State MD Zip Code 21231
Phone 410 599-9517 Fax 410 602-7161

BUILDING DESCRIPTION - COMMERCIAL

Building Characteristics	Utilities
Height: _____	Water Supply: _____ Public _____ Private _____
No. of stories: _____	Sewage Disposal: _____ Public _____ Private _____
Gross area, sq. ft. per floor: _____	Electric Yes ☐ No ☐ Gas Yes ☐ No ☐
Use group: _____	Heating System: _____ Electric ☐ Oil ☐ Natural Gas ☐ Propane Gas ☐
Construction type: _____ Reinforced Concrete _____ Structural Steel _____ Masonry _____ Wood Frame _____ State Certified Modular _____	Sprinkler system: N/A ☐ Full _____ Partial _____ Other Suppression _____ # of Heads _____

BUILDING DESCRIPTION - RESIDENTIAL

Building Characteristics	Utilities
SF Dwelling ☒ SF Townhouse ☐ Depth _____ Width _____ 1st floor: <u>32'</u> <u>60'</u> 2nd floor: <u>32'</u> <u>60'</u> Basement: <u>32'</u> <u>60'</u> Finished Basement ☐ Unfinished Basement ☐ Crawl space ☐ Slab on Grade ☐ No. of Bedrooms <u>4</u> Height: _____ Multi-family dwellings: _____ No. of efficiency units: _____ No. of 1 BR units: _____ No. of 2 BR units: _____ No. of 3 BR units: _____ Other Structure: _____ Dimensions: _____ Footings: _____ Roof Height: _____ State Certified Modular _____ Manufactured Home _____	Water Supply: _____ Public _____ Private ☒ Sewage Disposal: _____ Public _____ Private ☒ Electric Yes ☒ No ☐ Gas Yes ☐ No ☐ Heating System: _____ Electric ☐ Oil ☐ Natural Gas ☐ Propane Gas ☐ Sprinkler system: N/A ☒ NFPA #13D _____ NFPA #13R _____ Other: _____

THE UNDERSIGNED HEREBY CERTIFIES AND AGREES AS FOLLOWS: (1) THAT HE/SHE IS AUTHORIZED TO MAKE THIS APPLICATION; (2) THAT THE INFORMATION IS CORRECT; (3) THAT HE/SHE WILL COMPLY WITH ALL REGULATIONS OF HOWARD COUNTY WHICH ARE APPLICABLE THERETO; (4) THAT HE/SHE WILL PERFORM NO WORK ON THE ABOVE REFERENCED PROPERTY NOT SPECIFICALLY DESCRIBED IN THIS APPLICATION; (5) THAT HE/SHE GRANTS COUNTY OFFICIALS THE RIGHT TO ENTER ONTO THIS PROPERTY FOR THE PURPOSE OF INSPECTING THE WORK PERMITTED AND POSTING NOTICES.

Applicant's Signature

Title/Company

Print Name

Date

Checks payable to: **DIRECTOR OF FINANCE OF HOWARD COUNTY**

** PLEASE WRITE NEATLY AND LEGIBLY. **

- FOR OFFICE USE ONLY -

AGENCY	DATE	SIGNATURE APPROVAL
Land Development, DPZ		
State Highways		
Building Official		
Dev. Engineering, DPZ		
Health <u>10-26-10</u>		<u>Dana Burard</u>
Fire Protection		
Is Sediment Control approval required prior to issuance? YES ☐ NO ☐		

DPZ SETBACK INFORMATION	PROPERTY ID#
Front: _____	Filing fee \$ <u>25.00</u>
Rear: _____	Permit fee \$ _____
Side: _____	Excise tax \$ _____
Side St.: _____	Add'l per. fee \$ _____
All minimum setbacks met? YES ☐ NO ☐	TOTAL FEES \$ _____
Is Entrance Permit required? YES ☐ NO ☐	Sub-total paid \$ _____
Historic District? YES ☐ NO ☐	Balance due \$ _____
Lot Coverage for NewTown Zone _____	Check # <u>6305</u>
SDP/Red-line approval date _____	Validation # _____

CONTINGENCY CONSTRUCTION START: ☐

ONE STOP SHOP: ☐

Distribution of Copies-
T:\forms\PERMIT.FRM

White: Building Official

Green: LDD, DPZ


Yellow: DED, DPZ

Pink: Health

Gold: SHA

Accepted by AD

Rev. 11/4/04



7178 Columbia Gateway Drive, Columbia MD 21046
Phone (410) 313-2640 Fax (410) 313-2648
TDD (410) 313-2323 Toll Free 1-866-313-6300
Website: www.hchealth.org

Peter L. Beilenson, M.D., M.P.H., Health Officer

October 14, 2010

**RE: Building Permit # B10003048
3975 Sharp Road
Glenwood, Maryland 21738
Building Site Plan**

**TO: MYERS HANDYMAN COMPANY LLC.
c/o WAYNE KEVIN MYERS
2375 Duvall Road
Woodbine, Maryland 21797**



Prior to building permit approval, an approved Building Plan is required. Further review is contingent upon submission of a Building Plan showing the following:


- ↓ Floor plans for the existing house.
- ↓ Floor plans for both additions.

Your building permit will be placed "on hold" until all Health Dept. requirements are met. If you have any questions or correspondence, I can be reached at the above address or by telephone at (410) 313-2775.


Respectfully,
Dana Bernard
Dana Bernard, Environmental Sanitarian
Bureau of Environmental Health
Well and Septic Program
Phone (410) 313-2775
E-mail: DBernard@howardcountymd.gov

cc: Well & Septic program file
JB Home Design, LLC
9416 Concord Court
Baltimore, Maryland 21234
c/o John B





RIGHT SIDE ELEVATION
SCALE 1/4"=1'-0"



REAR ELEVATION
SCALE 1/4"=1'-0"

JB HOME DESIGN, LLC



1000 CONCORD COURT
SUITE 1000
FARMINGTON, CT 06031
TEL: 860.646.1000
WWW.JBDESIGN.COM

REAR AND RIGHT SIDE ELEVATIONS

CONTRACT: 1000-1000
SCALE: 1/4"=1'-0"
DATE: 10/1/10
PROJECT TITLE: BOOMERSHINE ADDITION

ISSUE

NO. 1

DATE

BY

DATE

BY

DATE

BY

DATE

BY

DATE

BY

DATE

BY

DATE

BY


DATE

BY

DATE

A-1A

BOOMERSHINE ADDITION



3975 SHARP ROAD
GLENWOOD, MARYLAND 21738
HOWARD COUNTY
4TH ELECTION DISTRICT
SCALE: 1"=20' DATE: SEPTEMBER 28, 2010

SITE PLAN



PERMIT/PRICING SET
SEPTEMBER 28, 2010



JB HOME DESIGN, LLC


9416 CONCORD COURT
BALTIMORE, MARYLAND 21234
OFFICE (410) 544-0501
FAX (410) 663-4064
EMAIL: JON@JBHOMEDESIGN.COM

DRAWING INDEX


TITLE	SHEET	TITLE	SHEET
COVER SHEET/SITE PLAN	CS	FIRST FLOOR PLAN	A-3
CONSTRUCTION NOTES	CN	SECOND FLOOR PLAN	A-4
EXIST. FRONT AND RIGHT SIDE ELEV.	EX-1	SECTIONS AND DETAILS	A-5A
EXIST. REAR AND LEFT SIDE ELEV.	EX-2	WALL BRACING PLANS AND ELEVATIONS	A-5B
EXIST. FOUNDATION/DEMO PLANS	EX-3	APA NARROW WALL DETAILS	A-6
EXIST. FIRST FLOOR/DEMO PLANS	EX-4		
EXIST. SECOND FLOOR/DEMO PLANS	EX-5		
REAR AND RIGHT SIDE ELEVATIONS	A-1A		
FRONT AND LEFT SIDE ELEVATIONS	A-1B		
FOUNDATION PLAN	A-2		

SQ. FOOTAGE

BASEMENT	142
FIRST FLOOR	345
SECOND FLOOR	0
TOTAL	531



EXIST. FIRST FLOOR PLAN
SCALE: 1/8"=1'-0"



FIRST FLOOR DEMO PLAN
SCALE: 1/8"=1'-0"

JB HOME DESIGN, LLC


1800 GAZARD COURT
 SUITE 100, WILKINSON, MD 21206
 OFFICE: (410) 394-8871
 FAX: (410) 394-8871
 EMAIL: JBD@JBHOMEDSIGN.COM

EXIST. FIRST FLOOR DEMO PLANS
CONTENTS: 1 SHEET OF 1
 SCALE: 1/8"=1'-0"


DATE: 10/1/14
 DRAWN BY: JBD
 PROJECT TITLE: BOONERSHINE ADDITION

ISSUE	DATE	BY	DESCRIPTION

X-4



EXIST. FOUNDATION PLAN
SCALE: 1/4" = 1'-0"



FOUNDATION DEMO PLAN
SCALE: 1/4" = 1'-0"


EX-3

ISSUE


EXIST. FOUNDATION PLAN/DEMO PLANS				
DATE:	DATE:	DATE:	DATE:	DATE:
SCALE: 1/4" = 1'-0"	SCALE: 1/4" = 1'-0"	SCALE: 1/4" = 1'-0"	SCALE: 1/4" = 1'-0"	SCALE: 1/4" = 1'-0"
BOOMERSHINE ADDITION				
PROJECT TITLE:				



JB HOME DESIGN, LLC
 1416 CONCORD COURT
 BALTIMORE, MARYLAND 21204
 OFFICE: (410) 594-4001
 FAX: (410) 594-4001
 EMAIL: JON@JBHOMEDSIGN.COM



EXIST. SECOND FLOOR PLAN
SCALE: 1/8" = 1'-0"



SECOND FLOOR DEMO PLAN
SCALE: 1/8" = 1'-0"

EX-5

ISSUE	DATE	BY	CHKD

EXIST. SECOND FLOOR/DEMO PLANS
 SCALE: 1/8" = 1'-0"
 BOOMERSHINE ADDITION
 PROJECT TITLE



JB HOME DESIGN, LLC
 1400 GOLFVIEW COURT
 BOWLING GREEN, OHIO 43403
 OFFICE: (614) 399-4501
 FAX: (614) 399-4501
 EMAIL: JON@JBHOMEDSIGN.COM


BOOMERSHINE ADDITION

ISSUE

--	--

FIRST FLOOR PLAN


1011

TABLE 1
 MEAN AND STANDARD DEVIATION OF THE
 DEPENDENT VARIABLES IN THE
 STUDY
 (N = 100)[illegible]


Name: _____
 Flower Color: _____
 Flower Shape: _____
 Flower Size: _____

Architectural drawing of the "MUSEUM OF THE FUTURE" by Frank Lloyd Wright. The drawing shows a large, modern building with a prominent central tower and a series of long, horizontal wings. The building is surrounded by a landscape with trees and a body of water. The drawing includes various annotations and notes, such as "MUSEUM OF THE FUTURE", "FRANK LLOYD WRIGHT", "1956", and "1957". The drawing is a detailed architectural plan, showing the layout of the building and its surroundings.


SEE SECTION 'A' FOR
TYPICAL CONSTRUCTION
NOTES




SECTION "B"
SCALE: 1/4"=1'-0"



SECTION "A"
SCALE: 1/4"=1'-0"



1. TYP. SECTION AT ADDITION FUTURE DECK
SCALE: 1/4"=1'-0"



2. SLAB ON GRADE DETAIL
SCALE: 1/4"=1'-0"

JB HOME DESIGN, LLC



SECTIONS AND DETAILS

DATE: 10/1/2020

ISSUE

SHEET NO.

A-5A


BOOMERSHINE ADDITION

SCALE: 1/4"=1'-0"

PROJECT TITLE

DATE: 10/1/2020

SCALE: 1/4"=1'-0"



☒ MEETS OR EXCEEDS MIN. REQ. BRACED WALL PANEL PER CHART B
 ■ APA PORTAL FRAME (SEE A-6)

CHART A PERCENT BRACING REQUIRED FOR CONTINUOUS SHEATHING

FLOOR	BRACING REQUIRED
ONE STORY HOME OR TOP FLOOR OF A TWO OR THREE STORY HOME	8%
FIRST FLOOR OF A TWO STORY HOME OR SECOND FLOOR OF A THREE STORY HOME	8%
FIRST FLOOR OF A THREE STORY HOME	25%

THIS DRAWING SHOWS BRACED WALLS, LISTS AND NUMBERING BRACED WALLS. SHEATHING JOISTS MUST BE PROVIDED TO SUPPORT THE BRACED WALLS. THE BRACED WALLS ARE OF THE FOLLOWING LENGTHS: 12'-0" TO 12'-6". BRACED WALLS SHALL BE A MIN. OF 12'-0" HIGH AND SHALL BE CONSTRUCTED IN ACCORDANCE WITH DETAILS IN THIS A-6.

CHART B BRACED WALL PANELS LENGTH FOR CONT. SHEATHING


ADJACENT CLEAR OPENING HEIGHT	WALL HEIGHT				
	8'	9'	10'	11'	12'
8'	12'	12'	12'	12'	12'
9'	12'	12'	12'	12'	12'
10'	12'	12'	12'	12'	12'
11'	12'	12'	12'	12'	12'
12'	12'	12'	12'	12'	12'
13'	12'	12'	12'	12'	12'
14'	12'	12'	12'	12'	12'
15'	12'	12'	12'	12'	12'
16'	12'	12'	12'	12'	12'
17'	12'	12'	12'	12'	12'
18'	12'	12'	12'	12'	12'
19'	12'	12'	12'	12'	12'
20'	12'	12'	12'	12'	12'
21'	12'	12'	12'	12'	12'
22'	12'	12'	12'	12'	12'
23'	12'	12'	12'	12'	12'
24'	12'	12'	12'	12'	12'
25'	12'	12'	12'	12'	12'
26'	12'	12'	12'	12'	12'
27'	12'	12'	12'	12'	12'
28'	12'	12'	12'	12'	12'
29'	12'	12'	12'	12'	12'
30'	12'	12'	12'	12'	12'

CONTINUOUS SHEATHING METHOD:
 Continuous sheathing requires all areas of a braced wall, including the areas above and below windows, to be sheathed with a 5/8" minimum thickness of plywood or OSB. Length of braced-wall panels may be reduced to as low as 24".

WALLING REQUIREMENTS:
 The walling requirements for the attachment of all plywood or OSB to studs is 16d nails @ 6" o.c. for panel edges and 12" o.c. all interior supports. The walling requirements all openings are extra diagonal and are shown in detail in sheet.

BRACED WALL PANELS IN CONTINUOUS SHEATHING MUST BE LOCATED AT EACH END OF THE BRACED WALL LINE AND AT A SPACING NO GREATER THAN 20' ON CENTER. A BRACED WALL PANEL MUST HAVE A 24" MINIMUM CORNER REINFORCEMENT OR AN 800P 18-GAUGE CENTRE AT EACH END.


FIRST FLOOR PLAN
 SCALE: 1/8"=1'-0"



JB HOME DESIGN, LLC
 1400 GARDEN COURT
 DALLAS, TEXAS 75244
 OFFICE: 972-447-1111
 MOBILE: 972-447-1111
 EMAIL: JBD@JBDESIGN.COM


WALL BRACING PLANS AND ELEVATIONS
 BOOMERSHINE ADDITION
 PROJECT: 15-01
 SCALE: 1/8"=1'-0"

ISSUE
 SHEET NO.
 A-5B







Plan View of Corner Detail



Note: All double-line areas of exterior walls fully detailed with plywood or OSB
 CONSTRUCTION REQUIREMENTS FOR GARAGE NARROW WALL BRACING METHOD WITHOUT HOLD-DOWNS
 APA Narrow Wall Bracing Method Not to scale



Note: All double-line areas of exterior walls fully detailed with plywood or OSB
 GARAGE NARROW WALL BRACING METHOD WITHOUT HOLD-DOWNS (one segment shown)
 APA Narrow Wall Bracing Method Not to scale




OUTSIDE ELEVATION
 IMPORTANT CODE REQUIREMENTS:
 ONLY FOR USE ON HOMES WITH FULLY SHEATHED PLYWOOD OR OSB EXTERIOR WALLS PER IRC R602.10.5
 APA DETAIL OF NARROW WALL BRACING METHOD WITHOUT HOLD-DOWNS (STRUCTURAL PANEL OVERLAP OPTION) (DETAIL 2 OF 3)




OUTSIDE ELEVATION
 IMPORTANT CODE REQUIREMENTS:
 ONLY FOR USE ON HOMES WITH FULLY SHEATHED PLYWOOD OR OSB EXTERIOR WALLS PER IRC R602.10.5
 APA DETAIL OF NARROW WALL BRACING METHOD WITHOUT HOLD-DOWNS (FRAMING ANCHOR OPTION)

FRAMING ANCHORS RECALLED FOR THE ANCHOR MANUFACTURER'S RECOMMENDATION. THEY MAY ALSO BE ROTATED VERTICALLY.


USE ENGINEERED WOOD RIB BOARD, I-JOIST, OR GYI LAMBER RIB JUST TO MINIMIZE POTENTIAL FOR BUCKLING OVER BAND JOIST




1. NEW TO OLD SLAB DETAIL
SCALE: 1/4\"/>




2. SECTION AT BEAM POCKET
SCALE: 1/2\"/>




3. PLAN AT BEAM POCKET
SCALE: 1/2\"/>



4. BASE COLUMN DETAIL
SCALE: 1/4\"/>




5. COL. AT FTG. DETAIL
SCALE: 1/4\"/>



6. BEAM TO BEAM CONNECTION
SCALE: 1/2\"/>

- SYNCHRONAL NOTES:
1. CONNECTION DETAIL IS TO BE PER AISC AMERICAN INSTITUTE OF STEEL CONSTRUCTION
 2. FIELD SPALL: ALL BOLT HOLES TO LARGER THAN 1/2\"/>



FOUNDATION PLAN
SCALE: 1/4\"/>

- [illegible]

457

- LO9**
INFORMED VENTURE SHIP-
MENTED WATER RESOURCES
FLUENTS AND KEYS
THESE INTERIOR SPAN-
ELBAT AND/OR, CRYSTAL
- LO90**
IF AVAILABLE, AND 2
SPELLED, INVENTION
CALCULATIONS D-2,
PROVIDE 2 HOUR SET
OF ACID SENSITIVITY.
- LO91**
BEANS OR HAZARDS
BUT NOT IF INVENTION
AND SHALL BE THE C-
- METALS**

32
ESTATE ANSWERS ON

- 1201
- 1202
- 1203
- 1204
- 1205
- 1206
- 1207
- 1208
- 1209
- 1210
- 1211
- 1212
- 1213
- 1214
- 1215
- 1216
- 1217
- 1218
- 1219
- 1220
- 1221
- 1222
- 1223
- 1224
- 1225
- 1226
- 1227
- 1228
- 1229
- 1230
- 1231
- 1232
- 1233
- 1234
- 1235
- 1236
- 1237
- 1238
- 1239
- 1240
- 1241
- 1242
- 1243
- 1244
- 1245
- 1246
- 1247
- 1248
- 1249
- 1250
- 1251
- 1252
- 1253
- 1254
- 1255
- 1256
- 1257
- 1258
- 1259
- 1260
- 1261
- 1262
- 1263
- 1264
- 1265
- 1266
- 1267
- 1268
- 1269
- 1270
- 1271
- 1272
- 1273
- 1274
- 1275
- 1276
- 1277
- 1278
- 1279
- 1280
- 1281
- 1282
- 1283
- 1284
- 1285
- 1286
- 1287
- 1288
- 1289
- 1290
- 1291
- 1292
- 1293
- 1294
- 1295
- 1296
- 1297
- 1298
- 1299
- 1300
- 1301
- 1302
- 1303
- 1304
- 1305
- 1306
- 1307
- 1308
- 1309
- 1310
- 1311
- 1312
- 1313
- 1314
- 1315
- 1316
- 1317
- 1318
- 1319
- 1320
- 1321
- 1322
- 1323
- 1324
- 1325
- 1326
- 1327
- 1328
- 1329
- 1330
- 1331
- 1332
- 1333
- 1334
- 1335
- 1336
- 1337
- 1338
- 1339
- 1340
- 1341
- 1342
- 1343
- 1344
- 1345
- 1346
- 1347
- 1348
- 1349
- 1350
- 1351
- 1352
- 1353
- 1354
- 1355
- 1356
- 1357
- 1358
- 1359
- 1360
- 1361
- 1362
- 1363
- 1364
- 1365
- 1366
- 1367
- 1368
- 1369
- 1370
- 1371
- 1372
- 1373
- 1374
- 1375
- 1376
- 1377
- 1378
- 1379
- 1380
- 1381
- 1382
- 1383
- 1384
- 1385
- 1386
- 1387
- 1388
- 1389
- 1390
- 1391
- 1392
- 1393
- 1394
- 1395
- 1396
- 1397
- 1398
- 1399
- 1400
- 1401
- 1402
- 1403
- 1404
- 1405
- 1406
- 1407
- 1408
- 1409
- 1410
- 1411
- 1412
- 1413
- 1414
- 1415
- 1416
- 1417
- 1418
- 1419
- 1420
- 1421
- 1422
- 1423
- 1424
- 1425
- 1426
- 1427
- 1428
- 1429
- 1430
- 1431
- 1432
- 1433
- 1434
- 1435
- 1436
- 1437
- 1438
- 1439
- 1440
- 1441
- 1442
- 1443
- 1444
- 1445
- 1446
- 1447
- 1448
- 1449
- 1450
- 1451
- 1452
- 1453
- 1454
- 1455
- 1456
- 1457
- 1458
- 1459
- 1460
- 1461
- 1462
- 1463
- 1464
- 1465
- 1466
- 1467
- 1468
- 1469
- 1470
- 1471
- 1472
- 1473
- 1474
- 1475
- 1476
- 1477
- 1478
- 1479
- 1480
- 1481
- 1482
- 1483
- 1484
- 1485
- 1486
- 1487
- 1488
- 1489
- 1490
- 1491
- 1492
- 1493
- 1494
- 1495
- 1496
- 1497
- 1498
- 1499
- 1500
- 1501
- 1502
- 1503
- 1504
- 1505
- 1506
- 1507
- 1508
- 1509
- 1510
- 1511
- 1512
- 1513
- 1514
- 1515
- 1516
- 1517
- 1518
- 1519
- 1520
- 1521
- 1522
- 1523
- 1524
- 1525
- 1526
- 1527
- 1528
- 1529
- 1530
- 1531
- 1532
- 1533
- 1534
- 1535
- 1536
- 1537
- 1538
- 1539
- 1540
- 1541
- 1542
- 1543
- 1544
- 1545
- 1546
- 1547
- 1548
- 1549
- 1550
- 1551
- 1552
- 1553
- 1554
- 1555
- 1556
- 1557
- 1558
- 1559
- 1560
- 1561
- 1562
- 1563
- 1564
- 1565
- 1566
- 1567
- 1568
- 1569
- 1570
- 1571
- 1572
- 1573
- 1574
- 1575
- 1576
- 1577
- 1578
- 1579
- 1580
- 1581
- 1582
- 1583
- 1584
- 1585
- 1586
- 1587
- 1588
- 1589
- 1590
- 1591
- 1592
- 1593
- 1594
- 1595
- 1596
- 1597
- 1598
- 1599
- 1600
- 1601
- 1602
- 1603
- 1604
- 1605
- 1606
- 1607
- 1608
- 1609
- 1610
- 1611
- 1612
- 1613
- 1614
- 1615
- 1616
- 1617
- 1618
- 1619
- 1620
- 1621
- 1622
- 1623
- 1624
- 1625
- 1626
- 1627
- 1628
- 1629
- 1630
- 1631
- 1632
- 1633
- 1634
- 1635
- 1636
- 1637
- 1638
- 1639
- 1640
- 1641
- 1642
- 1643
- 1644
- 1645
- 1646
- 1647
- 1648
- 1649
- 1650
- 1651
- 1652
- 1653
- 1654
- 1655

5053
PAINT ALL EXTERIOR

- WOOD**
- A61**
ALL STRUCTURAL LUMBER
WITH THE EXCEPTING
OF THEIR CONDITION
A62

MEASURED FROM THE
THE CAROTID PULSE

- INDICATE SIZE OR GRADE PLANT CAPACITY DO NOT EXCEED:
TYPE OF FUEL _____ FUEL OR FILL _____
P. CUB. YARDING _____ 4'-0"
CY CUB. YARDING _____ 8'-0"
P. TONNES CAPACITY _____ 7'-0"
REMARKS MAY BE RECORDED WITH THE APPROVAL OF THE LOCAL
INSPECTION OR SUPERVISOR.

FRONTIER OF THE

- B1/2
PROVIDE DIVERSITY
OF HOUSING
B04
REDUCED DRUG
COUNT, IMPROVED
B1/2
B1/2
B1/2
B1/2
ALL DRUGS ARE
RECEIVED SMALL
B1/2
ALL VIBES AND N
F CLEARANCE TO
SPECIFIED BY N
B01
AIR P1/20 PROBAB
FEDERATION WILL
B01
PROVIDE OVERALL
LEADER WITH LOG
B01
PROVIDE MORE IN

ELECTRICAL CODE
APPLICABLE LOCAL

- BLOZ
ALL RECOVERABLE
REVENUE TO
A.F.F.
BLOZ
PROVIDE 64.1 RES
ACCORDANCE WITH
BLOZ
PROVIDE INFORMATION
WITHIN 12 OF 6
FOUR FEET FROM
BE INTERCONNECTED
ESSED UNDER PRO

1570

- ATTN: 12-07 OF B
FOR FET FROM I
RE: MORGANSTADT
ESSED UNDER PRO
MORGANSTADT, MORGANSTADT

IN THE SCALE OF H

- 5/28
ALL DECKERS IN
ACCOMMODATIONS
E/38
ALL YARDS AND
F/ CLEANANCE TO
SPECIFIED BY
B/31
AIR TYPING MACHINES
FURNITURE SHALL
TO THE SPEC
B/28
PROMOTE OVERALL
HEALTH WITH LOCAL
B/31
PROMOTE ROPE
FRONT AND REAR
B/2
PROMOTE 1/2 CLO
WHEELS TO POSITION
F/ PROMOTED.

ELECTRIC

- B01
MORE SMALL CON-
ELECTUAL CODE
APPLICABLE LOCK
AS SELECTED BY T
B02
ALL RECAPABLES
INTEGRATION TO
A27.
B03
PROVIDE 61.1 RES
ACCOMMODATE NTH
B04
PROVIDE WARDEN
MIN 12" OF B
FOUR FEET FROM
RE RECONSTRUCT
EERED UNDER PRO

5


-

- | | |
|--|--|
| | |
|--|--|


1

- | | | |
|------|-------|--|
| DATE | ISSUE | |
|------|-------|--|


BOOMERSHINE ADDITION



3975 SHARP ROAD
GLENWOOD, MARYLAND 21738
HOWARD COUNTY
4TH ELECTION DISTRICT
SCALE: 1"=20' DATE: SEPTEMBER 28, 2010
SITE PLAN



PERMIT/PRICING SET
SEPTEMBER 28, 2010



JB HOME DESIGN, LLC

9416 CONCORD COURT
BALTIMORE, MARYLAND 21234
OFFICE (410) 599-9587
FAX (410) 663-4069
EMAIL: JON@JBHOMEDSIGN.COM

DRAWING INDEX				SQ. FOOTAGE
TITLE	SHEET	TITLE	SHEET	
COVER SHEET/SITE PLAN	CS	FIRST FLOOR PLAN	A-3	BASEMENT 192
CONSTRUCTION NOTES	CN	SECOND FLOOR PLAN	A-4	FIRST FLOOR 345
EXIST. FRONT AND RIGHT SIDE ELEV.	EX-1	SECTIONS AND DETAILS	A-5A	SECOND FLOOR 0
EXIST. REAR AND LEFT SIDE ELEV.	EX-2	WALL BRACING PLANS AND ELEVATIONS	A-5B	TOTAL 537
EXIST. FOUNDATION/DEMO PLANS	EX-3	APA NARROW WALL DETAILS	A-6	
EXIST. FIRST FLOOR/DEMO PLANS	EX-4			
EXIST. SECOND FLOOR/DEMO PLANS	EX-5			
REAR AND RIGHT SIDE ELEVATIONS	A-1A			
FRONT AND LEFT SIDE ELEVATIONS	A-1B			
FOUNDATION PLAN	A-2			