C1 1321	SEQUENCE NO. (DENV USE ONLY)	STATE OF MARYLAND	THIS REPORT MUST BE SUBMITTED WITHIN 45 DAYS AFTER WELL IS COMPLETED.				
1 2 3 (THIS NUMBER IS TO BE PUN IN COLS. 3-6 ON ALL CARDS)	ICHED	WELL COMPLETION REPORT FILL IN THIS FORM COMPLETELY PLEASE PRINT OR TYPE	COUNTY A-31920				
ST/CO USE ONL	ATE WELL COMPLETE 0496 15 20	Depth of Well 22 3 6 0 26 (TO NEAREST FOOT)	PERMIT NO. FROM "PERMIT TO DRILL WELL" 1				
OWNER Dania	name School	Les saulle Rest name	2014 01: 01221				
STREET ON HED 1937	sname Schaf	Jewn_ IOWN_	mt. ain 21771				
SUBDIVISIONWELL LOC	3	SECTION	LOT_				
Not required for dri STATE THE KIND OF FO PENETRATED, THEIR CO	ven wells PRMATIONS	WELL HAS BEEN GROUTED (Circle Appropriate Box) TYPE OF GROUTING MATERIAL	C 3				
THICKNESS AND IF WA		CEMENT CIM BENTONITE CLAY BC	HOURS PUMPED (nearest hour)				
additional sheets if needed) Fr		NO. OF BAGS 30 NO. OF POUNDS 2520	PUMPING RATE (gal. per min.				
Brown Shale &	0 47	GALLONS OF WATER DEPTH OF GROUT SEAL (to nearest foot) from ft. to ft.	to nearest gal.) METHOD USED TO MEASURE PUMPING RATE WATER LEVEL (distance from land surface)				
not the second	10 -1	48 TOP 52 54 BOTTOM 58 (enter 0 if from surface)	BEFORE PUMPING 52				
Dlue rock 7	1 360 V	casing CASING RECORD types	WHEN PUMPING 290				
		insert appropriate STEEL CONCRETE	DAPE OF PUMP USED (for test)				
		code below PLASTIC OTHER	P piston T turbine				
		MAIN Nominal diameter Total depth CASING top (main) casing of main casing TYPE (nearest inch) (nearest foot)	centrifugal R rotary O other (describe below)				
		S 7 5 5 6 5 70 70	J jet S submersible				
		OTHER CASING (if used) diameter depth (feet)	·				
		H inch from to	PUMP INSTALLED				
		C A S S S S S S S S S S S S S S S S S S	DRILLER WILL INSTALL PUMP YES (NO (CIRCLE) (YES or NO)				
		N G	IF DRILLER INSTALLS PUMP, THIS SECTION MUST BE COMPLETED FOR ALL WELLS				
		screen type SCREEN RECORD	EXCEPT HOME USE TYPE OF PUMP INSTALLED				
		insert STEEL BRASS OPEN	PLACE (A,C,J,P,R,S,T,O) IN BOX - SEE ABOVE:				
		code BRONZE HOLE	CAPACITY: GALLONS PER MINUTE				
		PLASTIC OTHER	(to nearest gallon) PUMP HORSE POWER				
IN HARD ROCK AREAS, IDENTII	FY SPECIFICALLY	C 2	PUMP COLUMN LENGTH				
WHERE SATURATED FRACTUR	ES WERE OBSERVED.	DEPTH (nearest ft.)	(nearest ft.)				
	yes no	E 1770 49 360 3	CASING HEIGHT (circle appropriate box and enter casing height)				
WELL HYDROFRACTURE	D Y (N)	C 8 9 11. 15 1/ 21	LAND SURFACE				
CIRCLE APPROPRIAT	TE LETTED	S 23 24 26 30 32 36	below long (nearest foot)				
A A WELL WAS ABANDON WHEN THIS WELL WAS	IED AND SEALED	R 3 41 45 47 51	A LOCATION OF WELL ON LOT				
E ELECTRIC LOG OBTAINE	D	SLOT SIZE 133	SHOW PERMANENT STRUCTURE SUCH AS BUILDING, SEPTIC TANKS, AND/OR				
P TEST WELL CONVERTE	D TO PRODUCTION	DIAMETER (NEAREST INCH)	THAN TWO DISTANCES				
THEREBY CERTIFY THAT THIS WELL HA ACCORDANCE WITH COMAR 26.04.04		56 60 HG41)	(MEASUREMENTS TO WELL)				
AND IN CONFORMANCE WITH ALL CO ABOVE CAPTIONED PERMIT, AND THAT SENTED HEREIN IS ACCURATE AND CO MY KNOWLEDGE.	ONDITIONS STATED IN THE T THE INFORMATION PRE-	GRAVEL PACK L	3/53				
DRILLERS IDENT. NO. 24	/	FLOWING WELL INSERT F IN BOX 68 68	198				
Jaseph to	Marine	MDE USE ONLY (NOT TO BE FILLED IN BY DRILLER)	25				
DRILLERS SIGNATURE (MUST MATCH SIGNATURE OF	N APPLICATION!	T ^f (E.R.O.S.) W Q					
(MOST WATCH SIGNATURE OF	APPLICATION)	70 72 74 75 76					
SITE SUPERVISOR (sign. of dr	iller or journeyman	TELESCOPE LOG OTHER DATA					
responsible for sitework if diffe	rent from permittee)	CASING INDICATOR					

B 1 SEQUENCE NO.	STATE OF	MARYLAND	STATE PERMIT NUMBER			
(MDE USE ONLY)	A STATE OF W		40-93-0300			
(THIS NUMBER IS TO BE PUNCHED IN COLS. 3-6 ON ALL CARDS)		nt or type	70 fill in this form completely 79			
Date Received (APA) 4		B 3	LOCATION OF WELL			
996/96 OWNER INFORM	ATION	1 2	LOOAHON OF WELL			
8 13	al Mali III.	B COUNTY	21			
15 Last Name Owner	First Name , 34					
13305CHAFFERS	V1448RD	23 SUBDIVISION	42			
36 Street or RFD	55	SECTION 44 46	LOT 48 50			
57 Town 70	State 72 Zip 76	MHAIRY				
DRILLER INFORMATION	CIRCLE: MSD/MGD/MWD	52 NEAREST TOWN	WI I IMI			
Jesoph F. mayor	24	MILES FROM TOWN (enter	70 if in town) 7 10 11 12 13 76 77 78			
Driller's Name L. Maren 111	77 License No. 80	B 4	Shallessille Pood			
Figro/Name/ R / R / hash	1: 2 1 7/374	DIRECTION OF WELL FROM	11 NEAR WHAT ROAD 30			
Address	Bury my . 21	TOWN (CIRCLE BOX)	NORTH			
Jeseph Tr. Mayor	3/30/96	NW 8 NE	ON WHICH SIDE OF ROAD (CIRCLE APPROPRIATE BOX)			
B 2 WELL INFORMATION	Date	8-9	34 WEST S EAST			
APPROX. PUMPING RATE (GAL. PER MIN.)	5 1 1 1 1	W TOWN E	DISTANCE FROM ROAD			
AVERAGE DAILY QUANTITY NEEDED 8	12		ENTER FT OR MI M 1			
(GAL. PER DAY)	20	S _W S S S S S S S S S S S S S S S S S S S				
USE FOR WATER (CIRCLE APPRI		8	TAX MAP: BLK: PARCEL			
HOME (SINGLE OR DOUBLE HOUSEHO			NOT TO BE FILLED IN BY DRILLER HEALTH DEPARTMENT APPROVAL			
F FARMING (LIVESTOCK WATERING & AC		. HOWAR	0 A-3/820			
I IRRIGATION) TI INDUSTRIAL, COMMERCIAL, STATE AND	FEDERAL GOV	COUNTY NAME	COUNTY NO.			
22 OTHER (REQUIRES APPROPRIATION P	ERMIT)	STATE SIGNATURE DATE ISSUED A				
PUBLIC OR PRIVATE WATER COMPANY P APPROPRIATION PERMIT AND STATE H		a49/96	Gld. Jan 24/1/99			
APPROVAL)	AV DECUMPE	MODILI CT / I SI T	D SIGNATURE EXP. DATE			
T TEST, OBSERVATION, MONITORING (MA	AT REQUIRE	GRID 50	O GRID 7 6 0 0 0 0 55 63			
	77	SHOW MAJOR FEATURE	SOF 4/3/96 - 9:30 Great			
APPROXIMATE DEPTH OF WELL	FEET 28	BOX & LOCATE WELL _ WITH AN X	in action			
. 6	NEAREST	SOURCES OF DRILLING	WATER NO GREAT			
APPROXIMATE DIAMETER OF WELL	INCH	2.	1(101 X			
METHOD OF DRILLING (c		. 3.				
BORED (or Augered) JETTED AIR-ROTary AIR-PERcussion	Jetted & DRIVEN	WRITE THE BOX NUMBI FROM THE MAP HERE	ER ·			
30 AIR-ROTary AIR-PERcussion CABLE REVerse-ROTary	ROTARY (Hydraulic Rotary) DRive-POINT	PROM THE MAP TERE				
other		E 760				
REPLACEMENT OR DEEPEN	D WELLS	N 540	≪ 000			
(CIRCLE APPROPRIATE BO	OX)	DRAW A SKETCH BELOV	W SHOWING LOCATION OF WELL IN			
N THIS WELL WILL NOT REPLACE AN EXIS			TOWNS AND ROADS AND GIVE TO NEAREST ROAD JUNCTION			
ABANDONED AND SEALED		N Mt. aine	10 112 11 12 1 1 1 1 1 1 1 1 1 1 1 1 1 1			
THIS WELL WILL REPLACE A WELL THAT A STANDBY-CONTACT LOCAL APPROVI	T WILL BE USED AS NG AUTHORITY FOR		d. 1000			
POLICY ON STANDBY WELLS THIS WELL WILL DEEPEN AN EXISTING	WELL		194			
PERMIT NUMBER OF WELL TO BE REPLACED			N .			
(IF AVAILABLE) 41	52		3)			
Not to be filled in by driller (MDE OR CO	DUNTY USE ONLY)	Forig	Corried			
APPROP. PERMIT NUMBER G	APITI		*			
54	63		4			
FORCE G S NATIFILES PERMIT No.	93-19399		The well			
	73 74 75 78 77 78 79		4			
SPECIAL CONDITIONS NOTE = APPROVING AUTHORITIES SHOULD USE SEPARATE SHEET IF NEEDED =			®			

meet driller 1:00 meet driller 1:00 3/29/96 June to Dulle 3: PH 3/29/96 (J. Hoyne) ...

SITE INS. ECTION SHEET

140	700		•
WNER:	Shane B	Davidson	CO-OUNER
	•		

DATE REQUESTED: March 12, 1993

DRILLER: Joseph Mayne

ADDRESS: 1330 Schaffersville Road

WELL TAG #

(BUS DRIVER)

COUNTY #

PROPOSAL: Replacement well site inspection.

LOCATION DIAGRAM

	S HAFFERSUILLE ROAD	N
1330		
Droger de de la	3/29	196 WIST ON DOLLER YU
CAOM	1320	TOPO BY OFFICE TO SUBMIT ADDITATION M
	Die Sant	PARCH DRAIN

COMMENTS	DRILLER	REPORTS	went t	5 35	EM	420 -0	W FARM	HOUSE	-NO ON	E
	HOME.						,		PROBS	
	(TENNANT)	301	-365	- 3	- 600	work	@ B.	150	A. FIREOS	EA-
	·					*				

DATE:

INSPECTOR: