

C 1	7766	SEQUENCE NO. (WRA USE ONLY)	STATE OF MARYLAND WATER RESOURCES ADMINISTRATION TAWES STATE OFFICE BLDG., ANNAPOLIS, MD. 21401 WELL COMPLETION REPORT	THIS REPORT MUST BE SUBMITTED WITH- IN 30 DAYS AFTER WELL COMPLETION FILL IN THIS FORM COMPLETELY COUNTY NUMBER <u>A23682</u>
1 2 3 (SEQ. NO.) 6 (THIS NUMBER IS TO BE PUNCHED IN COLS. 5-6 ON ALL CARDS)		DATE RECEIVED (WRA USE ONLY) <u>March 14 1977</u>		
DATE WELL COMPLETED <u>125</u> 15 20		DEPTH OF WELL (TO NEAREST FOOT) <u>125</u> 22 26		
8-13		PERMIT NO. FROM "PERMIT TO DRILL WELL" <u>16-73-1816</u> 26 29 30 31 32 33 34 35 36 37		
OWNER <u>Shap</u> LAST NAME <u>Shap</u> FIRST NAME <u>Shap</u> STREET OR RFD. <u>3349 Shap Rd.</u> POST OFFICE <u>Shap</u>		DRILLERS IDENTIFICATION NO. <u>33</u>		

WELL LOG STATE THE KIND OF FORMATIONS PENETRATED, THEIR COLOR, DEPTH, THICKNESS AND IF WATER BEARING <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2">DESCRIPTION (USE ADDITIONAL SHEETS IF NECESSARY)</th> <th colspan="2">FEET</th> <th rowspan="2">CHECK IF WATER BEARING</th> </tr> <tr> <th>FROM</th> <th>TO</th> </tr> </thead> <tbody> <tr> <td>Sand</td> <td>0</td> <td>70</td> <td></td> </tr> <tr> <td>gray granite</td> <td>70</td> <td>125</td> <td></td> </tr> </tbody> </table>	DESCRIPTION (USE ADDITIONAL SHEETS IF NECESSARY)	FEET		CHECK IF WATER BEARING	FROM	TO	Sand	0	70		gray granite	70	125		GROUTING RECORD YES NO WELL HAS BEEN GROUTED (CIRCLE APPROPRIATE BOX) <input checked="" type="checkbox"/> Y <input type="checkbox"/> N TYPE OF GROUTING MATERIAL (CIRCLE BOX) CEMENT <input checked="" type="checkbox"/> C <input type="checkbox"/> M BENTONITE CLAY <input type="checkbox"/> B <input type="checkbox"/> C NO. OF BAGS <u>34</u> NO. OF POUNDS <u>3356</u> GALLONS OF WATER <u>144</u> DEPTH OF GROUT SEAL (TO NEAREST FOOT) FROM <u>0</u> FT. TO <u>42</u> FT. (ENTER 0 IF FROM SURFACE) 48 52 54 58 CASING RECORD INSERT APPROPRIATE CODE BELOW (S) STEEL (C) CONCRETE (P) PLASTIC (O) OTHER MAIN CASING TYPE <u>S</u> NOMINAL DIAMETER TOP (MAIN) CASING (NEAREST INCH) <u>6</u> TOTAL DEPTH OF MAIN CASING (NEAREST FOOT) <u>80</u> 60 61 63 64 66 70 OTHER CASING (IF USED) DIAMETER (INCH) DEPTH (FEET) FROM TO 60 61 63 64 66 70 SCREEN RECORD INSERT APPROPRIATE CODE BELOW (S) STEEL (B) BRASS OR BRONZE (H) OPEN HOLE (P) PLASTIC (O) OTHER C 2 (SEQ. NO.) 6 1 2 3 4 5 6 DEPTH (NEAREST WHOLE FOOT) FROM TO 1 8 9 11 15 17 21 2 23 24 26 30 32 36 3 38 39 41 45 47 51 SLOTSIZE 1, 2, 3, DIAMETER OF SCREEN <u>56</u> (NEAREST INCH) FROM TO GRAVEL PACK IF WELL DRILLED WAS A FLOWING WELL CIRCLE BOX <input checked="" type="checkbox"/> F WRA USE ONLY (NOT TO BE FILLED IN BY DRILLER) T (E.P.O.S.) W Q 70 72 74 75 76 TELESCOPE CASING LOG INDICATOR OTHER DATA AVAILABLE	PUMPING TEST C 3 (SEQ. NO.) 6 1 2 3 4 5 6 HOURS PUMPED (TO NEAREST HOUR) <u>2</u> 8 9 PUMPING RATE (GALLONS PER MINUTE TO NEAREST GALLON) <u>15</u> 11 15 METHOD USED TO MEASURE PUMPING RATE <u>141</u> WATER LEVEL: (DISTANCE FROM LAND SURFACE) BEFORE PUMPING <u>33</u> (NEAREST FOOT) 17 20 WHEN PUMPING <u>5</u> (NEAREST FOOT) 22 25 TYPE OF PUMPED USED (CIRCLE APPROPRIATE BOX) (FOR PUMPING TEST) (A) AIR (P) PISTON (T) TURBINE 27 27 27 (C) CENTRIFUGAL (R) ROTARY (O) OTHER (DESCRIBE BELOW) 27 27 27 (J) JET (S) SUBMERSIBLE 27 27 PUMP INSTALLED TYPE OF PUMP (WRITE APPROPRIATE LETTER IN BOX - SEE ABOVE: A, C, J, P, R, S, T, O) <input type="checkbox"/> 29 DRILLER WILL INSTALL PUMP (CIRCLE APPROPRIATE BOX) YES NO (Y) (N) CAPACITY: GALLONS PER MINUTE (TO NEAREST GALLON) <u>31</u> <u>35</u> PUMP HORSE POWER <u>37</u> <u>41</u> PUMP COLUMN LENGTH (NEAREST FOOT) <u>43</u> <u>47</u> CASING HEIGHT (CIRCLE APPROPRIATE BOX AND ENTER CASING HEIGHT) (+) ABOVE (LAND SURFACE) (NEAREST FOOT) (-) BELOW <u>2</u> (NEAREST FOOT) 49 50 51 LOCATION OF WELL ON LOT SHOW PERMANENT STRUCTURE SUCH AS BUILDINGS, SEPTIC TANKS, AND/OR OTHER LAND MARKS AND INDICATE NOT LESS THAN TWO DISTANCES (MEASUREMENTS TO WELL).
DESCRIPTION (USE ADDITIONAL SHEETS IF NECESSARY)		FEET			CHECK IF WATER BEARING											
	FROM	TO														
Sand	0	70														
gray granite	70	125														