

C1 2365 SEQUENCE NO. (OEP USE ONLY)

(THIS NUMBER IS TO BE PUNCHED IN COLS. 3-6 ON ALL CARDS)

STATE OF MARYLAND
WELL COMPLETION REPORT
FILL IN THIS FORM COMPLETELY
PLEASE PRINT OR TYPETHIS REPORT MUST BE SUBMITTED WITHIN
45 DAYS AFTER WELL IS COMPLETED.COUNTY
NUMBER A 23917

DATE Received

DATE WELL COMPLETED

Depth of Well

PERMIT NO.
FROM "PERMIT TO DRILL WELL"

1	2	3	4	5	6
8					13

0	8	1	5	8	3
15					20

22	2	0	0		26
(TO NEAREST FOOT)					

4	0	-	8	1	-	1	1	1	9
28	29	30	31	32	33	34	35	36	37

OWNER EAKLE WILLIAM
last name first name
STREET OR RFD THOMPSON DRIVE TOWN WEST FRIEND SHIP
SUBDIVISION WOODED ACRES SECTION LOT 4A

WELL LOG

Not required for driven wells

STATE THE KIND OF FORMATIONS
PENETRATED, THEIR COLOR, DEPTH,
THICKNESS AND IF WATER BEARINGDESCRIPTION (Use
additional sheets if needed)

FEET

Check
if water
bearing

FROM TO

Top soil	0	2	
Sandstone	2	16	
Tan Mica	16	28	✓
Sandstone	28	33	
Tan Mica	33	46	✓
Gray Mica	46	78	
Tan Mica	78	83	
Gray Mica	83	200	

GROUTING RECORD

WELL HAS BEEN GROUTED

(Circle Appropriate Box)

TYPE OF GROUTING MATERIAL

CEMENT CM BENTONITE CLAY BCNO. OF BAGS 10 NO. OF ROUNDS 600GALLONS OF WATER 35

DEPTH OF GROUT SEAL (to nearest foot)

from 0 ft. to 18 ft.
(enter 0 if from surface)Casing types
insert
appropriate
code
below
Casing Record
ST CO
STEEL CONCRETE
PL OT
PLASTIC OTHER

MAIN Casing TYPE Nominal diameter top (main) casing (nearest inch) Total depth of main casing (nearest foot)

ST C 20
60 61 63 64 66 70OTHER CASING (if used)
diameter depth (feet)
inch from to
EACH CASINGscreen type or open hole
insert
appropriate
code
below
Screen Record
ST BR HO
STEEL BRASS OPEN HOLE
PL OT
PLASTIC OTHERC2
DEPTH (nearest ft.)
1 40 18 200
8 9 11 15 17 21
2
23 24 26 30 32 36
3
38 39 41 45 47 51

SLOT SIZE 1 2 3

DIAMETER OF SCREEN (NEAREST INCH)GRAVEL PACK
IF WELL DRILLED WAS
FLOWING WELL INSERT
F IN BOX 68OEP USE ONLY
(NOT TO BE FILLED IN BY DRILLER)T (E.R.O.S.) WQ
70 72 74 75 76
TELESCOPE CASING LOG INDICATOR OTHER DATA

C3

PUMPING TEST

HOURS PUMPED (nearest hour) 6PUMPING RATE (gal. per min. to nearest gal.) 3METHOD USED TO MEASURE PUMPING RATE Bucket

WATER LEVEL (distance from land surface)

BEFORE PUMPING 10WHEN PUMPING 85

TYPE OF PUMP USED (for test)

A air P piston T turbine
27 27 27
C centrifugal R rotary O other (describe below)
27 27 27
J jet S submersible
27 27

PUMP INSTALLED

DRILLER WILL INSTALL PUMP YES NO
(CIRCLE) (YES or NO)
IF DRILLER INSTALLS PUMP, THIS SECTION
MUST BE COMPLETED FOR ALL WELLS
EXCEPT HOME USE
TYPE OF PUMP INSTALLED
PLACE (A,C,J,P,R,S,T,O)
IN BOX - SEE ABOVE: 29CAPACITY:
GALLONS PER MINUTE (to nearest gallon) 31 35PUMP HORSE POWER 37 41PUMP COLUMN LENGTH (nearest ft.) 43 47CASING HEIGHT (circle appropriate box and enter casing height)
+ above } LAND SURFACE 2 (nearest foot)
- below } 49 50 51

LOCATION OF WELL ON LOT

SHOW PERMANENT STRUCTURE SUCH AS
BUILDING, SEPTIC TANKS, AND/OR
LANDMARKS AND INDICATE NOT LESS
THAN TWO DISTANCES
(MEASUREMENTS TO WELL)CIRCLE APPROPRIATE LETTER
A A WELL WAS ABANDONED AND SEALED
WHEN THIS WELL WAS COMPLETED

E ELECTRIC LOG OBTAINED

P TEST WELL CONVERTED TO PRODUCTION
WELLI HEREBY CERTIFY THAT THIS WELL HAS BEEN CONSTRUCTED IN
ACCORDANCE WITH COMAR 10.17.13 "WELL CONSTRUCTION"
AND IN CONFORMANCE WITH ALL CONDITIONS STATED IN THE
ABOVE CAPTIONED PERMIT, AND THAT THE INFORMATION
PRESENTED HEREIN IS ACCURATE AND COMPLETE TO THE BEST
OF MY KNOWLEDGE.DRILLERS IDENT. NO. 41DRILLERS SIGNATURE
(MUST MATCH SIGNATURE ON APPLICATION)SITE SUPERVISOR (sign. of driller or journeyman
responsible for sitework if different from permittee)