

Short
8/29/61
approved 9/4

PERMIT

SEWAGE DISPOSAL SYSTEM

MARYLAND STATE DEPARTMENT OF HEALTH

HOWARD COUNTY

INDEXED

ELLCOTT CITY

DISTRICT 5

DATE 8-17-61

P 04147

A 03682

C. C. Cissell IS PERMITTED TO INSTALL X ALTER

ADDRESS Simpsonville PHONE

A SEWAGE DISPOSAL SYSTEM LOCATED AT

SUBDIVISION Clarkeville Ridge ROAD 6726 Surrey Lane LOT 44

PROPERTY OWNER B. J. C. Hughes Karen Dibella - 21029

ADDRESS Clarksville 21029 Md.

SPECIFICATIONS

DRAIN FIELD DEPTH FEET, BOTTOM AREA SQ. FT.

SEEPAGE PITS ABSORBENT SIDE-WALL AREA SQ. FT.

SEPTIC TANK CAPACITY 1000 GALLONS with the tip tank no:
deeper than 3 ft. below grade.

FOR GARBAGE GRINDER, INCREASE DISPOSAL AREA 22% & TANK CAPACITY 50%.

OTHER Dry Well 300 sq. ft. side wall area below the inlet. Place the dry

well about 15 ft. to 50 ft. from the short (198 side- ft.) side line of the lot and

15 ft. to 50 ft. from the back lot line.

PLANS APPROVED BY Raymond Hodges DATE 5-9-61

FILL SEPTIC TANK AND DISTRIBUTION BOX WITH WATER BEFORE CALLING FOR AN INSPECTION. COVER NO WORK
UNTIL INSPECTED AND APPROVED.

NEITHER THE HOWARD COUNTY COMMISSIONERS NOR THE HEALTH DEPARTMENT IS RESPONSIBLE FOR THE
SUCCESSFUL OPERATION OF ANY SYSTEM.

A 03682

