

PERMIT NUMBER: B 210034306

DATE ACCEPTED:

SEP 13 2021 10:00 AM



RESIDENTIAL BUILDING PERMIT APPLICATION

HOWARD COUNTY DEPARTMENT OF INSPECTIONS, LICENSES, AND PERMITS
3430 COURT HOUSE DRIVE, ELLICOTT CITY, MD 21043 - PHONE: (410) 313-2455 OPTION #4
www.howardcountymd.gov

BUILDING SITE ADDRESS REQUIRED

Street Address: 10508 Pudding Ln		Unit:
City: Ellicott City	State: MD	Zip Code: 21042
Subdivision/Village/Complex Name: Kings Forest		SDP/WP/BA #:
Lot: 17	Tax Map:	Parcel:
		Grading Permit #:

DESCRIPTION OF WORK REQUIRED

Existing Use: Vacant lot	Proposed Use: SFD	Estimated Cost: \$ 300,000
Trade Work to Be Completed (Separate Permits Required): <input type="checkbox"/> Mechanical (HVACR) <input type="checkbox"/> Electrical <input type="checkbox"/> Plumbing <input type="checkbox"/> None		
New 2 story "Rearick" modern farmhouse elev, with 2 car garage, 1 car side attached garage, luxury covered deck, and finished lower level (see plans, bath room, media room + wet bar)		

PROPERTY OWNER INFORMATION REQUIRED

Owner(s) Name(s) (As it appears on tax records): Tell Me Atlantic LLC Inc.		Primary Residence: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Owner's Street Address: 250 Gibraltar Rd.		Contact: Summer Riley
City: Harsham	State: PA	Zip Code: 19044
Phone: 410-872-9105	Email: sriley1@tallbrothers.com	

APPLICANT NAME REQUIRED - INDIVIDUAL WHO SIGNS THIS APPLICATION

Business Name: Deaugh Building Services		Contact Name: Jim Keenan
Street Address: PO Box 552		
City: Boonville	State: MD	Zip Code: 21797
Phone: 443-309-7392	Email: jim@deaughbuilding.com	

CONTRACTOR INFORMATION REQUIRED

Business Name: Tell Brothers		Contact: Summer Riley
Licensee's Name: Tell Me Atlantic LLC Inc.		License #: 8220
Street Address: 7164 Columbia Gateway Dr. Ste. 230		
City: Columbia	State: MD	Zip Code: 21046
Phone: 410-872-9105	Email: sriley1@tallbrothers.com	

ARCHITECT/ENGINEER INFORMATION INDIVIDUAL WHO SIGNED PLANS, IF APPLICABLE

Business Name:		Name:
Street Address:		
City:	State:	Zip Code:
Phone:	Email:	

BUILDING CHARACTERISTICS REQUIRED

Primary Structure: <input type="checkbox"/> SF Dwelling <input type="checkbox"/> SF Townhouse <input type="checkbox"/> SF Duplex <input type="checkbox"/> Mobile Home <input type="checkbox"/> Multi-Family Dwelling (MF*)		Condo: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Utilities: <input type="checkbox"/> Electric <input checked="" type="checkbox"/> Gas	Water Supply: <input type="checkbox"/> Public <input checked="" type="checkbox"/> Private (Well)	Sewage Disposal: <input type="checkbox"/> Public <input checked="" type="checkbox"/> Private (Septic)
Heating System: <input type="checkbox"/> Electric <input type="checkbox"/> Natural Gas <input checked="" type="checkbox"/> Propane <input type="checkbox"/> Other:		Roadside Tree Project: <input type="checkbox"/> No <input type="checkbox"/> Yes: #
Sprinkler System: <input type="checkbox"/> NFPA 13 <input type="checkbox"/> NFPA 13R <input checked="" type="checkbox"/> NFPA 13D <input type="checkbox"/> None		Fire Alarm System: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Voice Evac

ADDITIONAL RESIDENTIAL INFORMATION (PLEASE SELECT/COMPLETE ALL THAT APPLY)

Model Name & Options: "Rearick" modern farmhouse elev, 2 car 1 car garage, luxury covered deck, and finished lower level				
# of Bedrooms (SF): 4	# of efficiency units (MF*):	# of 1 BR (MF*):	# of 2 BR (MF*):	# of 3 BR (MF*):
# Rooms: 11	# Full Baths: 4	# Half Baths: 1	# Fireplaces: 1	
Garage/Carport Info: <input type="checkbox"/> Attached Garage <input type="checkbox"/> Detached Garage <input type="checkbox"/> Integral Garage <input type="checkbox"/> Carport <input type="checkbox"/> None				
Basement/Foundation Info: <input type="checkbox"/> Slab on Grade <input type="checkbox"/> Post & Pier <input type="checkbox"/> Unfinished Basement <input type="checkbox"/> Finished Basement: <input checked="" type="checkbox"/> Full or <input type="checkbox"/> Partial				
1st Fl Width: 73	1st Fl Depth: 60	2nd Fl Width: 59	2nd Fl Depth: 43	Bsmt Width: 59
Energy Method: <input type="checkbox"/> Prescriptive <input checked="" type="checkbox"/> Performance <input type="checkbox"/> UA Alternative <input type="checkbox"/> ERI		Gross Area: 7514 sq ft	Occupiable Area: 7287 sq ft	

AGREEMENT/ DISCALIMER REQUIRED

THE UNDERSIGNED HEREBY CERTIFIES AND AGREES AS FOLLOWS: (1) THAT HE/SHE IS AUTHORIZED TO MAKE THIS APPLICATION; (2) THAT THE INFORMATION IS CORRECT; (3) THAT HE/SHE WILL COMPLY WITH ALL REGULATIONS OF HOWARD COUNTY WHICH ARE APPLICABLE THERETO; (4) THAT HE/SHE WILL PERFORM NO WORK ON THE ABOVE REFERENCED PROPERTY NOT SPECIFICALLY DESCRIBED IN THIS APPLICATION; (5) THAT HE/SHE GRANTS COUNTY OFFICIALS THE RIGHT TO ENTER ONTO THIS PROPERTY FOR THE PURPOSE OF INSPECTING THE WORK PERMITTED AND POSTING NOTICES.

APPLICANT'S ORIGINAL SIGNATURE:	DATE SIGNED: 9/10/2021
---------------------------------	------------------------

FOR OFFICE USE ONLY


CHECKS PAYABLE TO: DIRECTOR OF FINANCE OF HOWARD COUNTY

AGENCIES REQUIRED/APPROVALS:				
<input checked="" type="checkbox"/> PR	<input type="checkbox"/> DPZ	<input checked="" type="checkbox"/> DED	<input checked="" type="checkbox"/> Health DBernard	<input type="checkbox"/> SHA
SUBMITTAL FEES: \$150.00		PAYMENT: #10474092		ACCEPTED BY:

LEGEND:


- BRL BUILDING RESTRICTION LINE
- W WELL LOCATION
- T.W. TOP OF WALL
- G.F. GARAGE FLOOR
- B.F. BASEMENT FLOOR
- PERC PASSED PERC LOCATION
- PERC FAILED PERC LOCATION
- SEWAGE DISPOSAL AREA
- WELL BOX AREA
- SILT FENCE
- SUPER SILT FENCE
- PROPOSED TREE
- PROPOSED TREE
- STONE CONSTRUCTION ENTRANCE

NOTE:
TOTAL LIMITS OF DISTURBANCE (LOD) = 36,303 SQ. FT.



HOUSE ENLARGEMENT
NOT TO SCALE

BUILDING SETBACKS (B.R.L.'s) SHOWN HEREON PER SITE DEVELOPEMENT PLAN
SETBACK DISTANCES SHOWN HEREON AS "±" HAVE AN ACCURACY OF ±0.1' FOOT.



Approved Septic System Plan
Howard County Health Department
Data Bureau
Signature: [Signature]
Date: 08/29/21
B21008434

HOUSE TYPE: PARKHURST (MODERN FARMHOUSE)

- TWO CAR SIDE ENTRY GARAGE ILO STANDARD
- FINISHED LOWER LEVEL
- WALK-OUT BASEMENT
- ADDITIONAL BATH - FINISHED BASEMENT
- WET BAR - FINISHED BASEMENT
- MEDIA ROOM - FINISHED BASEMENT
- MULTI-GENERATIONAL SUITE ADDITION
- ADDITIONAL ONE CAR FRONT ENTRY
- LUXURY WALK-OUT COVERED DECK
- ADDITIONAL BEDROOM - FINISHED BASEMENT

- OPTION No. 012
- OPTION No. 013
- OPTION No. 017
- OPTION No. 383
- OPTION No. 561
- OPTION No. 562
- OPTION No. 263073
- OPTION No. 263102
- OPTION No. 263169
- OPTION No. 263216

WELL NUMBER: HO-17-0374

ADDRESS: 10508 PUDDLING LANE
ELLICOTT CITY, MD 21042

PLOT PLAN
LOT 17
KINGS FOREST
LIBER 11372, FOLIO 431
PLAT NO. 25767
ELECTION DISTRICT No. 2
HOWARD COUNTY, MARYLAND

ESE CONSULTANTS

ENGINEERING • PLANNING • SURVEYING • ENVIRONMENT

ESE Consultants, Inc.

7164 Columbia Gateway Drive • Suite 230 • Columbia, MD 21046

T: 410-872-9105

DATE: 08/20/2021 SCALE: 1" = 40' FILE: PP LOT 17 - PARKHURST - FARM.
CHK'D: M.J.B. JOB NO: 3502 DRAWN: T.S./R.C.K.



Health Dept


10508 Pudding Lane

LOT 17

Kings Forest

GENERAL PLAN NOTES

- A. ALL BLOCKS OF FURNITURE MUST BE REVERSED AND
APPLIED TO THE 18" INTERIOR AND 8" TOP OF
COLUMN WALLS UNLESS OTHERWISE NOTED
- B. ALL EXTERIOR DIMENSIONS ARE TO FACE OF STUDY
- C. ALL EXTERIOR DIMENSIONS ARE TO FACE OF STUDY
- D. ALL DIMENSIONS GIVEN ON STAIR SCALE
- E. ALL WINDOW DETAILINGS ARE TO BE VIEWED IN
SUCH A MANNER THAT ACTIVATION OF ONE WILL
ACTIVATE THEM ALL
- F. EXPOSED ACCESSIBLE SPACE UNDER STAIRS
SHALL HAVE WALLS AND ROFFETS PROTECTED ON
ENCLAVED SIDE WITH 18" OF COPPED RAIL
- G. ALL WINDOWS ARE TO BE NOTED IN FEET - INCHES AS
MEASURED FROM FASH TO RAKE
- H. REFER TO ELEVATIONS FOR WINDOW AND HEIGHTS
- I. ALL DOORS ARE TO BE 34" HIGH UNLESS OTHERWISE
NOTED
- J. WALKER ALWAYS TO BE LEFT SIDE OF CORNER
- K. CORNER ALWAYS TO BE CORNER ON RIGHT SIDE OF SHIP



BASEMENT FLOOR PLAN

4-100g SCALE: 1/4"=1'-0"

W/ OPT 013 RECREATION ROOM @ ELEV. 1 - CRAFTSMAN
@ FINISHED CONDITION

USABLE SPACE	SQ. FT.
GPT. 013 RECREATION ROOM	1,172
GPT. 363 BATH	47
GPT. 203214 GUEST BEDROOM	219
GPT. 362 MEDIA ROOM	342
TOTAL	1,889

See add pages for "Modern farmhouse" EW

ARCHTEC



lessard
DESIGN

8521 Leesburg Pike
Suite 700 | Vienna, VA 22182
P: 571.830.1800 | F: 571.830.1818
www.lesnarddesign.com

SEAL & SIGNATURE

COVER

TOLL BROTHERS

19775 BELMONT EXECUTIVE PLAZA
ASHBURN, VA 20147
P: 571.291.5068
CONTACT: CHRISTINA LEMLEY
dlemley@tollbrothers.com

2000

PARKHURST
FLOOR PLANS

PROJECT NAME:

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
---	---	---	---	---	---	---	---	---	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	-----


NO.	DESCRIPTION	QTY
	STD SET	06
	FORMET SET	06
1	MO NOM STANDARDS	06
2	MR. #220211	12

PROJECT NO:	
DRAWN BY:	
CHECKED BY:	
PLOT DATE:	10.1.2010
FILE NAME:	10.1.2010


A-100a


GENERAL PLAN NOTES

- ALL WOOD STUD PARTITIONS NOT DIMENSIONED ARE TO BE 2" X 4" ON BAYS AND 6" X 16" FOR EXTERIOR WALLS UNLESS OTHERWISE NOTED.
- ALL INTERIOR DIMENSIONS ARE TO FACE OF STUD.
- ALL EXTERIOR DIMENSIONS ARE TO FACE OF STUD.
- ALL DIMENSIONS GOVERN OVER SCALE.
- ALL SMOKE DETECTORS ARE TO BE WIRED IN SUCH A MANNER THAT ACTIVATION OF ONE WILL ACTIVATE THEM ALL.
- ENCLOSED ACCESSIBLE SPACE UNDER STAIRS SHALL HAVE WALLS AND ROOFING PROTECTED ON SLOPED SIDE WITH 1/2" OF FRAM BOARD.
- ALL WINDOWS ARE TO BE NOTED IN FEET + INCHES AS NEARLY AS POSSIBLE FROM CENTER TO CENTER.
- REFER TO ELEVATIONS FOR WINDOW HEAD HEIGHTS.
- ALL DOORS ARE TO BE 6'-8" HIGH UNLESS OTHERWISE NOTED.
- WASHER ALWAYS TO BE ON LEFT SIDE OF DRYER.
- DRYER ALWAYS TO BE ON RIGHT SIDE OF WASHER.



2 PART. FIRST FLOOR PLAN w/ OPT. 263158 - OPT. PREP KITCHEN
A-110 SCALE: 1/4" = 1'-0"
TOTAL SHEETS






2 PART. SECOND FLOOR PLAN W/ OPT. 030 - ADDITIONAL WALK IN CLOSET
A-120 SCALE 1/4"=1'-0"

GENERAL PLAN NOTES

- ALL WOOD STUD PARTITIONS NOT DIMENSIONED ARE TO BE 12" FOR INTERIOR AND 16" FOR EXTERIOR WALLS UNLESS OTHERWISE NOTED.
- ALL INTERIOR DIMENSIONS ARE TO FACE OF STUDS.
- ALL EXTERIOR DIMENSIONS ARE TO FACE OF STUDS.
- ALL DIMENSIONS GIVEN OVER SCALE.
- ALL SMOKE DETECTORS ARE TO BE WIRED IN SUCH A MANNER THAT ACTIVATION OF ONE WILL ACTIVATE THEM ALL.
- ENCLOSED ACCESSIBLE SPACE UNDER STAIRS SHALL HAVE WALLS AND DOOR TOPS LOCATED ON THE OUTSIDE SIDE WITH 1/2" GYPSUM BOARD.
- ALL WINDOWS ARE TO BE NOTED IN FEET + INCHES AS MEASURED FROM FINISH TO FINISH.
- REFER TO ELEVATIONS FOR WINDOW HEAD HEIGHTS.
- ALL DOORS ARE TO BE 6' HIGH UNLESS OTHERWISE NOTED.
- WASHERS ALWAYS TO BE ON LEFT SIDE OF DRYER.
- DRYERS ALWAYS TO BE ON RIGHT SIDE OF DRYER.



1 SECOND FLOOR PLAN
A-120 SCALE 1/4"=1'-0"

@ ELEV. 1 - CRAFTSMAN

Shown

See add pages for "Modern farmhouse" EV.

OWNER:

TOLL BROTHERS

19775 BELMONT EXECUTIVE PLAZA
ARLINGTON, VA 22204
P: 571.281.0006
CONTACT: CHRISTINA LEMLEY
clemley@tollbrothers.com

MARYLAND

PARKHURST FLOOR PLANS

PROJECT NAME

SHEET NO.


NO.	DESCRIPTION	DATE
1	REVISED	06.20.15
2	REVISED	06.19.15
3	REVISED	06.16.15
4	REVISED	06.16.15
5	REVISED	06.16.15

PROJECT NO.
DRAWN BY:
CHECKED BY:
PLOT DATE:
PLOT BY:

A-120


GENERAL PLAN NOTES

- ALL WOOD STUD PARTITIONS NOT DIMENSIONED ARE TO BE 2" FOR INTERIOR AND 4" FOR EXTERIOR WALLS UNLESS OTHERWISE NOTED.
- ALL INTERIOR DIMENSIONS ARE TO FACE OF STUD.
- ALL EXTERIOR DIMENSIONS ARE TO FACE OF STUD.
- ALL DIMENSIONS GIVEN OVER SCALE.
- ALL SMOKE DETECTORS ARE TO BE WIRED IN SUCH A MANNER THAT ACTIVATION OF ONE WILL ACTIVATE THEM ALL.
- ENCLOSED ACCESSIBLE SPACE UNDER STAIRS SHALL HAVE WALLS AND GYPSUM PROTECTED ON ENCLOSED SIDE WITH 1/2" GYPSUM BOARD.
- ALL WINDOWS ARE NOTED IN FEET + INCHES AS MEASURED FROM SASH TO SASH.
- REFER TO ELEVATIONS FOR WINDOW HEAD HEIGHTS.
- ALL DOORS ARE TO BE 0'-11" HIGH UNLESS OTHERWISE NOTED.
- WASHERS ALWAYS TO BE ON LEFT SIDE OF DOOR.
- DISHWASHER ALWAYS TO BE ON RIGHT SIDE OF SINK.



2 FIRST FLOOR PLAN
A-140 SCALE 1/8"=1'-0"
TOLL BROTHERS

@ ELEV. 2 - MODERN FARMHOUSE



1 BASEMENT FLOOR PLAN
A-140 SCALE 1/8"=1'-0"
TOLL BROTHERS

@ ELEV. 2 - MODERN FARMHOUSE



8521 Leesburg Pike
Suite 700 | Vienna, VA 22182
P: 571.830.1800 | F: 571.830.1801
www.lessarddesign.com

SEALED SIGNATURE:

OWNER:

TOLL BROTHERS
13775 BELMONT EXECUTIVE PLAZA
ASHBURN, VA 20147
P: 571.291.8068
CONTACT: CHRISTINA LEHLEY
cllehley@tollbrothers.com

MARYLAND

PARKHURST FLOOR PLANS

PROJECT NAME:

SHEET TITLE:


NO.	REVISION	DATE
1	ISSUE FOR PERMIT	01.16.19
2	REVISED	01.16.19
3	REVISED	01.16.19
4	REVISED	01.16.19

PROJECT NO: 114-2018
DRAWN BY: AGS
CHECKED BY: AGS
DATE: Jan. 23, 2019
FILE NAME: TOLLBROTH.A140.dwg

A-140

GENERAL PLAN NOTES

- ALL WOOD STUD PARTITIONS NOT DIMENSIONED ARE TO BE 2" FOR INTERIOR AND 4" FOR EXTERIOR WALLS UNLESS OTHERWISE NOTED.
- ALL INTERIOR DIMENSIONS ARE TO FACE OF STUD.
- ALL EXTERIOR DIMENSIONS ARE TO FACE OF STUD.
- ALL DIMENSIONS GOVERN OVER SCALE.
- ALL SMOKE DETECTORS ARE TO BE WIRED IN SUCH A MANNER THAT ACTIVATION OF ONE WILL ACTIVATE THEM ALL.
- ENCLOSED ACCESSIBLE SPACE UNDER STAIRS SHALL HAVE WALLS AND BUFFERS PROTECTED ON ENCLOSED SIDE WITH 1/2" GYP/PLUM BOARD.
- ALL WINDOW SIZES ARE NOTED IN FEET + INCHES AS MEASURED FROM GASH TO GASH.
- REFER TO ELEVATIONS FOR WINDOW HEAD HEIGHTS.
- ALL DOORS ARE TO BE 0'7" MINIMUM UNLESS OTHERWISE NOTED.
- WASHERS ALWAYS TO BE ON LEFT SIDE OF DOOR.
- DISHWASHER ALWAYS TO BE ON RIGHT SIDE OF SINK.



1 SECOND FLOOR PLAN

A-141 SCALE 1/4"=1'-0"

@ ELEV. 2 - MODERN FARMHOUSE

lessard
DESIGN

8521 Leesburg Pike
Suite 700 | Vienna, VA 22182
P: 571.830.1800 | F: 571.830.1801
www.lessarddesign.com

TOLL BROTHERS
15775 BELMONT EXECUTIVE PLAZA
ARLINGTON, VA 22207
P: 571.291.8200
CONTACT: CHRISTINA LEWLEY
cllewley@tollbrothers.com

PARKHURST FLOOR PLANS


MARYLAND

PROJECT NAME: PARKHURST FLOOR PLANS
SHEET 111-21


NO.	DESCRIPTION	DATE
1	REVISED	06.29.10
2	PLANNING	06.29.10
3	REVISED STANDARDS	09.28.10
4	REVISED STANDARDS	12.12.10

PROJECT NO: 101-001
DRAWN BY: ACB
CHECKED BY: ACB
PLOT DATE: Mar. 23, 2011
FILE NAME: 101-001-2011-2011

A-141




4 PART. RIGHT SIDE ELEVATION w/ OPT. 012 - SIDE LOAD GARAGE
A-400b SCALE 1/4"=1'-0"
TOLUB-A-400b




3 PART. FRONT ELEVATION w/ OPT. 012 - SIDE LOAD GARAGE
A-400b SCALE 1/4"=1'-0"
TOLUB-A-400b

- GENERAL PLAN NOTES**
- ALL WOOD STUD PARTITIONS NOT INDICATED ARE TO BE 2" X 4" FOR INTERIOR AND 2" X 6" FOR EXTERIOR WALLS UNLESS OTHERWISE NOTED.
 - ALL INTERIOR DIMENSIONS ARE TO FACE OF STUDS.
 - ALL EXTERIOR DIMENSIONS ARE TO FACE OF STUDS.
 - ALL DIMENSIONS GOVERN OVER SCALE.
 - ALL SMOKE DETECTORS ARE TO BE WIRED IN SUCH A MANNER THAT ACTIVATION OF ONE WILL ACTIVATE THEM ALL.
 - SHOULDER ACCESSIBLE SPACE UNDER STAIRS SHALL HAVE WALLS AND SKIRTS PROTECTED ON ENCLOSURE SIDE WITH 1/2" GYPSUM BOARD.
 - ALL WINDOWS ARE TO BE NOTED IN FEET + INCHES AS MEASURED FROM FINISH TO FINISH.
 - REFER TO ELEVATIONS FOR WINDOW HEAD HEIGHTS.
 - ALL DOORS ARE TO BE 8'-0" HIGH UNLESS OTHERWISE NOTED.
 - WASHERS ALWAYS TO BE ON LEFT SIDE OF DOOR.
 - DISHWASHER ALWAYS TO BE ON RIGHT SIDE OF SINK.



2 PART. FIRST FLOOR PLAN w/ OPT. 012 - SIDE LOAD GARAGE
A-400b SCALE 1/4"=1'-0"
TOLUB-A-400b



1 PART. BASEMENT FLOOR PLAN w/ OPT. 012 - SIDE LOAD GARAGE
A-400b SCALE 1/4"=1'-0"
TOLUB-A-400b



8521 Leesburg Pike
Suite 700 | Vienna, VA 22182
P: 571.830.1800 | F: 571.830.1801
www.lessarddesign.com

SEAL & SIGNATURE

OWNER:

TOLL BROTHERS
10775 BELMONT EXECUTIVE PLAZA
ASHBURTON, VA 20147
P: 571.291.8000
CONTACT: CHRISTINA LEMLEY
cllemley@tollbrothers.com



PARKHURST
OPTIONS

PROJECT NAME: TOLUB-A-400b
SHEET TITLE: A-400b

NO.	REVISION	DATE
1	ISSUED FOR PERMIT	05.25.19
2	PERMIT SET	06.25.19
3	FOR NEW STANDARDS	09.25.19
4	FOR #222242	12.25.20

PROJECT NO: TOLUB-A-400b
DRAWN BY: JLD
CHECKED BY: JLD
PRINT DATE: 09.26.2021
FILE NAME: TOLUB-A-400b.dwg

A-400b

