






1
S2
South Elevation Cross Section
SCALE: 1/4" = 1'-0"




2
S2
East Elevation Cross Section
SCALE: 1/4" = 1'-0"

WINDOW SCHEDULE							
MARK	A	B	C	D	E	F	G
WIDTH (R.O.)	2'-10 1/2"	2'-9"	2'-9"	2'-9"	3'-0 1/2"	2'-8 1/2"	2'-9"
HEIGHT (R.O.)	4'-8 1/4"	4'-7 5/8"	2'-11 5/8"	2'-11 5/8"	5'-8 1/4"	4'-0 1/4"	3'-11 5/8"
TYPE	DOUBLE-HUNG	CASEMENT EGRESS	AWNING	AWNING	DOUBLE-HUNG	DOUBLE-HUNG	CASEMENT EGRESS
MODEL/LINE #	MARVIN ELDH3459	MARVIN ELCA3355 EGRESS	MARVIN ELAW3335	MARVIN ELAW3335	MARVIN ELDH3368	MARVIN ELDH3348	MARVIN ELCA3347 EGRESS
SHGC Value	0.28	0.27	0.27	0.27	0.28	0.28	0.27
U-Value	0.28	0.27	0.27	0.27	0.28	0.28	0.27
NOTES							

DOOR SCHEDULE							
MARK	1	2	3	4	5	6	7
WIDTH (R.O.)	6'-0"	2'-6"	2'-8"	2'-6"	2'-8"	3'-0"	5'-0"
HEIGHT (R.O.)	6'-10 1/2"	6'-8"	6'-8"	6'-8"	6'-8"	6'-8"	6'-5"
TYPE	SLIDING FRENCH DOOR	SINGLE HINGED	SINGLE HINGED	SINGLE POCKET	SINGLE POCKET	DOUBLE HINGED	DOUBLE HINGED
MODEL/LINE #	MARVIN ELSPD670	INTERIOR HOLLOW CORE	INTERIOR HOLLOW CORE	INTERIOR HOLLOW CORE	INTERIOR HOLLOW CORE	INTERIOR HOLLOW CORE	INTERIOR HOLLOW CORE
SHGC Value	0.28	N/A	N/A	N/A	N/A	N/A	N/A
U-Value	0.28	N/A	N/A	N/A	N/A	N/A	N/A
NOTES							




3
S2
Cross Section
SCALE: 3/4" = 1'-0"



First Floor Roof & Second Floor Floor-Framing Plan

1
S3



SCALE: 1/4" = 1'-0"





Second Floor Roof Framing Plan

2
S3


SCALE: 1/4" = 1'-0"





1,500 GAL. 2-COMPARTMENT SEPTIC TANK

DESIGN DATA & REMARKS
 1. The septic tank is to be installed in the rear yard of the property.
 2. The septic tank is to be installed in the rear yard of the property.
 3. The septic tank is to be installed in the rear yard of the property.
 4. The septic tank is to be installed in the rear yard of the property.
 5. The septic tank is to be installed in the rear yard of the property.



SECTION A-A

APPROVED FOR THE HEALTH DEPARTMENT
 SEP 26 2023
 DATE

ON-SITE SEWAGE SYSTEM DESIGN PLAN

PERMIT NUMBER: 023003663

PROJECT NAME: McGuire Addition

ADDRESS: 12010 Simpson Rd

COMMERCIAL: ☐ RESIDENTIAL: ☒ LOT # NEW

ALTERATION: ☐ ADDITION: ☐ MISC: ☐ OTHER: ☐

DATE: COMMENTS:

Health



SEPTIC PROFILE

Station	Depth	Notes
1+00	1.00	Top of Tank
1+25	1.25	Bottom of Tank
1+50	1.50	Top of Distribution
1+75	1.75	Bottom of Distribution
2+00	2.00	Top of Tank
2+25	2.25	Bottom of Tank
2+50	2.50	Top of Distribution
2+75	2.75	Bottom of Distribution
3+00	3.00	Top of Tank
3+25	3.25	Bottom of Tank
3+50	3.50	Top of Distribution
3+75	3.75	Bottom of Distribution
4+00	4.00	Top of Tank
4+25	4.25	Bottom of Tank
4+50	4.50	Top of Distribution
4+75	4.75	Bottom of Distribution
5+00	5.00	Top of Tank
5+25	5.25	Bottom of Tank
5+50	5.50	Top of Distribution
5+75	5.75	Bottom of Distribution
6+00	6.00	Top of Tank
6+25	6.25	Bottom of Tank
6+50	6.50	Top of Distribution
6+75	6.75	Bottom of Distribution
7+00	7.00	Top of Tank
7+25	7.25	Bottom of Tank
7+50	7.50	Top of Distribution
7+75	7.75	Bottom of Distribution
8+00	8.00	Top of Tank
8+25	8.25	Bottom of Tank
8+50	8.50	Top of Distribution
8+75	8.75	Bottom of Distribution
9+00	9.00	Top of Tank
9+25	9.25	Bottom of Tank
9+50	9.50	Top of Distribution
9+75	9.75	Bottom of Distribution
10+00	10.00	Top of Tank
10+25	10.25	Bottom of Tank
10+50	10.50	Top of Distribution
10+75	10.75	Bottom of Distribution
11+00	11.00	Top of Tank
11+25	11.25	Bottom of Tank
11+50	11.50	Top of Distribution
11+75	11.75	Bottom of Distribution
12+00	12.00	Top of Tank
12+25	12.25	Bottom of Tank
12+50	12.50	Top of Distribution
12+75	12.75	Bottom of Distribution
13+00	13.00	Top of Tank
13+25	13.25	Bottom of Tank
13+50	13.50	Top of Distribution
13+75	13.75	Bottom of Distribution
14+00	14.00	Top of Tank
14+25	14.25	Bottom of Tank
14+50	14.50	Top of Distribution
14+75	14.75	Bottom of Distribution
15+00	15.00	Top of Tank
15+25	15.25	Bottom of Tank
15+50	15.50	Top of Distribution
15+75	15.75	Bottom of Distribution
16+00	16.00	Top of Tank
16+25	16.25	Bottom of Tank
16+50	16.50	Top of Distribution
16+75	16.75	Bottom of Distribution
17+00	17.00	Top of Tank
17+25	17.25	Bottom of Tank
17+50	17.50	Top of Distribution
17+75	17.75	Bottom of Distribution
18+00	18.00	Top of Tank
18+25	18.25	Bottom of Tank
18+50	18.50	Top of Distribution
18+75	18.75	Bottom of Distribution
19+00	19.00	Top of Tank
19+25	19.25	Bottom of Tank
19+50	19.50	Top of Distribution
19+75	19.75	Bottom of Distribution
20+00	20.00	Top of Tank
20+25	20.25	Bottom of Tank
20+50	20.50	Top of Distribution
20+75	20.75	Bottom of Distribution
21+00	21.00	Top of Tank
21+25	21.25	Bottom of Tank
21+50	21.50	Top of Distribution
21+75	21.75	Bottom of Distribution
22+00	22.00	Top of Tank
22+25	22.25	Bottom of Tank
22+50	22.50	Top of Distribution
22+75	22.75	Bottom of Distribution
23+00	23.00	Top of Tank
23+25	23.25	Bottom of Tank
23+50	23.50	Top of Distribution
23+75	23.75	Bottom of Distribution
24+00	24.00	Top of Tank
24+25	24.25	Bottom of Tank
24+50	24.50	Top of Distribution
24+75	24.75	Bottom of Distribution
25+00	25.00	Top of Tank
25+25	25.25	Bottom of Tank
25+50	25.50	Top of Distribution
25+75	25.75	Bottom of Distribution
26+00	26.00	Top of Tank
26+25	26.25	Bottom of Tank
26+50	26.50	Top of Distribution
26+75	26.75	Bottom of Distribution
27+00	27.00	Top of Tank
27+25	27.25	Bottom of Tank
27+50	27.50	Top of Distribution
27+75	27.75	Bottom of Distribution
28+00	28.00	Top of Tank
28+25	28.25	Bottom of Tank
28+50	28.50	Top of Distribution
28+75	28.75	Bottom of Distribution
29+00	29.00	Top of Tank
29+25	29.25	Bottom of Tank
29+50	29.50	Top of Distribution
29+75	29.75	Bottom of Distribution
30+00	30.00	Top of Tank
30+25	30.25	Bottom of Tank
30+50	30.50	Top of Distribution
30+75	30.75	Bottom of Distribution
31+00	31.00	Top of Tank
31+25	31.25	Bottom of Tank
31+50	31.50	Top of Distribution
31+75	31.75	Bottom of Distribution
32+00	32.00	Top of Tank
32+25	32.25	Bottom of Tank
32+50	32.50	Top of Distribution
32+75	32.75	Bottom of Distribution
33+00	33.00	Top of Tank
33+25	33.25	Bottom of Tank
33+50	33.50	Top of Distribution
33+75	33.75	Bottom of Distribution
34+00	34.00	Top of Tank
34+25	34.25	Bottom of Tank
34+50	34.50	Top of Distribution
34+75	34.75	Bottom of Distribution
35+00	35.00	Top of Tank
35+25	35.25	Bottom of Tank
35+50	35.50	Top of Distribution
35+75	35.75	Bottom of Distribution
36+00	36.00	Top of Tank
36+25	36.25	Bottom of Tank
36+50	36.50	Top of Distribution
36+75	36.75	Bottom of Distribution
37+00	37.00	Top of Tank
37+25	37.25	Bottom of Tank
37+50	37.50	Top of Distribution
37+75	37.75	Bottom of Distribution
38+00	38.00	Top of Tank
38+25	38.25	Bottom of Tank
38+50	38.50	Top of Distribution
38+75	38.75	Bottom of Distribution
39+00	39.00	Top of Tank
39+25	39.25	Bottom of Tank
39+50	39.50	Top of Distribution
39+75	39.75	Bottom of Distribution
40+00	40.00	Top of Tank
40+25	40.25	Bottom of Tank
40+50	40.50	Top of Distribution
40+75	40.75	Bottom of Distribution
41+00	41.00	Top of Tank
41+25	41.25	Bottom of Tank
41+50	41.50	Top of Distribution
41+75	41.75	Bottom of Distribution
42+00	42.00	Top of Tank
42+25	42.25	Bottom of Tank
42+50	42.50	Top of Distribution
42+75	42.75	Bottom of Distribution
43+00	43.00	Top of Tank
43+25	43.25	Bottom of Tank
43+50	43.50	Top of Distribution
43+75	43.75	Bottom of Distribution
44+00	44.00	Top of Tank
44+25	44.25	Bottom of Tank
44+50	44.50	Top of Distribution
44+75	44.75	Bottom of Distribution
45+00	45.00	Top of Tank
45+25	45.25	Bottom of Tank
45+50	45.50	Top of Distribution
45+75	45.75	Bottom of Distribution
46+00	46.00	Top of Tank
46+25	46.25	Bottom of Tank
46+50	46.50	Top of Distribution
46+75	46.75	Bottom of Distribution
47+00	47.00	Top of Tank
47+25	47.25	Bottom of Tank
47+50	47.50	Top of Distribution
47+75	47.75	Bottom of Distribution
48+00	48.00	Top of Tank
48+25	48.25	Bottom of Tank
48+50	48.50	Top of Distribution
48+75	48.75	Bottom of Distribution
49+00	49.00	Top of Tank
49+25	49.25	Bottom of Tank
49+50	49.50	Top of Distribution
49+75	49.75	Bottom of Distribution
50+00	50.00	Top of Tank
50+25	50.25	Bottom of Tank
50+50	50.50	Top of Distribution
50+75	50.75	Bottom of Distribution
51+00	51.00	Top of Tank
51+25	51.25	Bottom of Tank
51+50	51.50	Top of Distribution
51+75	51.75	Bottom of Distribution
52+00	52.00	Top of Tank
52+25	52.25	Bottom of Tank
52+50	52.50	Top of Distribution
52+75	52.75	Bottom of Distribution
53+00	53.00	Top of Tank
53+25	53.25	Bottom of Tank
53+50	53.50	Top of Distribution
53+75	53.75	Bottom of Distribution
54+00	54.00	Top of Tank
54+25	54.25	Bottom of Tank
54+50	54.50	Top of Distribution
54+75	54.75	Bottom of Distribution
55+00	55.00	Top of Tank
55+25	55.25	Bottom of Tank
55+50	55.50	Top of Distribution
55+75	55.75	Bottom of Distribution
56+00	56.00	Top of Tank
56+25	56.25	Bottom of Tank
56+50	56.50	Top of Distribution
56+75	56.75	Bottom of Distribution
57+00	57.00	Top of Tank
57+25	57.25	Bottom of Tank
57+50	57.50	Top of Distribution
57+75	57.75	Bottom of Distribution
58+00	58.00	Top of Tank
58+25	58.25	Bottom of Tank
58+50	58.50	Top of Distribution
58+75	58.75	Bottom of Distribution
59+00	59.00	Top of Tank
59+25	59.25	Bottom of Tank
59+50	59.50	Top of Distribution
59+75	59.75	Bottom of Distribution
60+00	60.00	Top of Tank
60+25	60.25	Bottom of Tank
60+50	60.50	Top of Distribution
60+75	60.75	Bottom of Distribution
61+00	61.00	Top of Tank
61+25	61.25	Bottom of Tank
61+50	61.50	Top of Distribution
61+75	61.75	Bottom of Distribution
62+00	62.00	Top of Tank
62+25	62.25	Bottom of Tank
62+50	62.50	Top of Distribution
62+75	62.75	Bottom of Distribution
63+00	63.00	Top of Tank
63+25	63.25	Bottom of Tank
63+50	63.50	Top of Distribution
63+75	63.75	Bottom of Distribution
64+00	64.00	Top of Tank
64+25	64.25	Bottom of Tank
64+50	64.50	Top of Distribution
64+75	64.75	Bottom of Distribution
65+00	65.00	Top of Tank
65+25	65.25	Bottom of Tank
65+50	65.50	Top of Distribution
65+75	65.75	Bottom of Distribution
66+00	66.00	Top of Tank
66+25	66.25	Bottom of Tank
66+50	66.50	Top of Distribution
66+75	66.75	Bottom of Distribution
67+00	67.00	Top of Tank
67+25	67.25	Bottom of Tank
67+50	67.50	Top of Distribution
67+75	67.75	Bottom of Distribution
68+00	68.00	Top of Tank
68+25	68.25	Bottom of Tank
68+50	68.50	Top of Distribution
68+75	68.75	Bottom of Distribution
69+00	69.00	Top of Tank
69+25	69.25	Bottom of Tank
69+50	69.50	Top of Distribution
69+75	69.75	Bottom of Distribution
70+00	70.00	Top of Tank
70+25	70.25	Bottom of Tank
70+50	70.50	Top of Distribution
70+75	70.75	Bottom of Distribution
71+00	71.00	Top of Tank
71+25	71.25	Bottom of Tank
71+50	71.50	Top of Distribution
71+75	71.75	Bottom of Distribution
72+00	72.00	Top of Tank
72+25	72.25	Bottom of Tank
72+50	72.50	Top of Distribution
72+75	72.75	Bottom of Distribution
73+00	73.00	Top of Tank
73+25	73.25	Bottom of Tank
73+50	73.50	Top of Distribution
73+75	73.75	Bottom of Distribution
74+00	74.00	Top of Tank
74+25	74.25	Bottom of Tank
74+50	74.50	Top of Distribution
74+75	74.75	Bottom of Distribution
75+00	75.00	Top of Tank
75+25	75.25	Bottom of Tank
75+50	75.50	Top of Distribution
75+75	75.75	Bottom of Distribution
76+00	76.00	Top of Tank
76+25	76.25	Bottom of Tank
76+50	76.50	Top of Distribution
76+75	76.75	Bottom of Distribution
77+00	77.00	Top of Tank
77+25	77.25	Bottom of Tank