

C1 - 0483		SEQUENCE NO. (MDE USE ONLY)		STATE OF MARYLAND WELL COMPLETION REPORT FILL IN THIS FORM COMPLETELY PLEASE TYPE		THIS REPORT MUST BE SUBMITTED WITHIN 45 DAYS AFTER WELL IS COMPLETED.	
1 2 3 6 (THIS NUMBER IS TO BE PUNCHED IN COLS. 3-6 ON ALL CARDS)						COUNTY NUMBER	
ST/CO USE ONLY DATE Received MM DD YY 8 13		DATE WELL COMPLETED MM DD YY 3 20 06		Depth of Well 22 700 26 (TO NEAREST FOOT)		PERMIT NO. FROM "PERMIT TO DRILL WELL" 2/11/08 OK. BB HO 73 - 3542 28 29 30 31 32 33 34 35 36 37	
OWNER last name first name Bragg / 10 SCOTT				TOWN WOODSTOCK			
STREET OR RFD 1447 WOODSTOCK RD				SECTION LOT			
WELL LOG Not required for driven wells STATE THE KIND OF FORMATIONS PENETRATED, THEIR COLOR, DEPTH, THICKNESS AND IF WATER BEARING				GROUTING RECORD WELL HAS BEEN GROUTED (Circle Appropriate Box) Y N TYPE OF GROUTING MATERIAL (Circle one) CEMENT CM BENTONITE CLAY BC NO. OF BAGS 45 46 NO. OF POUNDS 45 46 GALLONS OF WATER DEPTH OF GROUT SEAL (to nearest foot) from 48 TOP 52 ft. to 54 BOTTOM 58 ft. (enter 0 if from surface)			
DESCRIPTION (Use additional sheets if needed) FROM TO check if water bearing Drilled well deeper From 240' to 700' ✓ Granite rock				CASING RECORD casing types insert appropriate code below ST CO STEEL CONCRETE PL OT PLASTIC OTHER MAIN CASING TYPE Nominal diameter top (main) casing (nearest inch)! Total depth of main casing (nearest foot) 60 61 63 64 66 70			
				OTHER CASING (if used) diameter depth (feet) inch from to			
				SCREEN RECORD screen type or open hole insert appropriate code below ST BR HO STEEL BRASS OPEN HOLE PL OT PLASTIC OTHER			
NUMBER OF UNSUCCESSFUL WELLS: 0				C2 DEPTH (nearest ft.) 1 2 A 8 9 11 15 17 21 C 23 24 26 30 32 36 H 38 39 41 45 47 51 S R E N SLOT SIZE 1 2 3 DIAMETER OF SCREEN (NEAREST INCH) 56 60 from to			
WELL HYDROFRACTURED Y N				GRAVEL PACK IF WELL DRILLED WAS FLOWING WELL INSERT F IN BOX 68			
CIRCLE APPROPRIATE LETTER A A WELL WAS ABANDONED AND SEALED WHEN THIS WELL WAS COMPLETED E ELECTRIC LOG OBTAINED P TEST WELL CONVERTED TO PRODUCTION WELL				MDE USE ONLY (NOT TO BE FILLED IN BY DRILLER) T (E.R.O.S.) W Q 70 72 74 75 76 TELESCOPE CASING LOG INDICATOR OTHER DATA			
DRILLERS LIC. NO. 1 M SD 009 DRILLERS SIGNATURE (MUST MATCH SIGNATURE ON APPLICATION) LIC. NO. 1 M D				PUMPING TEST C3 HOURS PUMPED (nearest hour) 06 PUMPING RATE (gal. per min.) 16 METHOD USED TO MEASURE PUMPING RATE 1500 WATER LEVEL (distance from land surface) BEFORE PUMPING 15 ft. WHEN PUMPING 16.6 ft. TYPE OF PUMP USED (for test) A air P piston T turbine C centrifugal R rotary O other (describe below) J jet S submersible			
I HEREBY CERTIFY THAT THIS WELL HAS BEEN CONSTRUCTED IN ACCORDANCE WITH COMAR 26.04.04 "WELL CONSTRUCTION" AND IN CONFORMANCE WITH ALL CONDITIONS STATED IN THE ABOVE CAPTIONED PERMIT, AND THAT THE INFORMATION PRESENTED HEREIN IS ACCURATE AND COMPLETE TO THE BEST OF MY KNOWLEDGE.				PUMP INSTALLED DRILLER INSTALLED PUMP (CIRCLE) (YES OR NO) YES NO IF DRILLER INSTALLS PUMP, THIS SECTION MUST BE COMPLETED FOR ALL WELLS. TYPE OF PUMP INSTALLED PLACE (A,C,J,P,R,S,T,O) IN BOX 29. 5 29 CAPACITY: GALLONS PER MINUTE (to nearest gallon) 5 31 35 PUMP HORSE POWER 1 1/2 37 41 PUMP COLUMN LENGTH (nearest ft.) 680 43 47 CASING HEIGHT (circle appropriate box and enter casing height) + above LAND SURFACE - below 02 (nearest foot) 49 50 51			
SITE SUPERVISOR (sign. of driller or journeyman responsible for sitework if different from permittee)				LOCATION OF WELL ON LOT SHOW PERMANENT STRUCTURE SUCH AS BUILDING, SEPTIC TANKS, AND /OR LANDMARKS AND INDICATE NOT LESS THAN TWO DISTANCES (MEASUREMENTS TO WELL) House 30' Δ Septic Driveway			