

8/30/93 ASAT

PERMIT

SEWAGE DISPOSAL SYSTEM

DEPARTMENT OF HEALTH AND MENTAL HYGIENE

HOWARD COUNTY HEALTH DEPARTMENT

BUREAU OF ENVIRONMENTAL HEALTH

~~XXXX-XXXX~~ 313-2640

05-364310

INDEXED

P 49598

A REPAIR

DISTRICT _____

DATE 9/9/93

DATE SYSTEM APPROVED 8/30/93

INSPECTOR RH

Jack Fyock

IS PERMITTED TO INSTALL _____ ALTER X

ADDRESS _____

PHONE 988-9270

Tax Map: 22

SUBDIVISION _____

LOT Parcel: 150

ROAD 4189 Ten Oaks Road

PROPERTY OWNER _____

Richard Rayer

4189 Ten Oaks Road

ADDRESS _____

Dayton, Maryland 21036

SEPTIC TANK CAPACITY _____ GALLONS

NUMBER OF BEDROOMS 3

125 SQUARE FEET PER BEDROOM

LINEAR FEET OF TRENCH REQUIRED 48

REPAIR - PURPOSE - SEPTIC SYS TEM HAS FAILED.

Call for inspection when ground is opened so sanitarian can recommend repair. 08/30/93

8/30/93

TRENCH OFF OLD DRY WELL IN BACK YARD
2FT WIDE, 48FT LONG, INLET 3FT BELOW
GRADE 8 FT STONE BIT

PLANS APPROVED BY _____

DATE _____

COVER NO WORK UNTIL INSPECTED AND APPROVED

NEITHER THE HOWARD COUNTY COUNCIL NOR THE HEALTH DEPARTMENT IS RESPONSIBLE FOR THE SUCCESSFUL OPERATION OF ANY SYSTEM

NOTE: CLEANOUT REQUIRED EVERY 70 FEET OF SEWER LINE AND/OR AT 90° SWEEPS IN LINES FROM HOUSE TO DRAIN FIELDS, 90° ELBOWS NOT ACCEPTABLE.

NOTE: ALL PARTS OF SEPTIC SYSTEMS (I.E. TANK, DISTRIBUTION BOX TRENCHES) TO BE 100 FEET FROM WELL (UNLESS OTHERWISE SPECIFICALLY AUTHORIZED)

NOTE: IF DEEP TRENCH(ES) ARE USED CALL FOR INSPECTION BEFORE AND AFTER PLACING GRAVEL IN TRENCH(ES)

NOTE: NO DRY WELL SHALL EXCEED 15 FOOT IN DIAMETER NO ABSORPTION TRENCH TO EXCEED 100 FEET IN LENGTH

NOTE: ALL PIPE FROM HOUSE TO SEPTIC TANK MUST BE CAST IRON OR SCHEDULE 35/40 PVC OR ABS

PERMIT VOID AFTER TWO YEARS


NOTE: INSTALL STAND PIPE ON SEPTIC TANK AND DRY WELL STAND PIPES MUST BE 6 INCHES IN DIAMETER CAST IRON. CONCRETE OR TERRA COTTA OR PVA OR ABS ACCEPTED. IF TOP OF SEPTIC TANK IS DEEPER THAN 3 FEET. MANHOLE TO GRADE REQUIRED.

NOTE: DISTRIBUTION BOXES MUST HAVE BAFFLES

*INSTALLER IS RESPONSIBLE FOR OBTAINING FINAL APPROVAL ON THIS PERMIT

①
BROWN
SAND
LOAM
2
TAN
PINK
BROWN
SAND
LOAM

POACH
(TANK INSIDE
OF PORCH)



INDICATE NORTH - NAME ADJOINING ROADWAY AS BASE LINE

TEN OAKS

SEPTIC TANK LEVEL _____ CLEANOUTS _____

DISTRIBUTION BOX LEVEL _____

DRAIN FIELD/TITLE DEPTH 11 FT. TRENCH WIDTH 2 FT. INLET DEPTH 3 FT.

EFFECTIVE GRAVEL DEPTH 3 FT. TOTAL LENGTH 58 FT.


NUMBER OF TRENCHES 1 ONE SIDEWALL/BOTTOM AREA 464 SQ. FT.

DRYWALL INSIDE DIAMETER _____ FT. EFFECTIVE DEPTH BELOW INLET _____ FT.

ABSORBENT AREA _____ SQ. FT.

REMARKS: 8/30/93 PORCH INSTALL OVER SEPTIC
TANK. COULD NOT DETERMINE WHICH LOT
I GORDON WALKER SUBDIVISION R/H

DATE SYSTEM APPROVED 8/30/93 INSPECTOR Raymond Dodge



RAYMOND E. JACKSON, ET AL.
399/300
14.90A.
P. 2

MARILYN THIEDE
515/690
47.00A.
P. 116

JOHN C. MOBERLY
588/424
161.64A.
P. 7

HUNTER HUNT CLUB
142/187
P. 68A
P. 6

RONALD L. EYRE
1020/164
20A.
P. 85

JACK C. FYOCK, JR.
1106/150
11.71A.
P. 59

JACK C. FYOCK
582/432
33.21A.
P. 201

THOMAS C. KOUTRAS
1089/108
7.18A.
P. 21

ROYDEN A. BLUNT
P. 166;
447/408
122.75A.
P. 160

GORDON WALKS
SUBDIVISION

E. W. FLOYD, ET AL.
786/309
42.02A.
P. 70

P. 517

J. DAVID MULLIN
512/408
P. 68A
P. 70

SAMUEL MESSINGER
789/440
13.31A
P. 17

W. H. JONES
999/484
6.57A.
P. 186

R. B. DUDICKE
472/262
5.00A.
P. 154

BERTHA M. GUNDESS, ET AL.
154/458
22.93A.
P. 10

HANK C. BRAND
610/308
29.92A.
P. 16

BENHAY
P. 10
P. 1

P. 522

GEO. STEUBE
718/125
5.39A.
P. 247

L. L. SMITH
745/392
5.30A.
P. 250

S. C. BROWN
743/186
5.24
P. 246

P. 491

P. 205

P. 4725

P. 4198

P. 4198

P. 4198

P. 4198

P. 4198

P. 4198

P. 4198

P. 4198

P. 4198

P. 4198

P. 4198

P. 4198

P. 4198

P. 4198

P. 4198

P. 4198

P. 4198