

6/10/86
7 PM
6/11/86 AM

6-11-86
approved
S. Abel

PERMIT

P 37128
A 36013

SEWAGE DISPOSAL SYSTEM

MARYLAND STATE DEPARTMENT OF HEALTH

HOWARD COUNTY
BUREAU OF ENVIRONMENTAL HEALTH
~~X 992-2330~~
461-9933

INDEXED

ELLICOTT CITY
DISTRICT 3rd
DATE 4/4/86

T & R Plumbing and Heating IS PERMITTED TO INSTALL X ALTER

ADDRESS _____ PHONE _____

SUBDIVISION Highpoint Breezewood Farms ROAD 1860 Woodstock Road LOT 1

PROPERTY OWNER William Tompkins

ADDRESS _____

IF GARBAGE GRINDER IS USED INCREASE SEPTIC TANK CAPACITY BY 50% AND ABSORPTION AREA BY 22%.

GARBAGE GRINDER? YES _____ NO X

SEPTIC TANK CAPACITY 1000
1250 GALLONS NUMBER OF BEDROOMS 3
4

158
4
3 16 32
210

TRENCHES - 158 sq. ft. per bedroom. Trench to be 3 feet wide. Inlet 3 feet below original grade. Bottom maximum depth 4.5 feet below original grade. Effective area begins at 3 feet below original grade. 1.5 feet of stone below distribution pipe.

LOCATION - Place the distribution box 320 feet from the left (785.47') lot line and 300 feet from the rear (806.81') lot line as seen when facing the lot from Right-of-Way. Run trenches on contour toward the rear lot line.

NOTE - No trench to exceed 100 feet in length. If more than one trench used, a distribution box is required. Call for inspection of trench before and after gravel is installed.

BUILDING PERMIT SIGNED meter cleanout and cap to grade or above on septic tank.

AND RETURNED

10/22/83 80014687-DECK

BLDG. PERMIT SIGNED

AND RETURNED 4/6/86

Serial # 47948 enclosed
3/17/86 Sever

PLANS APPROVED BY S. Abel

DATE

COVER NO WORK UNTIL INSPECTED AND APPROVED.

NEITHER THE HOWARD COUNTY COUNCIL NOR THE HEALTH DEPARTMENT IS RESPONSIBLE FOR THE SUCCESSFUL OPERATION OF ANY SYSTEM.

NOTE: IF TRENCH IS USED CALL FOR INSPECTION BEFORE AND AFTER PLACING GRAVEL IN TRENCH.

NOTE: NO DRY WELL SHALL EXCEED 15 FOOT IN DIAMETER. NO ABSORPTION TRENCH TO EXCEED 100 FEET IN LENGTH.

NOTE: ALL PIPE FROM HOUSE TO SEPTIC TANK MUST BE CAST IRON OR SCHEDULE 40 PVC OR ABS.

PERMIT VOID AFTER THREE YEARS.

NOTE: INSTALL STAND PIPE ON SEPTIC TANK AND DRY WELL. STAND PIPES MUST BE 6 INCHES IN DIAMETER. CAST IRON, CONCRETE OR TERRA COTTA, OR PVC OR ABS ACCEPTED. IF TOP OF SEPTIC TANK IS DEEPER THAN 3 FEET MANHOLE TO GRADE REQUIRED.


BLDG. PERMIT SIGNED
AND RETURNED 4/7/86

Serial # 28785
MM

***INSTALLER IS RESPONSIBLE FOR OBTAINING FINAL APROVAL ON THIS PERMIT**

*CALL 992-2330 FOR INSPECTION OF SEPTIC SYSTEMS.

A 36013



PERMIT CARD ☒

SEPTIC TANK, LEVEL ✓ 1500 GAL

CLEANOUTS ✓ST

DISTRIBUTION BOX, LEVEL _____

TILE FIELD, DEPTH 4 1/2 FT. TRENCH WIDTH 3 FT.

GRAVEL DEPTH 1 1/2 IN. TOTAL LENGTH 210 FT.

NUMBER OF TRENCHES 3 TOTAL BOTTOM AREA 63.0 ϕ

SEEPAGE PITS, INSIDE DIAMETER _____ FT. DEPTH BELOW INLET _____ FT.


ABSORBENT AREA 630 SQ. FT.

REMARKS CONNECTIONS TO DIST BOX COMPLETE. OK TO ADD STONE TO OUTER 2 TRENCHES & COVER.

MUST SEE S/T CLEANOUT AND CONNECTIONS TO EACH TRENCH, 6/10/86 CWL:lm

DATE SYSTEM APPROVED 6-11-86

INSPECTOR S. Gail



HOUSE:

FIRST FLOOR	4
BASEMENT	4
INVERT	46

SEPTIC TANK:

EXISTING GRADE	46
PROPOSED GRADE	46
INVERT IN	46
INVERT OUT	46

DISTRIBUTION BOX:

EXISTING GRADE	45
INVERT IN	45
INVERT OUT	45

TRENCHES:

	#1
EXISTING	458.0 ✓
INVERT	455.0 ✓
BOTTOM	41.5' 450.0
STONE	18" 5'
WIDTH	3' 2'
LENGTH	DEPENDS ON 60' # BK


I certify the above elevation measurements to be actual and true for this property.

J. Carl Hudgins
J. Carl Hudgins

TOMPKINS
B.P. #69540
app. 4-7-86

well k/B.N

PLOT PLAN
LOT 1



APPLICATION

SEWAGE DISPOSAL TESTING

STATE OF MARYLAND - DEPARTMENT OF HEALTH AND MENTAL HYGIENE

HOWARD COUNTY HEALTH DEPARTMENT
ENVIRONMENTAL HEALTH SERVICES

P. O. BOX 476 ELLICOTT CITY, MARYLAND 21043
TELEPHONE: 992-2330

A 56013

P _____

DISTRICT 3rd District

DATE 9/18/85

TO: THE COUNTY HEALTH OFFICER
ELLICOTT CITY, MARYLAND

I, HEREBY, APPLY FOR THE NECESSARY TEST IN ORDER TO CONSTRUCT (OR RECONSTRUCT) A SEWAGE DISPOSAL SYSTEM.

PROPERTY OWNER Donald R. Renner Jr. Wm. & Brenda Tompkins
ADDRESS 10176 Balto Nat'l Pike PHONE 465-4920

PROPERTY LOCATION:

SUBDIVISION Hillpoint at Brezewood Farms LOT NO. 1
#1860
ROAD AND DESCRIPTION Woodstock Rd just N of Rt 99

SIZE OF LOT 27 acres TYPE BLDG. 3-4
(NUMBER OF BEDROOMS)

THE SYSTEM INSTALLED UNDER THIS APPLICATION IS ACCEPTABLE ONLY UNTIL PUBLIC FACILITIES BECOME AVAILABLE. I FULLY UNDERSTAND THE FEE CONNECTED WITH THE FILING OF THIS PERC TEST APPLICATION IS NON-REFUNDABLE UNDER ANY CIRCUMSTANCES. I ALSO AGREE TO COMPLY WITH ALL M.O.S.H.A. REQUIREMENTS IN TESTING THIS LOT.

Donald R. Renner Jr.
(SIGNATURE OF APPLICANT)

APPROVED BY _____ FOR _____ DATE _____

REJECTED BY _____ FOR _____ DATE _____

HOLD PENDING FURTHER TESTS _____ DATE _____

REASONS FOR REJECTION OR HOLDING 9-19-85 Perc. Satisfactory; Hold for Certified hole location, house and well site. S.A.M. B.P. # 69540

BLDG. PERMIT SIGNED
AND RETURNED 4-7-86

THIS IS NOT A PERMIT

FOR SIGNATURE
ARE REVERSED



\bar{x} Per Time
2 MIN
INLET 3'-
BOTTOM MAX
4.5'

3"	A1-3 yellow br. SAND CLAY LOAM 110% SAPROPH RD
2	brown silt SAND LOAM 110% SAPROLITE

3' 11" (2) (3)
A1-3
Yellow BR
SAND CLAY
LOAM 100%
SAPROLITE
18" Yellow BR.
SAND S.H
LOAM
100%
SAPROLITE
12-13'

REMARKS

NO VISUAL LOT LINES OR MARKERS. - SHALLOW SYSTEM ONLY

TYPE OF SOIL

Glendy-Maria Lamm

TESTED BY

S. Abel


ALSO PRESENT

O-Kenneman, Don

43549.02	832278.74
41940.00	832320.00
41786.08	832936.39
41443.24	833654.67
41425.66	833691.49


ROBERT R.
BONOVICH
1067/101

HENLEY
212/22



AREA OF PARCELS TO BE RECORDED	27.752 AC. ±
AREA OF PARCELS	57.752 AC. ±
AREA OF ROAD DEDICATION	20.096 AC. ±
AREA OF SUBDIVISION	57.848 AC. ±

C1 00887		SEQUENCE NO. (OEP USE ONLY)		STATE OF MARYLAND WELL COMPLETION REPORT FILL IN THIS FORM COMPLETELY PLEASE PRINT OR TYPE		THIS REPORT MUST BE SUBMITTED WITHIN 45 DAYS AFTER WELL IS COMPLETED.		
(THIS NUMBER IS TO BE PUNCHED IN COPS. 3-6 ON ALL CARDS)						COUNTY NUMBER A-36013		
DATE Received		DATE WELL COMPLETED		Depth of Well		PERMIT NO.		
[] [] [] [] [] []		022686		22 325 26 (TO NEAREST FOOT)		FROM "PERMIT TO DRILL WELL" HO-81-1351		
OWNER		TOMPKINS		WILLIAM H.				
STREET OR RFD		WINDY STOCK RD.		first name		TOWN WINDY STOCK		
SUBDIVISION		HIGHTPOINT BREEZEWOOD		SECTION		LOT 1		
WELL LOG Not required for driven wells			GROUTING RECORD			C3		
STATE THE KIND OF FORMATIONS PENETRATED, THEIR COLOR, DEPTH, THICKNESS AND IF COLOR BEARING			WELL HAS BEEN GROUTED (Circle Appropriate Box)			PUMPING TEST		
DESCRIPTION (Use additional sheets if needed)			TYPE OF GROUTING MATERIAL			HOURS PUMPED (nearest hour)		
FEET			CEMENT CM BENTONITE CLAY BC			6		
FROM TO			NO. OF BAGS 7 NO. OF POUNDS 658			PUMPING RATE (gal. per min. to nearest gal.)		
Sand Stone 0 18			GALLONS OF WATER 42			23		
Gray Granite 18 325			DEPTH OF GROUT SEAL (to nearest foot)			METHOD USED TO MEASURE PUMPING RATE bucket		
			from 0 ft. to 21 ft.			WATER LEVEL (distance from land surface)		
			(enter 0 if from surface)			BEFORE PUMPING 78		
			CASING RECORD			WHEN PUMPING 17		
			casing types insert appropriate code below			TYPE OF PUMP USED (for test)		
			ST CO STEEL CONCRETE			A air P piston T turbine		
			PL OT PLASTIC OTHER			C centrifugal R rotary O other (describe below)		
			MAIN CASING TYPE			J jet S submersible		
			Nominal diameter top (main) casing (nearest inch)					
			Total depth of main casing (nearest foot)					
			5 6 24					
			OTHER CASING (if used)					
			diameter depth (feet)					
			inch from to					
			SCREEN RECORD			PUMP INSTALLED		
			screen type or open hole			DRILLER WILL INSTALL PUMP YES NO		
			ST BR HO STEEL BRASS OPEN HOLE			IF DRILLER INSTALLS PUMP, THIS SECTION MUST BE COMPLETED FOR ALL WELLS EXCEPT HOME USE		
			PL OT PLASTIC OTHER			TYPE OF PUMP INSTALLED		
			C2			PLACE (A,C,J,P,R,S,T,O) IN BOX - SEE ABOVE:		
			DEPTH (nearest ft.)			CAPACITY: GALLONS PER MINUTE		
			1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100			(to nearest gallon)		
			SLOT SIZE 1 2 3			PUMP HORSE POWER		
			DIAMETER OF SCREEN			PUMP COLUMN LENGTH		
			NEAREST INCH			(nearest ft.)		
			from to			CASING HEIGHT (circle appropriate box and enter casing height)		
			GRAVEL PACK			+ above } LAND SURFACE		
			IF WELL DRILLED WAS FLOWING WELL INSERT			- below } (nearest foot)		
			F IN BOX 68			LOCATION OF WELL ON LOT		
			OEP USE ONLY (NOT TO BE FILLED IN BY DRILLER)			SHOW PERMANENT STRUCTURE SUCH AS BUILDING, SEPTIC TANKS, AND/OR LANDMARKS AND INDICATE NOT LESS THAN TWO DISTANCES (MEASUREMENTS TO WELL)		
			T (E.R.O.S.) WQ			A N		
			70 72 74 75 76			20' 25' 30' 35' 40' 45' 50' 55' 60' 65' 70' 75' 80' 85' 90' 95' 100'		
			TELESCOPE CASING LOG INDICATOR OTHER DATA			20' 25' 30' 35' 40' 45' 50' 55' 60' 65' 70' 75' 80' 85' 90' 95' 100'		
CIRCLE APPROPRIATE LETTER A WELL WAS ABANDONED AND SEALED WHEN THIS WELL WAS COMPLETED								
E ELECTRIC LOG OBTAINED								
P TEST WELL CONVERTED TO PRODUCTION WELL								
I HEREBY CERTIFY THAT THIS WELL HAS BEEN CONSTRUCTED IN ACCORDANCE WITH COMAR 10.17.13 "WELL CONSTRUCTION" AND IN CONFORMANCE WITH ALL CONDITIONS STATED IN THE ABOVE CAPTIONED PERMIT, AND THAT THE INFORMATION PRESENTED HEREIN IS ACCURATE AND COMPLETE TO THE BEST OF MY KNOWLEDGE.								
DRILLERS IDENT. NO. 238								
DRILLERS SIGNATURE (MUST MATCH SIGNATURE ON APPLICATION)								
SITE SUPERVISOR (sign. of driller or journeyman responsible for sitework if different from permittee)								

B 1	4578	SEQUENCE NO. (OEP USE ONLY)	STATE OF MARYLAND PERMIT TO DRILL WELL	OEP PERMIT NUMBER
(THIS NUMBER IS TO BE PUNCHED IN COLS. 3-6 ON ALL CARDS)		please print or type		
Date Received 02/13/86		LOCATION OF WELL		
OWNER INFORMATION		B 3		
Tompkins H. Williams 15 Last Name Owner First Name		HOWARD 8 COUNTY		
15801 Joyce Lane 36 Street or RFD 55		HIGHPOINT BREECWOOD 23 SUBDIVISION 42		
LAUREL MD 20707 57 Town 70 State 72 Zip 76		SECTION 44 46 LOT 1 48 50 WOODSTOCK 52 NEAREST TOWN 71		
DRILLER INFORMATION		MILES FROM TOWN (enter 0 if in town) 1 73 76 77 78		
Joseph L. Wagner Driller's Name 238 77 License No. 80		B 4 DIRECTION OF WELL FROM TOWN (CIRCLE BOX) 		
Joseph L. Wagner WELL DRILLING Firm Name				
5513 Ridge Rd. Mt. Airy, Md. 21771 Address				
Joseph L. Wagner 2/13/86 Signature Date		Woodstock Road 11 NEAR WHAT ROAD 30		
WELL INFORMATION		ON WHICH SIDE OF ROAD (CIRCLE APPROPRIATE BOX)		
APPROX. PUMPING RATE (GAL. PER MIN.) 5 8 12		NORTH N WEST W 32 E SOUTH S		
AVERAGE DAILY QUANTITY NEEDED (GAL. PER DAY) 500 14 20		34 3/4 37 DISTANCE FROM ROAD ENTER FT or MI M 1 38 39		
USE FOR WATER (CIRCLE APPROPRIATE BOX)				
<input checked="" type="checkbox"/> HOME (SINGLE OR DOUBLE HOUSEHOLD UNIT ONLY)				
<input type="checkbox"/> FARMING (LIVESTOCK WATERING & AGRICULTURAL IRRIGATION)				
<input type="checkbox"/> INDUSTRIAL, COMMERCIAL, STATE AND FEDERAL GOV. OTHER (REQUIRES APPROPRIATION PERMIT)				
<input type="checkbox"/> PUBLIC OR PRIVATE WATER COMPANY (REQUIRES APPROPRIATION PERMIT AND STATE HEALTH DEPARTMENT APPROVAL)				
<input type="checkbox"/> TEST, OBSERVATION, MONITORING (MAY REQUIRE APPROPRIATION PERMIT)				
APPROXIMATE DEPTH OF WELL 200 24 28 FEET				
APPROXIMATE DIAMETER OF WELL 6 NEAREST INCH				
METHOD OF DRILLING (circle one)				
BORED (or Augered) JETTED Jetted & DRIVEN				
30- AIR-ROTary AIR-PERCussion ROTARY (Hydraulic Rotary)				
37- CABLE REVERSE-ROTary Drive-POINT				
other.				
REPLACEMENT OR DEEPEMED WELLS (CIRCLE APPROPRIATE BOX)				
<input checked="" type="checkbox"/> THIS WELL WILL NOT REPLACE AN EXISTING WELL				
<input type="checkbox"/> THIS WELL WILL REPLACE A WELL THAT WILL BE ABANDONED AND SEALED				
39 <input type="checkbox"/> THIS WELL WILL REPLACE A WELL THAT WILL BE USED AS A STANDBY				
<input type="checkbox"/> THIS WELL WILL DEEPMEN AN EXISTING WELL				
PERMIT NUMBER OF WELL TO BE REPLACED OR DEEPEMED (IF AVAILABLE) 41 52				
Not to be filled in by driller. (OEP USE ONLY)				
APPROP. PERMIT NUMBER 54 GAP 63				
FORCE BA WRITE INITIALS IN BOX PERMIT NO. HQ-81-1351 70 71 72 73 74 75 76 77 78 79				
SPECIAL CONDITIONS				

NOT TO BE FILLED IN BY DRILLER HEALTH DEPARTMENT APPROVAL

HOWARD A-36013

COUNTY NAME COUNTY NO.

OEP SIGNATURE STATE HEALTH INSERT S

DATE ISSUED 02/18/86 B. Nylon 08/8/86

43 48 CO SIGNATURE 41

NORTH GRID 541000 EAST GRID 0831000

50 55 57 63

SHOW MAJOR FEATURES OF BOX & LOCATE WELL WITH AN X

SOURCES OF DRILLING WATER

1. Well

2.


3.

WRITE THE BOX NUMBER FROM THE MAP HERE

E 830 1
 N 540 1

000 000

DRAW A SKETCH BELOW SHOWING LOCATION OF WELL IN RELATION TO NEARBY TOWNS AND ROADS AND GIVE DISTANCE FROM WELL TO NEAREST ROAD JUNCTION



$$\begin{array}{r} 200 \\ 15 \\ \hline 300 \end{array}$$

$$\begin{array}{r} 120 \\ 15 \\ \hline 600 \\ 120 \\ \hline 1800 \end{array}$$

$$\begin{array}{r} 500 \\ 400 \\ \hline 400 \end{array}$$


$$\begin{array}{r} 500 \\ 180 \\ \hline 320 \\ \text{gal} \end{array}$$


$$\begin{array}{r} 120 \\ 2 \\ \hline 240 \\ 320 \end{array}$$

- ① 24 FT CASING 1 FT OUT OF GROUND
- ② 21 FT OPEN HOLE
- ③ LOCATION OK PERC HOLES APPEAR TO BE 200-300 FT FROM WELL
- ④ 7 BAGS
- ⑤ WELL OK

$$\begin{array}{r} 168 \\ 48 \\ \hline 120 \\ 15 \\ \hline 600 \\ 120 \\ \hline 880.0 \end{array}$$

$$\begin{array}{r} 2.5 \\ 60 \\ \hline 150.0 \\ 150 \\ 180 \\ \hline 480 \end{array}$$



 This area designates a private sewage easement of 10,000 square feet as required by the Maryland State Department of Health and Mental Hygiene for individual sewage disposal. Improvements of any nature in this area are restricted until public sewage is available. These easements shall become null and void upon connection to a public sewage system. The County Health Officer shall have the authority to grant variances for encroachments into the private sewage easement. Recordation of a modified sewage easement shall not be necessary.

Percolation test holes shown hereon have been field located and shown as "●".

The lots shown hereon comply with the minimum ownership width and lot areas as required by the Maryland State Department of Health and Mental Hygiene.

Percolation areas and water wells for adjoining lots have been shown where pertinent.

APPROVED: For Private Water and Private Sewage Systems

SENT FOR SIGNATURE 12/30/85
County Health Officer _____ Date

PERCOLATION TEST PLAT


LOT 1
HIGHPOINT AT
BREEZEWOOD FARMS
PLAT #6385
FILE P#2 F-86-13


3rd Election District
Howard County, Maryland
Scale 1"=200'
Date 12/02/85

NTT Associates, Inc.
16205 Old Frederick Road
Mt. Airy, MD 21771
(301) 442-2031



130B LOD 4 806.81 ~~Private Sewage~~ 19.08 AC.



 This area designates a private sewage easement of 10,000 square feet as required by the Maryland State Department of Health and Mental Hygiene for individual sewage disposal. Improvements of any nature in this area are restricted until public sewage is available. These easements shall become null and void upon connection to a public sewage system. The County Health Officer shall have the authority to grant variances for encroachments into the private sewage easement. Recordation of a modified sewage easement shall not be necessary.

Percolation test holes shown hereon have been field located and shown as "⊙".
The lots shown hereon comply with the minimum ownership width and lot areas as required by the Maryland State Department of Health and Mental Hygiene.

Percolation areas and water wells for adjoining lots have been shown where pertinent.

APPROVED: For Private Water and Private Sewage Systems

County Health Officer _____ Date _____



46193
OK TO SIGN
PERCOLATION TEST PLAT
LOT 1
HIGHPOINT AT
BREEZEWOOD FARMS
BP47948
RH

3rd Election District
Howard County, Maryland
Scale 1"=200'
Date 12/02/85

NTT Associates, Inc.
16205 Old Frederick Road
Mt. Airy, MD 21771
(301) 442-2031

E: 1,343,900

MATCHLINE SHEET 7

HA F-03-193

MARYLAND GRID MERIDIAN NAD83/91

Unsigned Final

LOT 6
58,559 SF

24' PRIVATE USE-IN-COMMON
EASEMENT TO BENEFIT LOTS 5, 6
AND PRESERVATION PARCEL A

PRIVATE
SEWAGE EASEMENT
10,000 SF

LOT 7
45,440 SF

MATCHLINE

LOT 4

57440 SF

EX -
BARN
TO BE
REMOVED

10' BRL

LOT 5

57092 SF

10' BRL

1:50
Scale

LOT 6

57852 SF

Proposed
Deck

EX HOUSE
TO REMAIN

N

10' BRL

LOT 7

57605 SF

DECK OK
MR 10/24/03

10' BRL

Prelim approved by DPZ

2/26/02 R-03-02 ~~5-02-03~~

1:50 scale

Provided by Health Dept.

Kacie Noonan

HOWARD COUNTY PERMIT APPLICATION

PERMIT NUMBER

300144687

Building Address 1860 Woodstock Rd
Woodstock, MD. 21163

Suite/Apt. #: --- SDP/WP/Petition #: ---

Census Tract 603--- Subdivision High Point A.D.

Section --- Area --- Lot 6

Tax Map 1- Parcel 204 Grid 23

Zoning R-2 Map Coordinates 6 D 17 Lot size 57852 SF

Existing Use ---

Proposed Use ---

Estimated Construction Cost \$ ---

Description of Work Deck added off
back of house 12x16
w/ steps

Occupant or Tenant ---

Contact Name ---

Address ---

City --- State --- Zip Code ---

Phone --- Fax ---

Property Owner's Name Brenda Tompkins McDade

Address 1860 Woodstock Rd

City Woodstock State MD Zip Code 21163

Home Phone 410/451928 Work Phone SAME

Applicant's Name & Mailing Address, (if other than stated hereon):

NEW SUB:

PRESERVE @

WAVERLY GLEN

Phone --- Fax ---

Contractor Company At-Home Services

Contact Person Tom Sailor

Address 1041 Cannons Court

City Woodbridge State VA Zip Code 22191

License No. 23887

Phone 817/929522

Engineer or Architect Company ---

Contact Person ---

Address ---

City --- State --- Zip Code ---

Phone --- Fax ---

BUILDING DESCRIPTION - COMMERCIAL

BUILDING DESCRIPTION - RESIDENTIAL

Building Characteristics

Utilities

Height: ---

No. of stories: 2

Gross area, sq. ft. per floor: ---

Use group: Single Family Home

Construction type:

☐ Reinforced Concrete

☐ Structural Steel

☐ Masonry

☒ Wood Frame

☐ State Certified Modular

Water Supply: ☒ Public ☐ Private

Sewage Disposal: ☐ Public ☒ Private

Electric: Yes ☒ No ☐

Gas: Yes ☐ No ☐

Heating System:

☒ Electric ☐ Oil ☐

☐ Natural Gas ☐

☐ Propane Gas ☐

Sprinkler system: N/A ☒

☐ Full

☐ Partial

☐ Other Suppression

☐ # of Heads

Building Characteristics

Utilities

SF Dwelling ☒ SF Townhouse ☐

1st floor: 30 51

2nd floor: 30 51

Basement: 30 51

Finished Basement ☒ Unfinished Basement ☐

Crawl space ☐ Slab on Grade ☐

No. of Bedrooms 3

Multi-family dwellings:

No. of efficiency units: ---

No. of 1 BR units: ---

No. of 2 BR units: ---

No. of 3 BR units: ---

Other Structure: ---

Dimensions: ---

Footings: ---

Roof: ---

☐ State Certified Modular

☐ Manufactured Home

Water Supply: ☐ Public ☒ Private

Sewage Disposal: ☐ Public ☒ Private

Electric: Yes ☒ No ☐

Gas: Yes ☐ No ☐

Heating System:

☒ Electric ☐ Oil ☐

☐ Natural Gas ☐

☐ Propane Gas ☐

Sprinkler system: N/A ☒

--- NFPA #13D

--- NFPA #13R

--- Other:

THE UNDERSIGNED HEREBY CERTIFIES AND AGREES AS FOLLOWS: (1) THAT HE/SHE IS AUTHORIZED TO MAKE THIS APPLICATION; (2) THAT THE INFORMATION IS CORRECT; (3) THAT HE/SHE WILL COMPLY WITH ALL REGULATIONS OF HOWARD COUNTY WHICH ARE APPLICABLE THERETO; (4) THAT HE/SHE WILL PERFORM NO WORK ON THE ABOVE REFERENCED PROPERTY NOT SPECIFICALLY DESCRIBED IN THIS APPLICATION; (5) THAT HE/SHE GRANTS COUNTY OFFICIALS THE RIGHT TO ENTER ONTO THIS PROPERTY FOR THE PURPOSE OF INSPECTING THE WORK PERMITTED AND POSTING NOTICES.

Applicant's Signature

Title/Company

Print Name

Date

Checks payable to: DIRECTOR OF FINANCE OF HOWARD COUNTY

** PLEASE WRITE NEATLY AND LEGIBLY **

FOR OFFICE USE ONLY

AGENCY

DATE

SIGNATURE APPROVAL

DPZ SETBACK INFORMATION

PROPERTY ID#

Land Development


Front

Filing fee \$

State Highway

Penny E. Borenstein, M.D., M.P.H., Health Officer

F A X



Date

4-20-05

To

Maura

Department

FAX #

301-891-6184

From

Kacie

Telephone

410-313-1771

FAX (410) 313-2648

Of Pages

4

(including cover page)

Comments

Perc Plan & App

CONFIDENTIALITY NOTICE

**"WARNING: UNAUTHORIZED INTERCEPTION OF THIS TELEPHONIC
COMMUNICATION COULD BE A VIOLATION OF FEDERAL AND MARYLAND LAW"**

The documents accompanying this telecopy transmission contain confidential information belonging to the sender which is legally privileged. The information is intended only for the use of the individual or entity named above. If you are not the intended recipient, you are hereby notified that any discourse, copying, distribution or the taking of any action in reliance on the contents of this telephonic information is strictly prohibited. If you have received this telecopy in error, please immediately notify sender by telephone to arrange for return of the original documents to us.