

~~12/31/84~~  
~~1:00 PM~~

**P** 34687

**A** 32179

**MARYLAND STATE DEPARTMENT OF HEALTH\***

05-393485

# INDEXED

DISTRICT 5th

**DATE** 12/19/84

IS PERMITTED TO INSTALL X ALTER \_\_\_\_\_

ADDRESS 1115 Streaker Road, Sykesville, MD 21784 PHONE 795-5670

SUBDIVISION Jocelyn Acres, Section 3 ROAD 13410 Rich Lynn Court LOT 1

PROPERTY OWNER Michael J. Dalpee

ADDRESS \_\_\_\_\_

IF GARBAGE GRINDER IS USED INCREASE SEPTIC TANK CAPACITY BY 50% AND ABSORPTION **BUILDING PERMIT SIGNED**

GARBAGE GRINDER? YES \_\_\_\_\_ NO X

SEPTIC TANK CAPACITY 1250 GALLONS      NUMBER OF BEDROOMS 4

# BUILDING PERMIT SIGNED

**AND RETURNED** 5-15-02  
BOD 136199-ADDITIONAL 15X20  
ON CRAWL SPACE

DEEP TRENCHES - 158 sq. ft. one sidewall area per bedroom. Ditch is to be 2 feet wide, maximum 9 feet deep, with inlet at 3 maximum feet below original grade and filled with 6 ft. of stone. Length of the ditch depends on the number of sq. ft. needed. Start the ditch at perc hole #7 and run it along level ground toward perc hole #8. Perc hole #7 is located 90 feet from the front lot line and 160 feet from the <sup>right</sup> ~~left~~ lot line as seen when facing the lot from Rich Lynn Court. Perc hole #8 is located 20 feet from the front lot line and 200 feet from the ~~left~~ <sup>right</sup> lot line as seen when facing the lot from Rich Lynn Court. Lenth of trench for 4 bedrooms is 106 feet. (With disposal length of trench(s) increases to 135 ft long). NOTES: No trench to exceed 100 feet in length. If more than one trench used, a distribution box is required. Trenches to be installed on level ground. Call for inspection of trench(s) before and after gravel is installed. Provide 6" - 8" diameter cleanout and cap to grade or above on septic tank.

PLANS APPROVED BY Raymond Hodges / Frank Skinner DATE 8/31/83

COVER NO WORK UNTIL INSPECTED AND APPROVED.

NEITHER THE HOWARD COUNTY COUNCIL NOR THE HEALTH DEPARTMENT IS RESPONSIBLE FOR THE SUCCESSFUL OPERATION OF ANY SYSTEM.

NOTE: IF TRENCH IS USED CALL FOR INSPECTION BEFORE AND AFTER PLACING GRAVEL IN TRENCH.

NOTE: NO DRY WELL SHALL EXCEED 15 FOOT IN DIAMETER. NO ABSORPTION TRENCH TO EXCEED 100 FEET IN LENGTH.

NOTE: ALL PIPE FROM HOUSE TO SEPTIC TANK MUST BE CAST IRON OR SCHEDULE 40 PVC OR ABS.

PERMIT VOID AFTER THREE YEARS.

NOTE: INSTALL STAND PIPE ON SEPTIC TANK AND DRY WELL. STAND PIPES MUST BE 6 INCHES IN DIAMETER. CAST IRON, CONCRETE OR TERRA COTTA, OR PVC OR ABS ACCEPTED. IF TOP OF SEPTIC TANK IS DEEPER THAN 3 FEET MANHOLE TO GRADE REQUIRED.


800 134870  
 IG SWIMMING POOL  
 3-14-2002

32179

**\*INSTALLER IS RESPONSIBLE FOR OBTAINING FINAL APROVAL ON THIS PERMIT**

**\*CALL 992-2330 FOR INSPECTION OF SEPTIC SYSTEMS.**

EH - 2-1082



**BUILDING PERMIT SIGNED  
AND RETURNED**

INDICATE NORTH. - NAME ADJOINING ROADWAY AS BASE LINE.

well

PERMIT CARD verbal OK to Dale Eagle

SEPTIC TANK, LEVEL ✓ 1250 gallon Rich Lynn COURT CLEANOUTS ✓ ✓

DISTRIBUTION BOX, LEVEL R.O.

TILE FIELD, DEPTH 9 FT. TRENCH WIDTH 2 FT.

GRAVEL DEPTH 6 FT. TOTAL LENGTH 47 FT.

NUMBER OF TRENCHES 1 ONE SIDE WALL TOTAL BOTTOM AREA 2824

SEE PAGE PITS, INSIDE DIAMETER 54 FT. DEPTH BELOW INLET 6 FT.

ABSORBENT AREA 324 SQ. FT. Total = 6164

REMARKS 12/31/84 OK to cover from house to d. well F.S.

12/31/84 OK to cover all work F.S.

DATE SYSTEM APPROVED 12/31/84 INSPECTOR J. Skinner

47  
6  
282  
54  
6  
334  
282  
616

# APPLICATION

SEWAGE DISPOSAL TESTING

STATE OF MARYLAND - DEPARTMENT OF HEALTH AND MENTAL HYGIENE

HOWARD COUNTY HEALTH DEPARTMENT  
ENVIRONMENTAL HEALTH SERVICES

P. O. BOX 473 ELLICOTT CITY, MARYLAND 21043  
TELEPHONE: 992-2330

DISTRICT 5TH

DATE 9-16-82

TO: THE COUNTY HEALTH OFFICER  
ELLICOTT CITY, MARYLAND

I, HEREBY, APPLY FOR THE NECESSARY TEST IN ORDER TO CONSTRUCT (OR RECONSTRUCT) A SEWAGE DISPOSAL SYSTEM.

PROPERTY OWNER RICHARD DEMMITT Michael J. Dalpee  
ADDRESS 9966 MARYLAND ROUTE 99 PHONE 465-4544

PROPERTY LOCATION:

SUBDIVISION JOCELYN ACRES, SECTION 3 LOT NO. 21, Sec. 3

ROAD AND DESCRIPTION HIGHLAND ROAD, DIRECTLY ACROSS FROM ALLNUT LANE

13410 Rich Lynn Ct BP# 60457  
Michael Dalpee

SIZE OF LOT 3 ACRES TYPE BLDG. SINGLE FAMILY DWELLING  
(NUMBER OF BEDROOMS) \_\_\_\_\_

THE SYSTEM INSTALLED UNDER THIS APPLICATION IS ACCEPTABLE ONLY UNTIL PUBLIC FACILITIES BECOME AVAILABLE. I FULLY UNDERSTAND THE  
FEE CONNECTED WITH THE FILING OF THIS PERC TEST APPLICATION IS NON-REFUNDABLE UNDER ANY CIRCUMSTANCES. I ALSO AGREE TO COMPLY  
WITH ALL M.O.S.H.A. REQUIREMENTS IN TESTING THIS LOT.

APPROVED BY F. Sherrin FOR trenches DATE 8/31/82  
(SIGNATURE OF APPLICANT) Charles J. Connors

REJECTED BY \_\_\_\_\_ FOR \_\_\_\_\_ DATE \_\_\_\_\_

HOLD PENDING FURTHER TESTS \_\_\_\_\_ DATE \_\_\_\_\_

REASONS FOR REJECTION OR HOLDING 9/20/82 DIG MORE, Illegal Holes, slow Perc

Full Dirt R/H 10/17/82 PERC LOOKS OK BUT MUST

HOLD FOR REVIEW Holes 134 ft apart R/H

10/22/82 O.K.; hold for perc plot F.S. & R.H.

## THIS IS NOT A PERMIT

2099



SOIL PROFILE

BROWN  
CLAYLIGHT  
TAN  
SANDBROWN  
CLAYGRAY  
&  
TAN  
SANDHOLE  
ELEVATION

(56) HIGH

(78) LOW

(586) SAME  
ELEVATIONPERC AREA  
ALMOST  
LEVEL

INDICATE NORTH -- NAME ADJOINING ROADWAY AS BASE LINE.

DATE	TEST NO.	DEPTH	PRE-WET		TEST - 1" DROP		TIME	
			START	STOP	START	STOP		
10/4/82	5 S	4 1/2	151	153	153	155	4	OPHD
	5 D	8	151	152	152	155	3	
	5 V	12	LOOK	5 OK	SEE SOIL PROFILE			OPHD
	6 S	4 1/2	208	212	212	218	6	
	6 D	8	208	209	209	211	2	OPHD
	6 V	11	LOOK	5 OK	SEE SOIL PROFILE			
	7 S	4	229	233	233	247	8	OPHD
	7 D	8	229	231	231	234	3	
	7 V	12	LOOK	5 OK	SEE SOIL PROFILE			OPHD
	8 S	5	249	251	251	253	2	
10/7/82	8 D	8	249	251	251	253	2	OPHD
	8 V	11 1/2	LOOK	5 OK	SEE SOIL PROFILE			

REMARKS

\* OPHD - observed post hole digging

TYPE OF SOIL

TESTED BY

B. Hodges

ALSO PRESENT

R. Demmitt  
C. C. C. C.

96

10/22/82 trench inlet 3' bottom @ 8' F.S.

80

EII-12-1075

# APPLICATION

SEWAGE DISPOSAL TESTING

STATE OF MARYLAND - DEPARTMENT OF HEALTH AND MENTAL HYGIENE

HOWARD COUNTY HEALTH DEPARTMENT  
ENVIRONMENTAL HEALTH SERVICES

P. O. BOX 473 ELLICOTT CITY, MARYLAND 21043  
TELEPHONE: 992-2330

DISTRICT 5TH

DATE 9-16-82

TO: THE COUNTY HEALTH OFFICER  
ELLICOTT CITY, MARYLAND

I, HEREBY, APPLY FOR THE NECESSARY TEST IN ORDER TO CONSTRUCT (OR RECONSTRUCT) A SEWAGE DISPOSAL SYSTEM.

PROPERTY OWNER RICHARD DEMMITT

ADDRESS 9966 MARYLAND ROUTE 99 PHONE 465-4544

PROPERTY LOCATION:

SUBDIVISION JOCELYN ACRES, SECTION 3 LOT NO. 2

ROAD AND DESCRIPTION HIGHLAND ROAD, DIRECTLY ACROSS FROM ALLNUT LANE

SIZE OF LOT 3 ACRES TYPE BLDG. SINGLE FAMILY DWELLING  
(NUMBER OF BEDROOMS)

THE SYSTEM INSTALLED UNDER THIS APPLICATION IS ACCEPTABLE ONLY UNTIL PUBLIC FACILITIES BECOME AVAILABLE. I FULLY UNDERSTAND THE FEE CONNECTED WITH THE FILING OF THIS PERC TEST APPLICATION IS NON-REFUNDABLE UNDER ANY CIRCUMSTANCES. I ALSO AGREE TO COMPLY WITH ALL M.O.S.H.A. REQUIREMENTS IN TESTING THIS LOT.

Charles J. Cane Jr.  
(SIGNATURE OF APPLICANT)




APPROVED BY \_\_\_\_\_ FOR \_\_\_\_\_ DATE \_\_\_\_\_

REJECTED BY \_\_\_\_\_ FOR \_\_\_\_\_ DATE \_\_\_\_\_


HOLD PENDING FURTHER TESTS \_\_\_\_\_ DATE \_\_\_\_\_

REASONS FOR REJECTION OR HOLDING \_\_\_\_\_

## THIS IS NOT A PERMIT



INDICATE-NORTH - NAME ADJOINING ROADWAY AS BASE LINE.




DATE	TEST NO.	DEPTH	PRE-WET		TEST - 1" DROP		TIME
			START	STOP	START	STOP	
9/29/82	1 S	4 1/2	1039	1041	1041	1044	3
	1 D	7	1038	1041	1041	1043	2
9/29/82	1 V	11 1/2	SEE	SOIL	PROFILE		
	<del>2 S</del>	<del>4</del>	<del>1050</del>	<del>1054</del>	<del>1054</del>	<del>1057</del>	<del>1/2</del>
	<del>2 D</del>	<del>7</del>	<del>1050</del>	<del>1054</del>	<del>1053</del>	<del>1106</del>	<del>13</del>
	2 V	12	SEE	SOIL	PROFILE		
	<del>3 S</del>	<del>7 1/2</del>	<del>1115 1/2</del>	<del>1118 1/2</del>	<del>1115 1/2</del>	<del>1118</del>	<del>1/2</del>
	3 V	11	SEE	SOIL	PROFILE		
	4 S	6 1/2	1144	1225	little pen SLOW		
	4 V	12	SEE	SOIL	PROFILE		
	3 S D	9 1/2	207	216	216	258 little pen	
	3 S Redna	6 1/2	207	210	210	216	6
	2 S	4 1/2	219	300	stuck	41 SLOW	
	2 D	7 1/2	219	300	little pen	SLOW	

Arden  
max  
Depth 4

REMARKS: 25 REDIG NECESSARY. DUG IN LOOSE DIRT  
 TYPE OF SOIL: 3 S 11 11 11 11 11  
 TESTED BY: R HODGES  
 ALSO PRESENT: R HODGES

58  
26  
134

58  
26  
135



RING & DISTANCE	
8.76	806553.69
4.43	806552.49
3.75	806522.57
3.71	806380.55
3.43	805797.98
3.87	805790.45
0.58	805742.86
7.65	805761.46
RING & DISTANCE	
59°E, 115.90'	
30°W, 660.039'	
11°E, 20.953'	
58°E, 19.901'	
22°E, 578.011'	

C.W. SCOTT  
457/106

C.W. SCOTT  
1064/029

2.1  
2.5  
1.24  
6.20  
24.8  
380.0

2.1  
2.5  
1.24  
6.20  
24.8  
380.0

324  
1720  
648  
820.0

LOT 10  
3.475 AC ±

2.1  
2.5  
1.24  
6.20  
24.8  
380.0

LOT 11  
3.072 AC ±


2.1  
2.5  
1.24  
6.20  
24.8  
380.0

LOT 12  
1.87 AC ±

2.1  
2.5  
1.24  
6.20  
24.8  
380.0

1 <b>6745</b>	SEQUENCE NO. (OEP USE ONLY) THIS NUMBER IS TO BE PUNCHED IN COLS. 3-6 ON ALL CARDS	STATE OF MARYLAND APPLICATION FOR PERMIT TO DRILL WELL please print or type	OEP PERMIT NUMBER <b>HO-81-0203</b> <small>fill in this form completely</small>
Date Received <b>7/27/83</b> <b>071483</b> OWNER INFORMATION Demmitt 9966804+e99 ELLICOTT CITY MD 21043		LOCATION OF WELL HOWARD 23 SUBDIVISION SECTION <b>3</b> LOT <b>1</b> 41-46 LAND MILES FROM TOWN (enter 0 if in town) <b>1 1/2</b> MI	
DRILLER INFORMATION Joseph L. Mayne 238 77 License No. 80 5521 Ridge Rd. Mt Airy Md. Joseph L. Mayne July 11, 83		DIRECTION OF WELL FROM TOWN (CIRCLE BOX)  NEAR WHAT ROAD Rich Lynn Court ON WHICH SIDE OF ROAD (CIRCLE APPROPRIATE BOX) NORTH WEST EAST SOUTH DISTANCE FROM ROAD <b>35</b> FT or MI	
WELL INFORMATION APPROX. PUMPING RATE (GAL. PER MIN.) <b>5</b> AVERAGE DAILY QUANTITY NEEDED (GAL. PER DAY) <b>500</b>		NOT TO BE FILLED IN BY DRILLER HEALTH DEPARTMENT APPROVAL HOWARD COUNTY NAME OEP SIGNATURE DATE ISSUED <b>072283</b> CO SIGNATURE <b>Frand Skemin</b> EXP. DATE <b>1/22/83</b> NORTH GRID <b>000</b> EAST GRID <b>000</b>	
USE FOR WATER (CIRCLE APPROPRIATE BOX) <input checked="" type="checkbox"/> HOME (SINGLE OR DOUBLE HOUSEHOLD UNIT ONLY) <input type="checkbox"/> FARMING (LIVESTOCK WATERING & AGRICULTURAL IRRIGATION) <input type="checkbox"/> INDUSTRIAL, COMMERCIAL, STATE AND FEDERAL GOV. OTHER (REQUIRES APPROPRIATION PERMIT) <input type="checkbox"/> PUBLIC OR PRIVATE WATER COMPANY (REQUIRES APPROPRIATION PERMIT AND STATE HEALTH DEPARTMENT APPROVAL) <input type="checkbox"/> TEST, OBSERVATION, MONITORING (MAY REQUIRE APPROPRIATION PERMIT)		SHOW MAJOR FEATURES OF BOX & LOCATE WELL WITH AN X SOURCES OF DRILLING WATER 1. WELL 2. 3. WRITE THE BOX NUMBER FROM THE MAP HERE E <b>800</b> N <b>490</b>	
APPROXIMATE DEPTH OF WELL <b>200</b> FEET APPROXIMATE DIAMETER OF WELL <b>6</b> INCH METHOD OF DRILLING (circle one) BORED (or Augered) JETTED Jetted & DRIVEN AIR-ROTARY AIR-PERCussion ROTARY (Hydraulic Rotary) CABLE REVERSE-ROTARY Drive-POINT other		7/26/83 WELL GROUT NOT DONE SEE OTHER SIDE RW 7/27/83 41' casing 1 1/2' above br. 32' jet 7' ways connect	
REPLACEMENT OR DEEPEMED WELLS (CIRCLE APPROPRIATE BOX) <input checked="" type="checkbox"/> THIS WELL WILL NOT REPLACE AN EXISTING WELL <input type="checkbox"/> THIS WELL WILL REPLACE A WELL THAT WILL BE ABANDONED AND SEALED <input type="checkbox"/> THIS WELL WILL REPLACE A WELL THAT WILL BE USED AS A STANDBY <input type="checkbox"/> THIS WELL WILL DEEPEN AN EXISTING WELL PERMIT NUMBER OF WELL TO BE REPLACED OR DEEPEMED (IF AVAILABLE)		DRAW A SKETCH BELOW SHOWING LOCATION OF WELL IN RELATION TO NEARBY TOWNS AND ROADS AND GIVE DISTANCE FROM WELL TO NEAREST ROAD JUNCTION 	
Not to be filled in by driller (OEP USE ONLY) APPROP. PERMIT NUMBER <b>GAP</b> FORCE <b>ES</b> WRITE INITIALS IN BOX PERMIT No. <b>HO-81-0203</b>		SPECIAL CONDITIONS	





21000

7/26/83

- ① 42 FT CASING
- ② 20 FT OPEN HOLE WITH A WEIGHT & ROPE
- ③ LOCATION OK
- ④ ONLY 20 FT OPEN HOLE WITH JET PIPE
- ⑤ CALLED FF HE SAID 30 FT NEEDED
- ⑥ RETURNED TO SITE. NO IMPROVEMENT  
LEFT 100 PM. NEITHER STRING NOR  
PIPE WOULD GO OVER 20 FT
- ⑦ TOLD L MAYNE CASING MUST BE PULLED

<p><b>B 1</b> <span style="font-size: 2em; font-weight: bold;">6745</span> SEQUENCE NO. (OEP USE ONLY)</p> <p>(THIS NUMBER IS TO BE PUNCHED IN COLS. 3-6 ON ALL CARDS)</p>	<p><b>STATE OF MARYLAND</b> <b>PERMIT TO DRILL WELL</b></p> <p>please print or type</p>	<p>OEP PERMIT NUMBER</p> <p><span style="font-size: 1.5em; font-weight: bold;">H0-81-0203</span></p> <p><small>fill in this form completely</small></p>
<p><b>Date Received</b> <span style="font-size: 1.2em;">071483</span></p> <p><b>OWNER INFORMATION</b></p> <p><span style="font-size: 1.2em;">Demmitt</span> <span style="font-size: 1.2em;">Richard</span></p> <p><small>15 Last Name 34 Owner First Name</small></p> <p><span style="font-size: 1.2em;">9966R04te99</span></p> <p><small>36 Street or RFD 55</small></p> <p><span style="font-size: 1.2em;">ELLicot+CtY MD21P43</span></p> <p><small>57 Town 70 State 72 Zip 76</small></p>	<p><b>B 3</b> <b>LOCATION OF WELL</b></p> <p><span style="font-size: 1.2em;">HOWARD</span></p> <p><small>8 COUNTY 21</small></p> <p><span style="font-size: 1.2em;">UPPEELYNACRES</span></p> <p><small>23 SUBDIVISION 42</small></p> <p>SECTION <span style="font-size: 1.2em;">3</span> LOT <span style="font-size: 1.2em;">1</span></p> <p><small>44 46 48 50</small></p> <p><span style="font-size: 1.2em;">HIGHLAND</span></p> <p><small>52 NEAREST TOWN 71</small></p> <p>MILES FROM TOWN (enter 0 if in town) <span style="font-size: 1.2em;">1 1/2</span> M I</p> <p><small>73 76 77 78 1</small></p>	
<p><b>DRILLER INFORMATION</b></p> <p><span style="font-size: 1.2em;">Joseph L. Mayne</span> <span style="font-size: 1.2em;">238</span></p> <p><small>Driller's Name 77 License No. 80</small></p> <p><span style="font-size: 1.2em;">Joseph L. Mayne</span></p> <p><small>Firm Name</small></p> <p><span style="font-size: 1.2em;">5521 Ridge Rd. Mt Airy Md.</span></p> <p><small>Address</small></p> <p><span style="font-size: 1.2em;">Joseph L. Mayne July 11, 83</span></p> <p><small>Signature Date</small></p>	<p><b>B 4</b></p> <div style="display: flex; justify-content: space-between;"> <div style="width: 45%;"> <p><b>1</b> <b>DIRECTION OF WELL FROM TOWN (CIRCLE BOX)</b></p> </div> <div style="width: 45%;"> <p><b>2</b> <b>NEAR WHAT ROAD</b></p> <p><span style="font-size: 1.2em;">Rich Lynn Court</span></p> <p><small>11 30</small></p> <p><b>ON WHICH SIDE OF ROAD (CIRCLE APPROPRIATE BOX)</b></p> <p><small>NORTH</small> <span style="border: 1px solid black; padding: 2px;">N</span> <small>EAST</small> <span style="border: 1px solid black; padding: 2px;">E</span> <small>WEST</small> <span style="border: 1px solid black; padding: 2px;">W</span> <small>SOUTH</small> <span style="border: 1px solid black; padding: 2px;">S</span></p> <p><b>3</b> <b>DISTANCE FROM ROAD</b></p> <p><span style="font-size: 1.2em;">35</span></p> <p><small>34 37</small></p> <p>ENTER FT or MI <span style="font-size: 1.2em;">F</span></p> <p><small>38 39</small></p> </div> </div>	
<p><b>B 2</b> <b>WELL INFORMATION</b></p> <p><b>1</b> <b>APPROX. PUMPING RATE (GAL. PER MIN.)</b> <span style="font-size: 1.2em;">5</span></p> <p><small>8 12</small></p> <p><b>AVERAGE DAILY QUANTITY NEEDED (GAL. PER DAY)</b> <span style="font-size: 1.2em;">500</span></p> <p><small>14 20</small></p> <p><b>USE FOR WATER (CIRCLE APPROPRIATE BOX)</b></p> <p><input checked="" type="checkbox"/> <b>D</b> HOME (SINGLE OR DOUBLE HOUSEHOLD UNIT ONLY)</p> <p><input type="checkbox"/> <b>F</b> FARMING (LIVESTOCK WATERING &amp; AGRICULTURAL IRRIGATION)</p> <p><input type="checkbox"/> <b>I</b> INDUSTRIAL, COMMERCIAL, STATE AND FEDERAL GOV. OTHER (REQUIRES APPROPRIATION PERMIT)</p> <p><input type="checkbox"/> <b>P</b> PUBLIC OR PRIVATE WATER COMPANY (REQUIRES APPROPRIATION PERMIT AND STATE HEALTH DEPARTMENT APPROVAL)</p> <p><input type="checkbox"/> <b>T</b> TEST, OBSERVATION, MONITORING (MAY REQUIRE APPROPRIATION PERMIT)</p>	<p><b>NOT TO BE FILLED IN BY DRILLER HEALTH DEPARTMENT APPROVAL</b></p> <p><span style="font-size: 1.5em; font-weight: bold;">HOWARD</span> <span style="font-size: 1.5em; font-weight: bold;">A 32179</span></p> <p><small>COUNTY NAME COUNTY NO.</small></p> <p>OEP SIGNATURE <span style="font-size: 1.2em;">Frank Sklar</span> <span style="font-size: 1.2em;">11/22/83</span></p> <p><small>DATE ISSUED CO SIGNATURE EXP. DATE</small></p> <p><b>NORTH GRID</b> <span style="font-size: 1.2em;">496 0 0 0</span> <b>EAST GRID</b> <span style="font-size: 1.2em;">0806 0 0 0</span></p> <p><small>43 48 50 55 57 63</small></p>	
<p><b>APPROXIMATE DEPTH OF WELL</b> <span style="font-size: 1.2em;">200</span> FEET</p> <p><small>24 28</small></p> <p><b>APPROXIMATE DIAMETER OF WELL</b> <span style="font-size: 1.5em;">6</span> INCH</p> <p><small>NEAREST INCH</small></p> <p><b>METHOD OF DRILLING (circle one)</b></p> <p><input checked="" type="checkbox"/> <b>B</b>ORED (or Augered) <input type="checkbox"/> <b>J</b>ETTED <input type="checkbox"/> <b>J</b>etted &amp; <b>D</b>RIVEN</p> <p><small>30 32</small></p> <p><input checked="" type="checkbox"/> <b>A</b>IR-ROtary <input type="checkbox"/> <b>A</b>IR-PERcussion <input type="checkbox"/> <b>R</b>OTARY (Hydraulic Rotary)</p> <p><input type="checkbox"/> <b>C</b>ABLE <input type="checkbox"/> <b>R</b>EVERse-ROtary <input type="checkbox"/> <b>D</b>RIVE-POINT</p> <p><small>other</small></p>	<p><b>SHOW MAJOR FEATURES OF BOX &amp; LOCATE WELL WITH AN X</b></p> <p><b>SOURCES OF DRILLING WATER</b></p> <p>1. <span style="font-size: 1.2em;">WELL</span></p> <p>2.</p> <p>3.</p> <p><b>WRITE THE BOX NUMBER FROM THE MAP HERE:</b></p> <div style="display: flex; align-items: center;"> <div style="border: 1px solid black; padding: 5px; margin-right: 10px;"> <p><b>E</b> <span style="font-size: 1.2em;">800</span></p> <p><b>N</b> <span style="font-size: 1.2em;">490</span></p> </div> <div style="text-align: right;"> <p><small>000</small></p> <p><small>000</small></p> </div> </div> <p><b>DRAW A SKETCH BELOW SHOWING LOCATION OF WELL IN RELATION TO NEARBY TOWNS AND ROADS AND GIVE DISTANCE FROM WELL TO NEAREST ROAD JUNCTION</b></p>	
<p><b>REPLACEMENT OR DEEPEMED WELLS (CIRCLE APPROPRIATE BOX)</b></p> <p><input checked="" type="checkbox"/> <b>N</b> THIS WELL WILL NOT REPLACE AN EXISTING WELL</p> <p><input type="checkbox"/> <b>Y</b> THIS WELL WILL REPLACE A WELL THAT WILL BE ABANDONED AND SEALED</p> <p><input type="checkbox"/> <b>S</b> THIS WELL WILL REPLACE A WELL THAT WILL BE USED AS A STANDBY</p> <p><input type="checkbox"/> <b>D</b> THIS WELL WILL DEEPEMED AN EXISTING WELL</p> <p>PERMIT NUMBER OF WELL TO BE REPLACED OR DEEPEMED (IF AVAILABLE) <span style="font-size: 1.2em;">41</span> <span style="font-size: 1.2em;">0000000000</span> <span style="font-size: 1.2em;">52</span></p> <p><small>Not to be filled in by driller (OEP USE ONLY)</small></p> <p><b>APPROX. PERMIT NUMBER</b> <span style="font-size: 1.2em;">G A P</span></p> <p><small>54 63</small></p> <p><b>FORCE</b> <span style="font-size: 1.2em;">FS</span> <b>WRITE INITIALS IN BOX</b> <span style="font-size: 1.2em;">H0-81-0203</span></p> <p><small>67 68 70 71 72 73 74 75 76 77 78 79</small></p>	<p><b>SPECIAL CONDITIONS</b></p>	

[illegible]

C14433

SEQUENCE NO.  
(OEP USE ONLY)

STATE OF MARYLAND  
WELL COMPLETION REPORT  
FILL IN THIS FORM COMPLETELY  
PLEASE PRINT OR TYPE

PERMIT MUST BE SUBMITTED WITHIN  
45 DAYS AFTER WELL IS COMPLETED.  
COUNTY  
NUMBERA 32179

DATE Received

DATE WELL COMPLETED  
072683


Depth of Well  
2220.326  
(TO NEAREST FOOT)

PERMIT NO.  
FROM "PERMIT TO DRILL WELL"  
40-81-0203

OWNERDemmittRichard  
last namefirst name  
STREET OR RFDRich Lynn CourtTOWNHighland  
SUBDIVISIONJocelyn AcresSECTION3LOT1

WELL LOG  
Not required for driven wells

STATE THE KIND OF FORMATIONS  
PENETRATED, THEIR COLOR, DEPTH,  
THICKNESS AND IF WATER BEARING

DESCRIPTION (Use additional sheets if needed)	FEET		Check if water bearing
	FROM	TO	
Brown Shale	0	36	
Gray  Mica rock	36	203	

GROUTING RECORD  
WELL HAS BEEN GROUTED  
(Circle Appropriate Box)  
TYPE OF GROUTING MATERIAL  
CEMENTCMBENTONITE CLAYBC  
NO. OF BAGS7NO. OF POUNDS650  
GALLONS OF WATER42  
DEPTH OF GROUT SEAL (to nearest foot)  
from0ft. to32ft.  
(enter 0 if from surface)

CASING RECORD  
casing  
types  
insert  
appropriate  
code  
below  
STCO  
STEELCONCRETE  
PLOT  
PLASTICOTHER  
MAIN Nominal diameter Total depth  
CASING top (main) casing of main casing  
TYPE (nearest inch) (nearest foot)  
PL241  
EACH CASING  
OTHER CASING (if used)  
diameter depth (feet)  
inch from to


screen type SCREEN RECORD  
or open hole  
insert  
appropriate  
code  
below  
STBRHO  
STEELBRASSOPEN  
HOLE  
PLPL  
PLASTICOTHER  
C2  
DEPTH (nearest ft.)  
1H040203  
2  
3  
EACH SCREEN  
SLOT SIZE 1 2 3  
DIAMETER OF SCREEN (NEAREST INCH)  
56 60  
from to  
GRAVEL PACK  
IF WELL DRILLED WAS  
FLOWING WELL INSERT  
F IN BOX 68

C3  
PUMPING TEST  
HOURS PUMPED (nearest hour) 6  
PUMPING RATE (gal. per min. to nearest gal.) 2 1/2  
METHOD USED TO MEASURE PUMPING RATE bucket  
WATER LEVEL (distance from land surface)  
BEFORE PUMPING 25  
WHEN PUMPING 174  
TYPE OF PUMP USED (for test)  
AairPpistonTturbine  
CcentrifugalRrotaryOother (describe below)  
JjetSsubmersible  
PUMP INSTALLED  
DRILLER WILL INSTALL PUMP YESNO  
IF DRILLER INSTALLS PUMP, THIS SECTION  
MUST BE COMPLETED FOR ALL WELLS  
EXCEPT HOME USE  
TYPE OF PUMP INSTALLED  
PLACE (A,C,J,P,R,S,T,O)  
IN BOX - SEE ABOVE:  
CAPACITY:  
GALLONS PER MINUTE (to nearest gallon) 31 35  
PUMP HORSE POWER 37 41  
PUMP COLUMN LENGTH (nearest ft.) 43 47  
CASING HEIGHT (circle appropriate box and enter casing height)  
+ above } LAND SURFACE (nearest foot) 1  
- below }

CIRCLE APPROPRIATE LETTER  
A A WELL WAS ABANDONED AND SEALED  
WHEN THIS WELL WAS COMPLETED  
E ELECTRIC LOG OBTAINED  
P TEST WELL CONVERTED TO PRODUCTION  
WELL  
I HEREBY CERTIFY THAT THIS WELL HAS BEEN CONSTRUCTED IN  
ACCORDANCE WITH COMAR 10.17.13 "WELL CONSTRUCTION"  
AND IN CONFORMANCE WITH ALL CONDITIONS STATED IN THE  
ABOVE CAPTIONED PERMIT, AND THAT THE INFORMATION  
PRESENTED HEREIN IS ACCURATE AND COMPLETE TO THE BEST  
OF MY KNOWLEDGE.

DRILLERS IDENT. NO. 238  
DRILLERS SIGNATURE  
(MUST MATCH SIGNATURE ON APPLICATION)

SITE SUPERVISOR (sign. of driller or journeyman  
responsible for sitework if different from permittee)

LOCATION OF WELL ON LOT  
SHOW PERMANENT STRUCTURE SUCH AS  
BUILDING, SEPTIC TANKS, AND/OR  
LANDMARKS AND INDICATE NOT LESS  
THAN TWO DISTANCES  
(MEASUREMENTS TO WELL)  


OEP USE ONLY  
(NOT TO BE FILLED IN BY DRILLER)  
T (E.R.O.S.) WQ  
70 72 74 75 76  
TELESCOPE LOG OTHER DATA  
CASING INDICATOR

Page 1 of 1  
Date July 26, 1983

Review 9/4/83 on 55

**FIELD DATA SHEET**  
**HOWARD COUNTY WELL YIELD TEST**

Well Permit No. HO - 81-0203  
Location of property (road) Rich Lynn Court  
Subdivision Jocelyn Acres Lot 1 Block      Plat      Sec. 3  
Well Driller Joseph Mayne Owner Richard Demmitt

Depth of well 203  
Distance of measuring point (M.P.) above ground 1'  
Static water level (S.W.L.) below M.P. 25'

**I. High rate pumping -- reservoir drawdown**

Time pump started 9:30 Pumping rate 9  
Total time 10:00 to reach pumping water level 120 ft. below M.P.


**II. Recovery pump test data - observations to be recorded every 15 minutes**

TIME (in 15 minute intervals)	WATER LEVEL below M.P.	PUMPING RATE time to fill 5 gallon bucket	FLOW METER READING (if used)	CALCULATED FLOW (gallons per minute)
9:45	70	7 sec		9
10:00	120	7		9
10:15	120	29		2
10:30	120	29		2
10:45	115	29		2
11:00	115	24		2 1/2
11:15	115	24		2 1/2
11:30	115	24		2 1/2
11:45	115	24		2 1/2
12:00	113	24		2 1/2
12:15	112	24		2 1/2
12:30	112	24		2 1/2
12:45	112	24		2 1/2
1:00	113	24		2 1/2
1:15	113	24		2 1/2
1:30	114	24		2 1/2
1:45	114	24		2 1/2
2:00	114	24		2 1/2
2:15	114	24		2 1/2
2:30	114	24		2 1/2
2:45	114	24		2 1/2
3:00	114	24		2 1/2
3:15	114	24		2 1/2
3:30	114	24		2 1/2

William E. Doyle

LAND SURVEYOR 8440

5312 EMERALD DRIVE SYKESVILLE, MARYLAND 21784 PHONE (301) 795-2210



12/19/84  
Sketch of  
F.E.


HOUSE STAKEOUT  
PLOT & PLAN

LOT 1 RICH LYNN COURT  
SECTION 3, JOCELYN ACRES  
PLAT 5585  
ELECTION DISTRICT 5  
HOWARD COUNTY MD

SCALE: 1" = 100'

DRAWN: JUNE 15, 1984  
REVISED: SEPT. 4, 1984

EXIST. GRN. at DISTR. BOX — 524.30  
INV. into DISTR. BOX — 521.30  
INV. out of SEPTIC TANK — 521.54  
INV. into SEPTIC TANK — 521.94  
INV. out of DWELLING — 522.26  
FIRST FLOOR ELEV. — 526.00  
CELLAR ELEV. — 517.00  
WELL ELEV. — 529.10  
No. of BEDROOMS — 4  
ACREAGE — 3.206 ACRES




William E. Doyle

120  
4

450

360



7/14/83

32179

Howard County Health Dept.  
P. O. Box 476  
Ellicott City, Maryland 21043

WELL PUMP INSPECTION

Owner's Name: *Prime Home Builders (Palper)*

Address: *Lot 1 13410 ~~Rt 14~~ Rich Lynnet  
HIGHLAND, MD, 20777*

Location of Property:

Well Tag Number;

*Jocelyn Acen*  
Plumber or Certified Pump Installer:

*Ron Smith*

Phone Number: *795-5715*

License Number: *074*

Receipt Number:

Date:


Comments:

Inspection:

Date Well Pump Inspection was approved:

Inspector:





THIS IS TO CERTIFY THAT WE HAVE MADE A  
LOCATION SURVEY OF THE IMPROVEMENTS, AND  
THAT THEY ARE LOCATED ON THE LOT AS SHOWN  
HEREON.

Signed This 6th day NOVEMBER 1984

William E. Hough

SCALE 60 ft. = 1 inch

File No. 203.7

NOTE: This plat cannot be used to establish  
boundary lines or corners

William E. Doyle

LAND SURVEYOR 8440

8312 EMERALD DRIVE

SYKESVILLE, MARYLAND 21784


PHONE (301) 795-2210

LOCATION SURVEY

13410, RICH LYNN COURT  
SECTION 3, JOCELYNN APTS  
PLAT NO. 5585  
ELECTION DISTRICT 5  
HOWARD COUNTY MD.

Approved Septic System Plan  
Howard County Health Department

Plan for 1 story  
addition OK  
H. Shinn 5-15-02  
4-09-34



THIS IS TO CERTIFY THAT WE HAVE MADE A  
LOCATION SURVEY OF THE IMPROVEMENTS, AND  
THAT THEY ARE LOCATED ON THE LOT AS SHOWN  
HEREON.

Signed This 6th day NOVEMBER 1984

William E. Doyle

SCALE 60 ft. = 1 inch

File No. 323.7

NOTE: This plat cannot be used to establish  
property lines or corners