

PERMIT

SEWAGE DISPOSAL SYSTEM

MARYLAND STATE DEPARTMENT OF HEALTH

HOWARD COUNTY

03-283755

ELLICOTT CITY

DISTRICT 3rd

DATE 7/21/81

INDEX

Jack Fyock, Jr.

IS PERMITTED TO INSTALL ALTER X

ADDRESS 13775 Triadelphia Road Glenelg, Maryland 21737 PHONE 988-9270

SUBDIVISION 11690 Route 144 ROAD 11690 Route 144 LOT

PROPERTY OWNER Mr. Schaffner

ADDRESS 11690 Route 144

Opposite Triadelphia Rd

SPECIFICATIONS

6 BR.

SEPTIC TANK CAPACITY GALLONS

DRAIN FIELD DEPTH FEET, BOTTOM AREA SQ. FT.

DEEP TRENCH 1 DEPTH 12 FEET, ^{ONE SIDE} BOTTOM AREA 720 SQ. FT. FOR 6 BR HOUSE

SEEPAGE PITS ABSORBENT SIDE-WALL AREA SQ. FT.

INLET PIPE 4 FT. BELOW ORIGINAL GRADE. MAXIMUM DEPTH 12 FT. BELOW ORIGINAL GRADE

EFFECTIVE DEPTH AT 4 FT. BELOW ORIGINAL GRADE.

LOCATE DISPOSAL AREA DITCH FT. FROM OFF OLD DRY WELL LOT LINE AND 144 FT. FROM RUNNING LOT LINE AS SEEN WHEN

AWAY FROM ROUTE 144

REPAIR- CALL FOR INSPECTION WHEN GROUND IS OPENED UP SO SANITARIAN CAN RECOMMEND REPAIR

PLANS APPROVED BY Palmer P. Wine

DATE July 21, 1981

COVER NO WORK UNTIL INSPECTED AND APPROVED.

NEITHER THE HOWARD COUNTY COUNCIL NOR THE HEALTH DEPARTMENT IS RESPONSIBLE FOR THE SUCCESSFUL OPERATION OF ANY SYSTEM.

NOTE: IF TRENCH IS USED CALL FOR INSPECTION BEFORE PLACING GRAVEL IN TRENCH.

NOTE: NO DRY WELL SHALL EXCEED 15 FOOT IN DIAMETER.

NOTE: ALL PIPE FROM HOUSE TO DISPOSAL AREA MUST BE CAST IRON.

PERMIT VOID AFTER THREE YEARS.

NOTE: INSTALL STAND PIPE ON SEPTIC TANK AND DRY WELL. STAND PIPES MUST BE 6 INCHES IN DIAMETER. CAST IRON, CONCRETE OR TERRA COTTA ACCEPTED.

*INSTALLER IS RESPONSIBLE FOR OBTAINING FINAL APPROVAL ON THIS PERMIT.

