PUB. SEWER STATU	JS VERIFIED BY
ISSUE DATE:	P PERMIT P 511488
APPROVAL DATE:	ON-SITE SEWAGE DISPOSAL SYSTEM HOWARD COUNTY HEALTH DEPARTMENT
·	BUREAU OF ENVIRONMENTAL HEALTH 63-286843
	IS PERMITTED TO INSTALL ☐ ALTER ☒
ADDRESS:	PHONE NUMBER:
SUBDIVISION:	LOT NUMBER:
ADDRESS: 1661	Woodstock Road PROPERTY OWNER: Jed Springfield
SEPTIC TANK CAPA	ACITY (GALLONS):
PUMP CHAMBER C	APACITY (GALLONS):
NUMBER OF BEDRO	OOMS:
SQUARE FEET PER	BEDROOM:
LINEAR FEET OF T	RENCH REQUIRED:
TRENCHES:	Trench to be feet wide. Inlet feet below original grade. Bottom maximum depth feet below original grade. Effective area begins at feet below original grade. feet of stone below distribution pipe.
LOCATION:	
PURPOSE:	
· ·	1

NOTE: PERMIT VOID AFTER 2 YEARS

PLANS APPROVED:

NOTE: CONTRACTOR RESPONSIBLE FOR SCHEDULING A PRE-CONSTRUCTION INSPECTION FOR ALL INSTALLATIONS

NOTE: WATERTIGHT SEPTIC TANKS REQUIRED

NOTE: ALL PARTS OF SEPTIC SYSTMEM SHALL BE 100 FEET FROM ANY WATER WELL NOTE: MANHOLE RISERS REQUIRED ON ALL SEPTIC TANKS AND PUMP CHAMBERS

NEITHER THE HOWARD COUNTY COUNCIL NOR THE HEALTH DEPARTMENT IS RESPONSIBLE FOR THE SUCCESSFUL OPERATION OF ANY SYSTEM PERMITTEE RESPONSIBLE FOR OBTAINING FINAL APPROVAL ON THIS PERMIT CALL 410-313-2640 FOR INSPECTION OF SEPTIC SYSTEM

DATE:

1/1/59

Could not locate a folder

SITE INSPECTION SHEET

OUNTED .	Tod	Springfield_	Ula)	-3375
OWNER:	Jed	Springfield	ושדי	コンエン

DATE REQUESTED: 3-26-99

ADDRESS: 1661 Woodstock Road at the intersection of Cavey Lane

DRILLER/CONTRACTOR: G Edgar Harrs


WELL TAG NUMBER: HO-94-WIL

TAX & PARCEL:

COUNTY:

PROPOSAL: TO MANDON EXISTING SHARLING WELL


LOCATION DIAGRAM



COMMENTS:	PERMIT "	"IN THE MAK"	- COMPLETENREPUNTS 7A6
GIVEN	TO Drillon	MAISME	•

jį	5	99	OWNER	REPORTS	Ex.	WELL 1	FILLED	IN BY	PLUMBER	w/o INSP
DA:	- 1	•	3/31/99)	_	INSPECTOR	J.,	Da_		_ (MD)

15/605!



	ENCE NO. JSE ONLY)	STATE OF MARYLAND WELL COMPLETION REPORT	THIS REPORT MUST BE SUBMITTED WITHIN 45 DAYS AFTER WELL IS COMPLETED.		
1 € 3 (THIS NUMBER IS TO BE PUNCHED IN COLS. 3-6 ON ALL CARDS)		FILL IN THIS FORM COMPLETELY PLEASE PRINT OR TYPE	COUNTY NUMBER		
ST/CO USE ONLY DATE V	VELL COMPL	ETED Depth of Well	PERMIT NO. FROM "PERMIT TO DRILL WELL"		
8 13 15	20	22 200 26 V/ 20 (TO NEAREST FOOT) ///	19 #10 - 94 - 72/2 28 29 30 31 32 33 34 35 36 37		
OWNER Spainalia	Oct	Jed list name			
STREET OR RFD	1661 110	odstock <u>Road</u> TOWN <u>Uc</u>	octstock, MD 21163		
WELL LOG		GROUTING RECORD (yes) no	C[3]		
Not required for driven wells STATE THE KIND OF FORMATIONS PENETRA	ATED THEIR	WELL HAS BEEN GROUTED (Circle Appropriate Box)	PUMPING TEST		
COLOR, DEPTH, THICKNESS AND IF WATER DESCRIPTION (Use FEET	R BEARING Check	TYPE OF CHOOLING MATERIAL (Circle one) CEMENT CM BENTONITE CLAY BC	HOURS PUMPED (nearest hour)		
DESCRIPTION (OSE	if water bearing	NO. OF BAGS 46 \ 2 NO. OF POUNDS \ \ \frac{12.46}{2.000}	PUMPING RATE (gal. per min.) 15		
	35	GALLONS OF WATER DEPTH OF GROUT SEAL (to nearest foot)	METHOD USED TO MEASURE PUMPING RATE		
	00 x	from 48 TOP 52 ft. to 54 BOTTOM 58 ft.	WATER LEVEL (distance from land surface)		
water at 175°		(enter 0 if from surface) CASING RECORD	BEFORE PUMPING 45 ft.		
'		types insert appropriate ST CONCRETE	WHEN PUMPING 180 ft.		
		code below PLASTIC OTHER	TYPE OF PUMP USED (for test)		
		MAIN Nominal diameter Total depth	P piston T turbine		
		CASING top (main) casing of main casing TYPE (nearest inch)! (nearest foot)	C centrifugal R rotary (describe below)		
		60 61 63 64 66 70	J jet S submersible		
i i		E OTHER CASING (if used) A diameter depth (feet)	27 27		
		H inch from to	DRILLER WILL INSTALL PUMP YES NO		
		S 1 N G	(CIRCLE) (YES or NO) IF DRILLER INSTALLS PUMP, THIS SECTION		
		screen type SCREEN RECORD	MUST BE COMPLETED FOR ALL WELLS. TYPE OF PUMP INSTALLED		
		or open hole ST BR HO insert STEEL BRASS OPEN	PLACE (A,C,J,P,R,S,T,O) 29 IN BOX 29.		
		(appropriate code BRONZE HOLE	CAPACITY: GALLONS PER MINUTE (to nearest gallon) 31 35		
		Delow PLASTIC OTHER	PUMP HORSE POWER		
NUMBER OF UNSUCCESSFUL WELLS:	0	C 2 DEPTH (nearest ft.)	PUMP COLUMN LENGTH (nearest ft.)		
yes		$\begin{bmatrix} 1 & 1 & 1 & 1 & 1 & 1 & 1 & 1 & 1 & 1 $	CASING HEIGHT (circle appropriate box		
CIRCLE APPROPRIATE LETTE		Ĉ	and enter casing height) LAND SURFACE		
A WELL WAS ABANDONED AND SEAL WHEN THIS WELL WAS COMPLETED		23 24 26 30 32 36 S C 3	below (nearest) foot)		
E ELECTRIC LOG OBTAINED P TEST WELL CONVERTED TO PRODUC	TION	R 38 39 41 45 47 51	49 50 51 SOUTH		
WELL HEREBY CERTIFY THAT THIS WELL HAS BEEN CO ACCORDANCE WITH COMAR 26.04.04 WELL CONST	RUCTION" AND	E SLOT SIZE 1 2 3 N DIAMETER (NEAREST	SHOW PERMANENT STRUCTURE SUCH AS BUILDING, SEPTIC TANKS, AND /OR		
IN CONFORMANCE WITH ALL CONDITIONS STATED CAPTIONED PERMIT, AND THAT THE INFORMATION HEREIN IS ACCURATE AND COMPLETE TO THE KNOWLEDGE.	ON PRESENTED	OF SCREEN INCH) 10CH) from to	LANDMARKS AND INDICATE NOT LESS THAN TWO DISTANCES (MEASUREMENTS TO WELL)		
1 <i>1 1 2 -</i>	<u>9</u> 9 ı	GRAVEL PACK	4		
DRILLERS SIGNATURE		WAS FLOWING WELL INSERT F IN BOX 68 68	God Salar		
(MUST MATCH SIGNATURE ON APPLICATION LIC. NO. 1 M _ D _ O	4 9	MDE USE ONLY (NOT TO BE FILLED IN BY DRILLER) T (E.R.O.S.) W Q	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\		
Those McCuth	'	70 72			
SITE SUPERVISOR (sign. of driller or jour responsible for sitework if different from pe		TELESCOPE LOG 74 75 76	Horaco Jan		
CASING INDICATOR OTHER DATA COUNTY					