12 Tolks Final

### PERMIT

12/18/85 0/2/100) P

P36287 A30411

SEWAGE DISPOSAL SYSTEM

#### MARYLAND STATE DEPARTMENT OF HEALTH'

#### HOWARD COUNTY

BUREAU OF ENVIRONMENTAL HEALTH


25/27/23/07

461-9933

INDEXED 03-309932 ELLICOTT CITY

DATE 12/02/85

Lyons Excavators, Inc.	IS PERI	MITTED TO INSTALL _	X ALTER
ADDRESS119 W. Deep Run Road, Westminster,	MD 21157	PHONE	7225
SUBDIVISION Wynfield ROA	2751 Wynfield R	oadLOT	23, Section 3
PROPERTY OWNER <u>Mr. &amp; Mrs. Pinnix</u> BUIL	OING PERMITS	IGNED	
ADDRESS	AND DETIIDNE	מי	
IF GARBAGE GRINDER IS USED INCREASE SEPTIC TANK CAPACITY	BY BON AND ABSORPTION OF BON 182328-41	TNSH BASONEN NAREA BY 22%. G PROPANE TAY	t UK
GARBAGE GRINDER? YES NOX	·		
SEPTIC TANK CAPACITY GALLONS NUMBER	OF BEDROOMS3	1	
original grade. Bottom maximum depth 9 at 3 feet below original grade. 6 feet Start the first trench 140 feet from the (184.1') lot line as seen when facing to Run trenches along contour toward front NOTE: No trench to exceed 100 feet in box is required. Call for inspected. Provide 6" - 8" diameter cl	of stone below of rear (178.6') he property from of lot. length. If more stion of trench(seanout and cap to \$2"-\$6" be	distribution plot line and line right of than one trens) before and organic ok/Cu	nipe. LOCATION:  15 feet from the left way.  15 way.  16 used, a distribution of the left way.  17 signed with signed of the left way.
		AND RETUR	# 14/02 9/14
PLANS APPROVED BY		DATE	12/02/85
COVER NO WORK UNTIL INSPECTED AND APPROVED.			
NEITHER THE HOWARD COUNTY COUNCIL NOR THE HEALTH DEPARTMENT	RESPONSIBLE FOR THE SU	ICCESSFUL OPERATION	OF ANY SYSTEM.
NOTE: IF TRENCH IS USED CALL FOR INSPECTION BEFORE AND AFTER PL	CING GRAVEL IN TRENCH.		
NOTE: NO DRY WELL SHALL EXCEED 15 FOOT IN DIAMETER. NO ABSORP	ION TRENCH TO EXCEED 100	O FEET IN LENGTH:	
NOTE: ALL PIPE FROM HOUSE TO SEPTIC TANK MUST BE CAST IRON OR	CHEDULE 40 PVC OR ABS.	BADG. PERMIT	SIGNED
PERMIT VOID AFTER THREE YEARS.		AND RETURNED	1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 / 1/1 /
NOTE: INSTALL STAND PIPE ON SEPTIC TANK AND DRY WELL. STAND PIPE PVC OR ABS ACCEPTED. IF TOP OF SEPTIC TANK IS DEEPER THAN		Julia H 3h	CRETE OR TERRA COTTA, OR



PRELIMINARY

# APPLICATION

			•	A 304///	<b>,</b>
POSAL TESTING			* **		

• /	STATE OF MARY	LAND -	DEPARTMENT	OF	<b>HEALTH</b>	AND ME	ŅTAL	HYGIEN	ΙE
/. **	The second second second second		9 4 5 *						
OWARD COUNTY HE	ALTH DEPARTMEN	Т			*				

HOWARD COUNTY HEALTH DEPARTMENT ENVIRONMENTAL HEALTH SERVICES P.O. 80 x 476 ELLICOTT. MARYLAND 21043

TELEPHONE: 992-2330

TO: THE COUNTY HEALTH OFFICER ELLICOTT CITY, MARYLAND

I, HERBY, APPLY FOR THE NECESSARY TEST IN ORDER TO CONSTRUCT (OR RECONSTRUCT) A SEWAGE DISPOSAL SYSTEM.

ROPERTY OWNER	<pre>Land Associates</pre>	_ Duan	e Pinnip	498	7-3006	
	3450 Ft. Meade Rd.,	No. 206, Lau	rel, Md. 20810		ınz - 792-2 1 Snovell -	,
ROPERTY LOCATION:	14/1/1				as of ITE	
UBDIVISION	Hoffman property			5 £	Lot	23
OAD AND DESCRIPTIO	Route 144	2751	Wynfield	Rf.	· · · · · · · · · · · · · · · · · · ·	·.
		•	1	•	•	

SIZE OF LOT 3 acres plus

TYPE BLDG. 3 OF 4 BEATOOMS

THE SYSTEM INSTALLED UNDER THIS APPLICATION IS ACCEPTABLE ONLY UNTIL PUBLIC FACILITIES BECOME AVAILABLE.

I FULLY UNDERSTAND THE FEE CONNECTED WITH THE FILING OF THIS PERC TEST APPLICATION IS NON-REFUNDABLE UNDER

ANY CIRCUMSTANCES...

SIGNATURE OF APPLICANT	/s/ Ted Snovell	for Land Associat	e <i>s</i>		· · · · · · · · · · · · · · · · · · ·
APPROVED BY R.D. \$	D.W.M.	FOR DRY	WELL	DATE	2/27/79
•					
REJECTED BY		FOR		DATE	
· ·		the second secon	the second second		
HOLD PENDING FURTHER TESTS				DATE	

Dis. afg. 666 ac

AND REGURNED 9-25-85

## THIS IS NOT A PERMIT

(18)

SANDY CLAY SANDY LOAM

	ar y	e de la production de la companya de			WALKE IN	
1				HIGH HOLES	2	
			105'	100'	Y &	
				105	165'±	
	7	HOLE	N	105'	1	
	<u> </u>				18	

INDICATE NORTH'- NAME ADJOINING ROADWAY AS BASE LINE.

		T .	PRE	WET	TEST	· 1" DROP	•
DATE	TEST NO:	DEPTH	START	STOP	START	STOP	TIME
2/17/19	<b>/</b> S	4'	10:35	10:49	10:49	11:15	26
117/19	10 N	13'	10:35	10:44	10:44	11:01	17
Λ	25	4'	10:38	10:40	10:40	10:42	2
	25 2D	13'	10:39	10:49	10:49	11:02	13
	35	3'	10:39	10:41	10:41	10:44	3
	3.5 3.D	14	10:39	10:41	10:41	10:45	4 3
N/	45	3	10:50	10:52	10:52	10:55	
•	45 4D	13'	10:50	10:59	10:59	11:17	18
				1	<u> </u>	*	
					·		
				1		1	
						<u> </u>	
. '							
4			1				
						I	
	ļ <sup>'</sup>		1		ľ	}	ì

REMARKS HOLES 244 ABOUT SAME ELEVATION #4 WAY BE HIGHEST.

TESTED BY A L. S. & R.D.

J/M ALSO PRESENT PUSZYNSKI AVG overall

3'inlet

23

189

MANKES BY PLANE PINNING / 719.45 240'-011± 100-0" HOLD 130:00 EXISTING WELL HOUSE-760 4"BUILDING DRAIN SLOPE 18" PER PS. 20-0" 10,000 SQ. FT. SEPTIC AREA-LOT 23 INV. EZ. 97.50 3.4044 ACRE) INLET TO TRNK INV. 62. 97.80 - GRAVEL DRIVEWAY S. S. S. SEPTIC TANK ARADE AT TANK 100.00/ DISCHARGE TO TRENCHES INV. EL. 97.00 BUILDING RESTRICTION LINES 18 SECTION Z 110-0" PROPERTY CINE -

## HOWARD COUNTY HEALTH DEPARTMENT BUREAU OF ENVIRONMENTAL HEALTH

#### PUMP INSTALLATION

THE FOLLOWING STATEMENT MUST BE COMPLETED BY THE HOME OWNER WHEN A PUMP IS INSTALLED BY A PERSON OTHER THAN THE WELL DRILLER:

My well driller is not to install the pump for my water well, and I hereby certify that it will be my responsibility to have a Pump Permit taken out by a registered master plumber or certified pump installer. It will be my responsibility to notify the Health Department before and during the installation so that inspections can be made by their representative. (Pursuant to Chapter XVII, of the Plumbing Code of Howard County.)

(Name)

4102 BERLE OF-GEORGIA, AVEN (Address) PASADENIA, Md. ZIIZZ

Ho-81-0959
(OEP Well Permit Number)

Lot 23 See 3 Wynfield

<u> MARCH 13, 1985</u> Date)

FORCE C

SPECIAL CONDITIONS

INITIALS PERMIT No. H

8

c <sub>1</sub> 9498	SEQUENCE NO. (OEP USE ONLY)	STATE OF MARYLAND	THIS REPORT MUST BE SUBMITTED WITHIN 45 DAYS AFTER WELL IS COMPLETED.
1 2 3 (THIS NUMBER IS TO BE IN COLS 3-6 ON ALL CAR	PUNCHED	WELL COMPLETION REPORT FILL IN THIS FORM COMPLETELY PLEASE PRINT OR TYPE	COUNTY A 30411
DATE Received	DATE WELL COMPLETE		PERMIT NO. FROM "PERMIT TO DRILL WELL"
	042383	22 4 5 26	120 - 81 - 9759
8 , 13	15 20 EN AI H	(TO NEAREST FOOT)	28 29 30 31 32 33 34 35 36 37
STREET OR RED	last name WYNFIE		EST FRIENDSHIP
SUBDIVISION WYNF	iecd III.	SECTION	LOT 23
WELL Not required fo		GROUTING RECORD WELL HAS BEEN GROUTED	C 3
STATE THE KIND O	F FORMATIONS	(Circle Appropriate Box)  TYPE OF GROUTING MATERIAL	1 2 PUMPING TEST
THICKNESS AND IF	WATER BEARING	CEMENT CM BENTONITE CLAY BC	HOURS PUMPED (nearest hour)
DESCRIPTION (Use additional sheets if needed)	FEET Check if water bearing	NO. OF BAGS NO. OF POUNDS 36	PUMPING RATE (gal. per min. 15
Burns ell.		GALLONS OF WATER	METHOD USED TO
BROWNSHAL	6 22	DEPTH OF GROUT SEAL (to nearest foot)  from   ft. to   ft.	WATER LEVEL (distance from land surface)
State of the second state		48 TOP 52 54 BOTTOM 58 (enter 0 if from surface)	BEFORE PUMPING
Lhay Mica son	22224	casing CASING RECORD	WHEN PUMPING 735
		insert STEL CONCRETE	TYPE OF PUMP USED (for test)
		code PL OT	A air P piston T turbine
		below PLASTIC OTHER	27 27 27 27 27 27 27 27 27 27 27 27 27 2
		MAIN Nominal diameter Total depth CASING top (main) casing of main casing	C centrifugal R rotary (describe
		TYPE (nearest inch) (nearest foot)	J jet Submersible
		60 61 63 64 66 70	27
		E OTHER CASING (if used)	
		diameter depth (feet) inch from to	PUMP INSTALLED
		C A S	DRILLER WILL INSTALL PUMP YES (NO)
			IF DRILLER INSTALLS PUMP, THIS SECTION MUST BE COMPLETED FOR ALL WELLS
		screen type SCREEN RECORD	EXCEPT HOME USE  TYPE OF PUMP INSTALLED
		or open hole ST BR HO	PLACE (A,C,J,P,R,S,T,O) IN BOX-SEE ABOVE:
		(appropriate) STEEL BRASS OPEN BRONZE HOLE	CAPACITY:
		below / PLOT	GALLONS PER MINUTE (to nearest gallon)
		PLASTIC OTHER	PUMP HORSE POWER 37 41
, wi <sub>34</sub>		DEPTH (nearest ft.)	PUMP COLUMN LENGTH (nearest ft.)
·		E1402612451	CASING HEIGHT (circle appropriate box and enter casing height)
		A 8 9 11 15 17 21	and enter casing neight)  LAND SURFACE
			helow (nearest foot)
	PRIATE LETTER	S 23 24 26 30 32 36 R 39 41 45 47 51	49 50 51 10017
A WELL WAS ABAN	DONED AND SEALED VAS COMPLETED	R 38 39 41 45 47 51	LOCATION OF WELL ON LOT SHOW PERMANENT STRUCTURE SUCH AS
E ELECTRIC LOG OBT	AINED	SLOT SIZE 1 2 3	BUILDING, SEPTIC TANKS, AND/OR N LANDMARKS AND INDICATE NOT LESS
P TEST WELL CONVER	RTED TO PRODUCTION	DIAMETER (NEAREST OF SCREEN 56 60 INCH)	THAN TWO DISTANCES (MEASUREMENTS TO WELL)
I HEREBY CERTIFY THAT THIS WE ACCORDANCE WITH COMAR 10	.17.13 "WELL CONSTRUCTION"	from to	178.65
AND IN CONFORMANCE WITH AT ABOVE CAPTIONED PERMIT, A PRESENTED HEREIN IS ACCURATED.	ND THAT THE INFORMATION	GRAVEL PACK	/ 7
OF MY KNOWLEDGE	2 2 8	FLOWING WELL INSERT FIN BOX 68	23/ 150
DRILLERS/IDENT. NO. L		OEP USE ONLY	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
DRILLERS SIGNATURE	mayne	(NOT TO BE FILLED IN BY DRILLER)  T (E.R.O.S.) W.Q.	m m & d
(MUST MATCH SIGNATUR	RE ON APPLICATION)	74 75 76	1.55
SITE SUBERVISOR (Sign	of driller or journoyman	72   TELESCOPE LOG OTHER DATA	
SITE SUPERVISOR (sign. responsible for sitework if		CASING INDICATOR	1/
		HEALTH	

7:30 A.M - 3h15.


	•
146	of
naie	April 23,1985
• •	The state of the s


### FIELD DATA SHEET HOWARD COUNTY WELL YIELD TEST


Review	#	93	8	0	
	pa		المتعتب		.*
				(1)	

•			<del></del>	_	
well Permit No. HO		d			
ubdivision Wynfield	Lo	ot 23 Bloc	k Plat	Sec.	3
will Driller Jaseph			one Penn		
Depth of well 24 Distance of measuring Static water level (S	point (M.P.) above				• •
High rate pumping res	servoir drawdown				
Time pump started $7$	130	Pumping 1	rate / 0		
Total time 30 mm	to reach pumping was			below M.P.	
:1. Recovery pump test data	- observations to	be recorded e	every 15 minu	ites	

TIME (in 15 m:nute in- tervals	WATER LEVEL below M.P.	PUMPING RATE time to fill 5 gallon bucket	FLOW METER READING (if used)	CALCULATED FLOW (gallons per minute)
9145	135'	15 000		4
10:00	135'	15		4
		.,,		
-				
• • • • • • • • • • • • • • • • • • • •				
		,		
				,
				ļ
	-			
				•







3525 H Ellicott Mills Drive, Ellicott City, MD 21043 (410) 313-2640 Fax (410) 313-2648 TDD (410) 313-2323 Toll Free 1-866-313-6300 website: www.hchealth.org

Penny E. Borenstein, M.D., M.P.H., Health Officer

### PUBLIC INFORMATION ACT REQUEST

Property Information:	County #1-30411 PS6287
	2751 WYNFIELD
Current Tymer, a Name	Property Address
WES FILLENOSHIP S-3	23
Subdivision	Lot #
All Prior Owner's Name's (if requested or known)	Tax Map Parcel #
Requested Records: (Please check appropriate the Records)	priate items)
COMPLETE LOT FILEI	PERCOLATION TEST APP (includes test notes)
SEPTIC CONSTRUCTION PLAN	WELL COMPLETION REPORT
WELL & SEPTIC LOCATION OTHER (specify)	WELL SAMPLING RESULTS
ADDRESS_CITY, ST, ZIP_	
I will not be able to request any proprietary inform 11"x17" may best be provided by the proprietor of thirty (30) days to process this request.	copied. If staff time in record retrieval takes more than wo (2) hours will be assessed. Also, I do understand that nation enclosed in the file and all copies larger than f the document. I also realize that it may take up to
DAMON POQUETAE	A10740 9000
Applicant Name (please print) Applicant Signature	Applicant Phone Number  Date  Date
	PR OFFICE USE ONLY
	te Completed# of Copies Made
No Record Found Pre	paration Time Staff Initials

