

PERMIT

SEWAGE DISPOSAL SYSTEM

MARYLAND STATE DEPARTMENT OF HEALTH*

HOWARD COUNTY

DEPARTMENT OF ENVIRONMENTAL HEALTH

992-2330

ELLICOTT CITY

DISTRICT 3rd.

DATE 6/7/84

INDEXED

Paul Schissler

IS PERMITTED TO INSTALL ☒ ALTER ☐

ADDRESS 4410 Shellbottom Drive, Westminster, MD PHONE 875-4197

SUBDIVISION Triadelphia Farms, II ROAD 13274 Triadelphia LOT 8-C

PROPERTY OWNER Joseph Schroeter

ADDRESS 825 Ivydale Avenue

Reisterstown, MD 21136

IF GARBAGE GRINDER IS USED INCREASE SEPTIC TANK CAPACITY BY 50% AND ABSORPTION AREA BY 22%.

GARBAGE GRINDER? YES ☐ NO ☒

SEPTIC TANK CAPACITY 1000 GALLONS NUMBER OF BEDROOMS 3

TRENCHES - 158 sq ft per bedroom. Minimum - 474 total sq feet. Trench to be 3 feet wide, Inlet 3 feet below original grade Maximum depth 6 feet below original grade. Effective area begins at 3 feet below original grade with 3 feet of stone below distribution pipe. Need 160 feet of trench - total LOCATION: Install trenches, to length required - starting at the point which is 80 feet from the 248.78 ft long lot line and 40 feet from the 802.98 feet long lot line as seen from the Road. Run trenches along level ground. No trench is exceed 100 feet in length. If more than one trench used, a distribution box is required. Trenches to be installed on level ground.

PLANS APPROVED BY C. Williams DATE 8/10/82

COVER NO WORK UNTIL INSPECTED AND APPROVED.

NEITHER THE HOWARD COUNTY COUNCIL NOR THE HEALTH DEPARTMENT IS RESPONSIBLE FOR THE SUCCESSFUL OPERATION OF ANY SYSTEM.

NOTE: IF TRENCH IS USED CALL FOR INSPECTION BEFORE AND AFTER PLACING GRAVEL IN TRENCH.

NOTE: NO DRY WELL SHALL EXCEED 15 FOOT IN DIAMETER: NO ABSORPTION TRENCH TO EXCEED 100 FEET IN LENGTH.

NOTE: ALL PIPE FROM HOUSE TO SEPTIC TANK MUST BE CAST IRON OR SCHEDULE 40 PVC OR ABS.

PERMIT VOID AFTER THREE YEARS.

NOTE: INSTALL STAND PIPE ON SEPTIC TANK AND DRY WELL. STAND PIPES MUST BE 6 INCHES IN DIAMETER. CAST IRON, CONCRETE OR TERRA COTTA, OR PVC OR ABS ACCEPTED. IF TOP OF SEPTIC TANK IS DEEPER THAN 3 FEET MANHOLE TO GRADE REQUIRED.

***INSTALLER IS RESPONSIBLE FOR OBTAINING FINAL APROVAL ON THIS PERMIT**


*CALL 992-2330 FOR INSPECTION OF SEPTIC SYSTEMS.

EH - 2-1082

Approved
6/20/84
P 33974 R/H

A 28956

A 28956



PERMIT CARD

SEPTIC TANK, LEVEL OK 1000

CLEANOUTS OK

DISTRIBUTION BOX, LEVEL OK

#1	#2	#3
6	6	6
2	2	2

GRAVEL DEPTH 3 1/4 IN. TOTAL LENGTH 52 52 57 FT.

#1	#2	#3
3	3	3
56	182	171

NUMBER OF TRENCHES 3 TOTAL BOTTOM AREA 509 TOTAL

SEEPAGE PITS, INSIDE DIAMETER _____ FT. DEPTH BELOW INLET _____ FT.

ABSORBENT AREA _____ SQ. FT.

REMARKS 6/19/84 200PM - ADD STONE TO DITCH #1 COVER
HOUSE SEWER DIG DITCH #2 6/19/84 330PM - STONE ADDED TO DITCH #1
HOUSE SEWER COVERED RH 6/20 1100AM - DITCH #1 COVERED DITCH #2
#3 DUG. ADD STONE TO DITCH #2 & #3 RH
6/26/84 STONE ADDED TO TRENCHES #2 & #3

DATE SYSTEM APPROVED 6/20/84

INSPECTOR Raymond Wodge

APPLICATION

Page 1
A 28956

SEWAGE DISPOSAL TESTING

P _____

STATE OF MARYLAND - DEPARTMENT OF HEALTH AND MENTAL HYGIENE 3rd

HOWARD COUNTY HEALTH DEPARTMENT
ENVIRONMENTAL HEALTH SERVICES

DISTRICT 10/2/78

P. O. BOX 476, ELLICOTT CITY, MARYLAND 21043
TELEPHONE: 465-5000, EXT. 356

DATE _____

No house
or
well site

4/6/79 (GK)

TO: THE COUNTY HEALTH OFFICER
ELLICOTT CITY, MARYLAND

I, HEREBY, APPLY FOR THE NECESSARY TEST IN ORDER TO CONSTRUCT (OR RECONSTRUCT) A SEWAGE DISPOSAL SYSTEM.

PROPERTY OWNER Dr. Richard Hemphill Joseph Schroeter

c/o Boender Associates, Inc., Town & Country Bldg. 465-7777

ADDRESS Reisterstown, Md 21136

PROPERTY LOCATION:

Triadelphia Farms, Section II

SUBDIVISION 13274 LOT NO. B-C

ROAD AND DESCRIPTION Triadelphia Road near Walt Ann Drive

SIZE OF LOT 1 acre TYPE BLDG. SFD 3 or 4

IF NOT SINGLE RESIDENCE DESCRIBE NA NUMBER OF BEDROOMS

THE SYSTEM INSTALLED UNDER THIS APPLICATION IS ACCEPTABLE ONLY UNTIL PUBLIC FACILITIES BECOME AVAILABLE.

SIGNATURE OF APPLICANT /s/ Jack Boender

APPROVED BY _____ FOR _____ DATE _____

REJECTED BY _____ FOR _____ DATE _____

HOLD PENDING FURTHER TESTS _____ DATE _____

REASONS FOR REJECTION OR HOLDING _____

BLDG. PERMIT SIGNED

AND RETURNED

5/2/84

Permit # 57771

BLDG. PERMIT

AND RETI


3/2/84

for SFD # 57771

THIS IS NOT A PERMIT

8C

LOT 8C



INDICATE NORTH. - NAME ADJOINING ROADWAY AS BASE LINE.

TRIDELPHIA RD

DATE	TEST NO.	DEPTH	PRE-WET		TEST - 1" DROP		TIME
			START	STOP	START	STOP	
10/5/78	1	12	VISUAL		SIMILAR		
10/6/78	25	3 1/2	125	126	126	128	2
	20 - HIGH	12	125	126	126	129	3
	4A - LOW	12	WATER				
	43	3	135	136	136	139	3
	39	3	143	144	144	145	1
	3D	12	143	146	146	151	5
4/6/79	5	12'	VISUAL - WATER AT 10'				

WELL
3HOUSE
SITEQUEST-
IONABLENo well
site
per on
lot 8B

REMARKS

S & G/K - little area to relocate perc area

TYPE OF SOIL

SANDY LOAM BELOW CLAY

APPLICATION

PAGE 2

28956

SEWAGE DISPOSAL TESTING

STATE OF MARYLAND - DEPARTMENT OF HEALTH AND MENTAL HYGIENE

HOWARD COUNTY HEALTH DEPARTMENT
ENVIRONMENTAL HEALTH SERVICES

P.O. BOX 476 ELLICOTT, MARYLAND 21043
TELEPHONE: 992-2330

DISTRICT

DATE

3RD
10/2/78

TO: THE COUNTY HEALTH OFFICER
ELLICOTT CITY, MARYLAND

I, HEREBY, APPLY FOR THE NECESSARY TEST IN ORDER TO CONSTRUCT (OR RECONSTRUCT) A SEWAGE DISPOSAL SYSTEM.

PROPERTY OWNER

R. HEMPHILL

ADDRESS

PHONE

PROPERTY LOCATION:

SUBDIVISION

TRIDELPHIA FARMS II

LOT NO.

8C

ROAD AND DESCRIPTION

Tridelphia Rd near Walt Ann Dr

SIZE OF LOT

TYPE BLDG.

THE SYSTEM INSTALLED UNDER THIS APPLICATION IS ACCEPTABLE ONLY UNTIL PUBLIC FACILITIES BECOME AVAILABLE.

I FULLY UNDERSTAND THE FEE CONNECTED WITH THE FILING OF THIS PERC TEST APPLICATION IS NON-REFUNDABLE UNDER

ANY CIRCUMSTANCES.

SIGNATURE OF APPLICANT

APPROVED BY

FOR

DATE

REJECTED BY

FOR

DATE

HOLD PENDING FURTHER TESTS

DATE


REASONS FOR REJECTION OR HOLDING

4/8/80 - HOLD FOR REVIEW WATER R.H.

5-2-80 Hold for REVIEW WATER SK & CBS Hold for Certified Holes

THIS IS NOT A PERMIT

SOIL PROFILE



INDICATE NORTH - NAME ADJOINING ROADWAY AS BASE LINE

REA 17

Q = Lowest

7 ELON

9 = LOW

⑧ = MEDIUM

⑩ = HIGH

$$11 = 1416A$$
$$\textcircled{12} = 1 + 6 + 5$$

DATE	TEST NO	DEPTH	PRE-WET		TEST - 1" DROP		TIME
			START	STOP	START	STOP	
4/8/80	6V	9	TOP 3 FT CLAY	130T 6	FT MICA	LODS	
	7V	11	WATER 7 FT	TOP 3 FT CLAY	130T 9 FT MICA	41 AND	
	8V	12 1/2	WATER 10 1/2 FT				
	9V	11 1/2	WATER 12 FT				
	8 S	3 1/2	WATER 11 FT				
	8 D	7	207	213	213	223	10
	9 D	6 1/2	207	223	223	235	12
	9 S	2 1/2	214	221	221	236	14
	10 D	12 1/2	217	220	230	249	19
	10 S	2 1/2	220	231	231	238	7
	11 D	11 1/2	220	225	225	229	4
	11 S	2	224	229	229	234	10
	12 D	11 1/2	232	239	239	243	5
	12 S	3	240	244	244	250	6
	13 S	3	240	252	252	304	12
	14 S	3	246	248	248	254	16
	15 D	7	246	251	251	305	15
	16 S	2 1/2	244	257	257	302	5

SEE
ATTACHED
SHEET
FOR
ADDITIONAL
HOLES

REMARKS: HOLD for SUPERVISOR SK+CB5 5-2-80

W = WELL SITE

TYPE OF SOIL

TESTED BY

RH & SK DM EE

ALSO PRESENT

K. ALLEN
D. REWER

Lot 8-C FIELD SHEET

Soil

Profile	Date	Hole #	Depth	PREFILL		1" Drop		TIME
				Start	Stop	Start	Stop	
1-2' clay	5-2-80	13 S	2'	9:43	9:52	9:52	10:02	10
2-7 SANDY MICA LOAM		13 D	7'	WATER		XXX	XXX	XXX
-1 1/2 clay/ 1 1/2 - 8 1/2 mica some clay		14 S	1 1/2	10:09	10:21	10:21	10:51	30
		14 D	8 1/2	10:09	10:24	10:24	XXXX	3/4 of in

Comments: #13 is 1 1/2' down grade from #9



14 D possible water Table problem

5-2-80 CBS + SK

K. ALLEN declined copy of WORK SHEET IN FIELD

WELL IS TO BE IN LOCATION SHOWN

Joseph D. Schmitt



This area designates a private sewage easement of 10,000 square feet as required by the Maryland State Department of Health and Mental Hygiene for individual sewage disposal. Improvements of any nature in this area are restricted until public sewage is available. These easements shall become null and void upon connection to a public sewage system. The County Health Officer shall have the authority to grant variances for encroachments into the private sewage easement. Recordation of a modified sewage easement shall not be necessary.

Percolation test holes shown hereon have been field located and shown as "⊙".

The lots shown hereon comply with the minimum ownership width and lot areas as required by the Maryland State Department of Health and Mental Hygiene.

Percolation areas and water wells for adjoining lots have been shown where pertinent.

APPROVED: For Private Water and Private Sewage Systems

Joseph D. Schmitt

6-24-81


PERCOLATION TEST PLAT


LOT 8C

TRIADDELPHIA FARMS II

3rd Election District
Howard County, Maryland
Scale 1"=100'
Date 4/20/81

NTT Associates
Suite 307, Clark Bld
Columbia, MD 21044
321-0307





B 1 3436 (THIS NUMBER IS TO BE PUNCHED IN COLS. 3-6 ON ALL CARDS)	SEQUENCE NO. (OEP USE ONLY) 11/21/84 STATE OF MARYLAND PERMIT TO DRILL WELL please print or type	OEP PERMIT NUMBER H0-81-0380 fill in this form completely
Date Received 1/30/83 OWNER INFORMATION SCHOETER JOSEPH 825 IVYDALE AVE REGISTERSTOWN MD 21136	LOCATION OF WELL HOWARD COUNTY TRIDELPHIA FARMS SUBDIVISION SECTION 2 LOT 8C DAYTON NEAREST TOWN MILES FROM TOWN (enter 0 if in town) 3 M 1	
DRILLER INFORMATION HOWARD DILLON Dillon Bros Inc 6514 Mt VERNON AVE Howard Dillon 12/1/83	DIRECTION OF WELL FROM TOWN (CIRCLE BOX) NEAR WHAT ROAD TRIDELPHIA RD ON WHICH SIDE OF ROAD (CIRCLE APPROPRIATE BOX) 1200 1200 DISTANCE FROM ROAD ENTER FT or MI FT	
WELL INFORMATION APPROX. PUMPING RATE (GAL. PER MIN.) 3 AVERAGE DAILY QUANTITY NEEDED (GAL. PER DAY) 300	USE FOR WATER (CIRCLE APPROPRIATE BOX) ☒ HOME (SINGLE OR DOUBLE HOUSEHOLD UNIT ONLY) ☐ FARMING (LIVESTOCK WATERING & AGRICULTURAL IRRIGATION) ☐ INDUSTRIAL, COMMERCIAL, STATE AND FEDERAL GOV. OTHER (REQUIRES APPROPRIATION PERMIT) ☐ PUBLIC OR PRIVATE WATER COMPANY (REQUIRES APPROPRIATION PERMIT AND STATE HEALTH DEPARTMENT APPROVAL) ☐ TEST, OBSERVATION, MONITORING (MAY REQUIRE APPROPRIATION PERMIT)	
APPROXIMATE DEPTH OF WELL 250 FEET APPROXIMATE DIAMETER OF WELL 6 INCH	NOT TO BE FILLED IN BY DRILLER HEALTH DEPARTMENT APPROVAL HOWARD COUNTY NAME HOWARD COUNTY NO. A 28956 OEP SIGNATURE Frank Shennig DATE ISSUED 6/16/84 NORTH GRID 523000 EAST GRID 0806000	
METHOD OF DRILLING (circle one) BORED (or Augered) ☒ JETTED ☐ Jetted & DRIVEN AIR-ROTary ☐ AIR-PERCussion ☒ ROTARY (Hydraulic Rotary) CABLE ☐ REVerse-ROTary ☐ DRive-POINT ☐ other	SHOW MAJOR FEATURES OF BOX & LOCATE WELL WITH AN X SOURCES OF DRILLING WATER 1. 35' casing 2. 25' open 3. 32' jet 8' bag cement WRITE THE BOX NUMBER FROM THE MAP HERE 3006 5203	
REPLACEMENT OR DEEPEMED WELLS (CIRCLE APPROPRIATE BOX) ☒ THIS WELL WILL NOT REPLACE AN EXISTING WELL ☐ THIS WELL WILL REPLACE A WELL THAT WILL BE ABANDONED AND SEALED ☐ THIS WELL WILL REPLACE A WELL THAT WILL BE USED AS A STANDBY ☐ THIS WELL WILL DEEPEMED AN EXISTING WELL PERMIT NUMBER OF WELL TO BE REPLACED OR DEEPEMED (IF AVAILABLE)	DRAW A SKETCH BELOW SHOWING LOCATION OF WELL IN RELATION TO NEARBY TOWNS AND ROADS AND GIVE DISTANCE FROM WELL TO NEAREST ROAD JUNCTION 	
Not to be filled in by driller (OEP USE ONLY) APPROP. PERMIT NUMBER GAP FORCE FS WRITE INITIALS IN BOX PERMIT No. H0-81-0380 SPECIAL CONDITIONS		

FIELD DATA SHEET
HOWARD COUNTY WELL YIELD TEST

Well Permit No. HO - 81-0380

Location of property (road)

Subdivision Triadelphia Farms II Lot 8 Block C Plat Sec.

Well Driller Howard Miller Owner Joseph H. Schoeter

Depth of well 245'

Distance of measuring point (M.P.) above ground 2

Static water level (S.W.L.) below M.P. 25'

I. High rate pumping -- reservoir drawdown

Time pump started 9:00

Pumping rate 12 GPM

Total time 30 min to reach pumping water level 125 ft. below M.P.

II. Recovery pump test data - observations to be recorded every 15 minutes

[illegible]

Well Permit No. HO - 8/-0380

Subdivision Triadelphia Farms Lot 8-c Block — Plat — Sec. 2

Well Driller Howard Dillon Owner Joseph D. Schoeter

Depth of well 245'

Distance of measuring point (M.P.) above ground 2'


Static water level (S.W.L.) below M.P. 25'

Time pump started 9 A M Pumping rate 12 G P M
Total time 30 M. to reach pumping water level 125 ft. below M.P.

[illegible]

TRIDEL PHIN FARMS LOT 5


Well H081 03.80



5/26/84

- ① Pipe to Well to House 4 FT - 5 FT deep
- ② GROUND WIRE ABSENT
- ③ Well Cap OK could not Remove
- ④ Pressure Tank not yet installed
- ⑤ Looks OK except not completely finished
- ⑥ Septic System finished & covered

SP



PLUMBING & MECHANICAL

992-2455 PERMITS

992-2375 INSPECTIONS

HOWARD COUNTY

PERMIT APPLICATION

DEPARTMENT OF PUBLIC WORKS
BUREAU OF INSPECTIONS LICENSES AND PERMITS
3430 COURT HOUSE DRIVE, ELLICOTT CITY, MD. 21043
(PLEASE PRINT)



P

DATE ISSUED

BUILDING PERMIT SERIAL NO.

57771

SEWER NO.

WATER NO.

BUILDING ADDRESS (HOUSE NO., STREET, TOWN, ZIP CODE)

13274 Triadelphia Rd.
Ellicott City

APPLICATION IS HEREBY MADE TO PERFORM THE WORK HEREIN DESCRIBED:

Furnish & Install 1/2 H.P. Pump

NO.

BLOCK NO.

SECTION

CENSUS TRACT

DIVISION

TYPE OF STRUCTURE (BE SPECIFIC)

NEW

EXISTING

PLUMBER/GAS FITTER/CONTRACTOR

NAME & ADDRESS, PHONE NO.

Charles A Klein Sr.
Charles A Klein & Sons Inc 922-4660
10574 Marriottsville Rd.
Randallstown, Md 21133

OWNER'S NAME & ADDRESS

PHONE NO.

Mr. Arnold Schroeter

OCCUPANT'S NAME & ADDRESS

PHONE #

SAME

R1	TYPE OF FIXTURE	FLOOR							R1	TYPE OF FIXTURE	FLOOR								
		0	1	2	3	4	5	6			7	0	1	2	3	4	5	6	7
	BATHTUBS										HOT WATER HEATERS								
	SHOWERS										BOILERS								
	URINALS										SUMP PUMPS								
	LAVATORIES										FLOOR DRAINS								
	WATER CLOSETS										CONDENSATE DRAINS								
	KITCHEN SINKS										ROOF DRAINS								
	2 or 3 COMPARTMENT SINKS										SILL COCKS								
	DISPOSALS										DRINKING FOUNTAINS								
	DISHWASHERS																		
	WASHING MACHINE CONN																		
	LAUNDRY TRAYS																		
FIXTURE SUBTOTAL											FIXTURE SUBTOTAL								
GRAND TOTAL OF FIXTURES											@ \$10.00 FOR 1ST FIXTURE & \$1.50 FOR EACH ADDITIONAL FIXTURE: \$								

@ \$10.00 FOR 1ST FIXTURE & \$1.50 FOR EACH ADDITIONAL FIXTURE: \$

SANITARY SEWER - PIPE SIZE(S):

MATERIAL(S):

LENGTH:

\$

STORM SEWER (OR CLEAR WATER WASTE) PIPE SIZE(S):

MATERIAL(S):

LENGTH:

\$

WATER SUPPLY - PIPE SIZE(S):

MATERIAL(S):

LENGTH:

\$

WATER PUMP(S):

1- 1/2 H.P. submersible pump

\$

\$

\$

\$

\$

MECHANICAL (GAS, OIL, SOLAR) (CIRCLE APPROPRIATE ITEM)

GAS: BOTTLED ☐ PIPE SIZE(S):

RANGES NO

BOILERS NO

NO

\$

NATURAL ☐ PIPE SIZE(S):

UNIT HEATERS NO

FURNACES NO

NO

\$

PIPE SIZE(S):

FURNACES NO

UNIT HEATERS NO

NO

\$

BOILERS NO

NO

NO

\$

SOLAR: FURNACES NO

NO

NO

NO

\$

I have carefully examined and read this application and know the contents and that in doing this work all provisions of the applicable codes and laws of Maryland will be complied with. I hereby certify that I am a duly licensed plumber, gas fitter or solar installer and I am not under any suspension or revocation of my license. I am not under any suspension or revocation of my license. I am not under any suspension or revocation of my license.

Charles A Klein & Sons Inc
1693


COMPANY NAME

TOTAL

\$

ISSUED BY

STATE OF MARYLAND WATER RESOURCES ADMINISTRATION TAWES STATE OFFICE BLDG., ANNAPOLIS, MARYLAND 21401 APPLICATION FOR PERMIT TO DRILL WELL										WRA PERMIT NUMBER 110-10720 FILL IN THIS FORM COMPLETELY									
1 2 3 (SEQ. NO.) 6 DATE RECEIVED (WRA USE ONLY) 10/1/80										OWNER COL 15 LAST NAME COL 34 FIRST NAME COL 55 STREET OR RFD COL 58 POST OFFICE COL 76									
1 2 3 (SEQ. NO.) 6 DATE 10/6/80 LICENSE NUMBER 040 77 80 GEORGE F. EASTON FIRST NAME DRILLER LAST NAME SIGNATURE George F. Easton										B 3 LOCATION OF WELL 1 2 3 (SEQ. NO.) 6 COUNTY HARVARD SUBDIVISION TRIADOLPHIN RETURNS II SECTION C LOT 8 NEAREST TOWN Bladensburg MILES FROM TOWN (ENTER 0 IF IN TOWN) 2									
B 2 WELL INFORMATION 1 2 3 (SEQ. NO.) 6 MAXIMUM PUMPING RATE (GALLONS PER MINUTE) 5 AVERAGE DAILY QUANTITY NEEDED (GALLONS PER DAY) 500 USE FOR WATER (CIRCLE APPROPRIATE BOX) D HOME (SINGLE OR DOUBLE HOUSEHOLD UNIT ONLY) F FARMING, AGRICULTURE, IRRIGATION I INDUSTRIAL, COMMERCIAL, STATE AND FEDERAL GOVERNMENT. M MUNICIPAL WATER SUPPLY P PRIVATE WATER COMPANY T TEST APPROXIMATE DEPTH OF WELL 150 FEET APPROXIMATE DIAMETER OF WELL 6 INCHES METHOD OF DRILLING USED (CIRCLE APPROPRIATE METHOD) BORED (OR AUGERED) JETTED DRIVEN 30-37 AIR-ROTARY AIR-PERCUSSION ROTARY (HYDRAULIC ROTARY) CABLE REVERSE-ROTARY DRIVE-POINT OTHER (DESCRIBE) REPLACEMENT OR DEEPEENED WELL'S (CIRCLE APPROPRIATE BOX) N THIS WELL WILL NOT REPLACE AN EXISTING WELL Y THIS WELL WILL REPLACE A WELL THAT WILL BE ABANDONED AND SEALED S THIS WELL WILL REPLACE A WELL THAT WILL BE USED AS A STANDBY D THIS WELL WILL DEEPEEN AN EXISTING WELL PERMIT NUMBER OF WELL TO BE REPLACED OR DEEPEENED, (IF AVAILABLE) NOT TO BE FILLED IN BY DRILLER (WRA USE ONLY) APPROPRIATION PERMIT NUMBER ENGINEER REVIEW DISTRICT NO. FORCE WRITE INITIALS IN BOX CONDITIONS A E N S G W Q C L U V V										B 4 DIRECTION FROM TOWN (CIRCLE APPROPRIATE BOX) 1 2 3 (SEQ. NO.) 6 N NORTH E EAST NE NORTHEAST SE SOUTHEAST S SOUTH W WEST NW NORTHWEST SW SOUTHWEST NEAR WHAT ROAD ON WHICH SIDE OF ROAD (CIRCLE APPROPRIATE BOX) DISTANCE FROM ROAD (ENTER DISTANCE AND CIRCLE APPROPRIATE BOX) DRAW A SKETCH BELOW SHOWING LOCATION OF WELL IN RELATION TO NEARBY TOWNS, ROADS AND STREAMS WITH NORTH IN THE DIRECTION OF THE ARROW, AND GIVE DISTANCE FROM WELL TO NEAREST ROAD JUNCTION OR STREAM CROSSING SHOWN ON THE SKETCH. ALSO SHOW, BY MEANS OF AN "X", THE WELL LOCATION IN THE BOX BELOW AND THE BOX NUMBER FROM THE WELL LOCATION MAP. N Sketch showing location of well in relation to nearby towns, roads and streams. The well is located near the intersection of a road and a stream, with a distance of 600 feet from the road junction. The sketch also shows the location of the well in the box below, with a box number of 3839.									
B 4 CONTINUED 1 2 3 (SEQ. NO.) 6 STATE HEALTH (CIRCLE BOX) MO. DAY YR. DATE 10/1/80 APPROVED BY Frank Shuman HEALTH DEPARTMENT APPROVAL HOWARD A28956 COUNTY NAME COUNTY NO. NORTH COORDINATE 57 58 59 60 61 62 63 EAST COORDINATE 57 58 59 60 61 62 63 ELEVATION AT WELL HEAD (FEET) 65 66 67 68										B 5 SPECIAL CONDITIONS 8-63 (WRA USE ONLY) 1 2 3 (SEQ. NO.) 6									




TRIADELPHIA RD

Sketch OK for Pool
J.S. 5/2/81
USE THIS

3rd
submittal

807.98



EQUIP.

8' BOARD
SOW
LIFE
11-10-08
E.

EQUIP 46536

~~SECRET~~

2557201