MARYLAND STATE DEPARTMENT OF HEALTH\*

HOWARD COUNTY

5-353505

DATE TIPITO

## INDEXED


				*	
	Mr. James Hitton	<del></del>	IS PERMITTED TO INSTALL	ALTE	ER_X_
ADDRESS	13816 Wayside Drive, Clarksville,	Md.	PHONE		<u> </u>
	SION (Wayside Estates)	_ROAD_	13816 Wayside Drive	_LOT6,	Blk.A
PROPERT	TY OWNER Mr. James Hilton	-			*
ADDRES:	same as above	·		1	
SPECIFICA	TIONS 4 bedrooms  SEPTIC TANK CAPACITY 1250 GALLONS	. *.			; ;
	DRAIN FIELD DEPTH FEET, BOTTON	M AREA	SQ. FT.	•	•
	DEEP TRENCH DEPTH FEET, BOTTO	M AREA	SQ. FT.		~
	SEEPAGE PITSABSORBENT SIDE-WALL AREA	<b>\</b>	_ SQ. FT.		49
	INLET PIPE FT. BELOW ORIGINAL GRADE. MA	AXIMÚM D	EPTH FT. BELOW ORIGINAL	GRADE	≠ 61 •••
	EFFECTIVE DEPTH AT FT. BELOW ORIGINAL (	GRADE.			-
	LOCATE DISPOSAL AREA FT. FROM	LOT LIN	E ANDFT. FROM	LOT LINE AS S	EEN WHEN
	FACING LOT FROM				
	REPAIR-CALL FOR INSPECTION WHEN GROUN	D IS O	PENED UP SO SANITARIAN C	AN RECOMM	END
	REPAIR. Thenh- Goff Los	ng -	1/ft deep - 2ft	wide	o (min
	mi Helton			pth of	smil
PLANS A	PPROVED BY Palmer F. Wine		of fravel with	12/79	w State
COVER NO	WORK UNTIL INSPECTED AND APPROVED.				** *
NEITHER T	HE HOWARD COUNTY COUNCIL NOR THE HEALTH DEPARTM	IENT IS RE	SPONSIBLE FOR THE SUCCESSFUL OP	ERATION OF AI	NY SYSTEM.
NOTE: I	F TRENCH IS USED CALL FOR INSPECTION BEFORE PLACING	GRAVEL	IN TRENCH.		
NOTE: N	NO DRY WELL SHALL EXCEED 15 FOOT IN DIAMETER.				
NOTE: A	ALL PIPE FROM HOUSE TO DISPOSAL AREA MUST BE CAST IF	RON.			

PERMIT VOID AFTER THREE YEARS.

INSTALL STAND PIPE ON SEPTIC TANK AND DRY WELL. STAND PIPES MUST BE 6 INCHES IN DIAMETER, CAST IRON, CONCRETE OR TERRA

COTTA ACCEPTED.

\*INSTALLER IS RESPONSIBLE FOR OBTAINING FINAL APPROVAL ON THIS PERMIT.



PERMIT CARD		erest record by					
PERMIT CARD		the second of the					
SEPTIC TANK, LEVEL		CLEAN	d		· · · · ·		
DISTRIBUTION BOX, LEVEL		<u> </u>		San		<del></del>	
TILE FIELD, DEPTH	FT. TRENCH	width2	FT.	real sections	** ** ** ** ** ** ** ** ** ** ** ** **		
GRAVEL DEPTH		TOTAL LENGTH	75	<b>r.</b>	·		
NUMBER OF TR	ENCHES	TOTAL BO	TOM AREA 6	00			
SEEPAGE PITS, INSIDE DIAM		FT. DEPTH BEI	Care to the	** ** ** ** ** ** ** ** ** ** ** ** **			
ABSORBENT	AREA 600	SQ. FT.	LOW INCE				
8/8/790K &	ever to	meks.	48				
<u></u>							
					yvas vije.		
	. K. S. O. P. B.	aray ar san x	And the second	· / · · · · · · · · · · · · · · · · · ·			
	10000000000000000000000000000000000000	erite Leen Mayer		:			
				7	,		
DATE SYSTEM APPROVED	8/8/79	INSPEC	TOR A	Lane			

Clerg. 6. 1979 HOWARD COUNTY HEALTH DEDT. P.O. BOX City, MD. 21043 LEAR MR. MONOHAN I HEREBY CERTIFY THAT THE DRAIN DITCH LOCATED ON MY PROPERTY AT LTG BLKA (13816) WAY SIDE DRO, WAYSIDE ESTATES, CHARKS WILLE, MO. 15 18 Long, WITH A MINIMUM OF 12 IN DEPTH AND 65 TONS OF # 1 AND # 2 8 TONE IN SAID DITCHE THE STONE IS APPROXIMATERY 10' IN DEPTH FOR THE LENGTH OF THE TROUBLE THE WIDTH OF THE DITCH IS 21. IF ANY ADDITIONAL INFORMATION IS NECESSARY PREASE CIAL MY HOME AT 286-2970 Esnes