


	QUENCE NO. IV USE ONLY)	STATE OF MARYLAND WELL COMPLETION REPORT	THIS REPORT MUST BE SUBMITTED WITHIN 45 DAYS AFTER WELL IS COMPLETED.
1 2 3 6 (THIS NUMBER IS TO BE PUNCHE IN COLS. 3-6 ON ALL CARDS)		FILL IN THIS FORM COMPLETELY PLEASE PRINT OR TYPE	COUNTY NUMBER A48353
ST/CO USE ONLY DATE Received  DATE WELL COMPLETED  Depth of Well			PERMIT NO. FROM "PERMIT TO DRILL WELL"
8 13 15	82793	22 26 (TO NEAREST FOOT)	28 29 30 31 32 33 34 35 36 37
OWNER GOOMS KIP			
STREET OR RFD last name Town Town			
SUBDIVISIONSECTIONLOTLOT			
Not required for driven of STATE THE KIND OF FORMA		WELL HAS BEEN GROUTED (Circle Appropriate Box)	1 2
PENETRATED, THEIR COLO THICKNESS AND IF WATER	R, DEPTH,	TYPE OF GROUTING MATERIAL	PUMPING TEST HOURS PUMPED (nearest hour)
DESCRIPTION (Use additional sheets if needed) FROM	ET Check if water bearing	CEMENT C M BENTONITE CLAY B C 45 46	PUMPING RATE (gal. per min.
additional disease in reeded   Titoly	10 bearing	NO. OF BAGS NO. OF POUNDS GALLONS OF WATER	to nearest gal.) 11 15 METHOD USED TO
Top Soil 0	2	DEPTH OF GROUT SEAL (to nearest foot)  from ft. to ft.	MEASURE PUMPING RATE LANGUAGE WATER LEVEL (distance from land surface)
	1	from ft. to ft. to ft. to ft. 48 TOP 52 54 BOTTOM 58 (enter 0 if from surface)	BEFORE PUMPING
JANAY 2	300	casing <u>CASING RECORD</u>	17 20
SAND STONE 30	35	types insert appropriate STEEL CONCRETE	WHEN PUMPING  22  25  TYPE OF PUMP USED (for test)
MICKA 35	50	code below PLASTIC OTHER	A air P piston T turbine
SHIRL STORE 50	55 -	MAIN Nominal diameter Total depth CASING top (main) casing of main casing TYPE (nearest inch) (nearest foot)	C centrifugal R rotary O other (describe below)
		TYPE (nearest inch) (nearest foot)	J jet S submersible
MICKA	12	60 61 63 64 66 70 E OTHER CASING (if used)	
		diameter depth (feet) H inch from to	PUMP INSTALLED
		C A S	DRILLER WILL INSTALL PUMP YES NO
		S-N	(CIRCLE) (YES or NO) IF DRILLER INSTALLS PUMP, THIS SECTION
		screen type SCREEN RECORD	MUST BE COMPLETED FOR ALL WELLS EXCEPT HOME USE
		or open hole ST BR HO	TYPE OF PUMP INSTALLED PLACE (A,C,J,P,R,S,T,O)
		appropriate STEEL BRASS OPEN BRONZE HOLE	IN BOX - SEE ABOVE:  CAPACITY:  29  CAPACITY:
		below PL OT	GALLONS PER MINUTE (to nearest gallon)
E-Elastication		PLASTIC OTHER	PUMP HORSE POWER 37 41
		1 2 DEPTH (nearest ft.)	PUMP COLUMN LENGTH (nearest ft.)
		E 1 HO 38 1 100	CASING HEIGHT (circle appropriate box and enter casing height)
		A 8 9 11 15 17 21	LAND SURFACE
CIRCLE APPROPRIATE LI	TTED	S 23 24 26 30 32 36	below (nearest foot)
A A WELL WAS ABANDONED AND SEALED WHEN THIS WELL WAS COMPLETED		E 38 39 41 45 47 51	LOCATION OF WELL ON LOT
E ELECTRIC LOG OBTAINED		SLOT SIZE 1 2 3	SHOW PERMANENT STRUCTURE SUCH AS BUILDING, SEPTIC TANKS, AND/OR
P TEST WELL CONVERTED TO PRODUCTION		DIAMETER (NEAREST INCH)	THAN TWO DISTANCES
THEREBY CERTIFY THAT THIS WELL HAS BEEN CONSTRUCTED IN ACCORDANCE WITH COMAR 26.04.04 "WELL CONSTRUCTION"		56 60 INOTY	(MEASUREMENTS TO WELL)
AND IN CONFORMANCE WITH ALL CONDITIONS STATED IN THE ABOVE CAPTIONED PERMIT, AND THAT THE INFORMATION PRESENTED HEREIN IS ACCURATE AND COMPLETE TO THE BEST OF		GRAVEL PACK L L L L L L L L L L L L L L L L L L L	3/15 Hu 8/25 1900
MY KNOWLEDGE.		FLOWING WELL INSERT F IN BOX 68	A A K
DRILLERS IDENT. NO.		OEP USE ONLY	APPROX APPOX
DRILLERS SIGNATURE		(NOT TO BE FILLED IN BY DRILLER)  T (E.R.O.S.) W Q	80' 80'
(MUST MATCH SIGNATURE ON APPLICATION)		74 75 76	7 -
SITE SUPERVISOR (sign. of driller or journeyman responsible for sitework if different from permittee)		TELESCOPE LOG OTHER DATA CASING INDICATOR	MOP LINE I TOWN
responsible for sitework if different	nom permittee)	ONOR INDIONION	

COUNTY







SHANABERGER & LANE 8726 TOWN & COUNTRY BLVD. SUITES 106 4 107 ELLICOTT CITY, MD. 21043 461 - 9563

PLAT TO ACCOMPANY DESCRIPTION REVISED PARCEL 1, KISER PROPERTY

DEED REFERENCE: 579/407

COUNTY : HOWARD


ELECTION DISTRICT: 350 (1) (1) DATE: 06/15/90 SCALE:115100

TM 22 P199 and adjust 79 22 p 157











- CONCRETE

1158 BOOTH BAY HARBOUR Pasadena MD. 21122

(410) - 360 - 9464






INGRESS & EGRESS &

MAINTENANCE

EASEMENT



Disclaimer: Howard County, Maryland assumes no responsibility for the accuracy of this map or the information derived therefrom. The buyer and/or user assumes all risks and liabilities whatsoever resulting from or arising There are no oral agreements or warranties relating to this sale and/or use of this map.

Monday, November 14 2005 | 10:34:27 AM | @690

Contacts: John Bussiere (x3044) Virginia Peterman (x3659) Yut Phasukyued (x3093) Robert Slivinsky (x3094)

349,5 3ROLINE 579/ 407

72'