
| c 1 9342   |  | DE USE   |   | STATE OF MARYLAND WELL COMPLETION REPORT                                  | THIS REPORT MUST BE SUBMITTED WITHIN 45 DAYS AFTER WELL IS COMPLETED.                |
|--|--|--|---|---|--|
| 1 2 3<br>(THIS NUMBER IS TO BE PUIN COLS. 3-6 ON ALL CARD  |  |  |   | FILL IN THIS FORM COMPLETELY PLEASE TYPE                                  | COUNTY<br>NUMBER   |
| ST/CO USE ONLY DATE Received   | DAT                                    | E WELL   | COMPL                                   | Depth of Well 22 400 26   | FROM "PERMIT NO. FROM "PERMIT TO DRILL WELL"   |
| 8 13   | 10                                     | 5  |   | 20 (TO NEAREST FOOT)  | 12/09/05 28 29 30 31 32 33 34 35 36 37   |
| OWNERSTREET OR RFD   | last name                              | 15   | 950                                     | Bye Held Drive Town H   | ighland 20777  |
| SUBDIVISION_   | 1/00/                                  | K Hi   | 71                                      | SECTION   | LOT Z3   |
| WELL<br>Not required for   |  | rells  |   | WELL HAS BEEN GROUTED (Circle Appropriate Box)                            | C 3  |
| STATE THE KIND OF FORMAT<br>COLOR, DEPTH, THICKNESS  | IONS PEN                               | ETRATED,   | 1 | TYPE OF GROUTING MATERIAL (Circle one)                                    | PUMPING TEST HOURS PUMPED (nearest hour)   |
| DESCRIPTION (Use additional sheets if needed)  | FROM                                   | ET<br>TO   | check<br>if water<br>bearing            | NO. OF BAGS NO. OF POUNDS 45 48   | BUILDING PATE (and page min )  |
| Soil   | 0                                      | 37   | >                                       | GALLONS OF WATER  | PUMPING RATE (gal. per min.)   |
| Hard Tan   | 93                                     | 83   | X                                       | DEPTH OF GROUT SEAL (to nearest foot) from ft. to ft.                     | MEASURE PUMPING RATE   |
| Hard Gray  |  | 107  | 1                                       | 48 TOP 52 54 BOTTOM 58<br>(enter 0 if from surface)                       | WATER LEVEL (distance from land surface)   |
| Hard Tan   | 107                                    |  |   | casing types ST CO  | BEFORE PUMPING 17 20 ft.   |
| Hard Brax  | 110                                    | 129  |   | appropriate STEEL CONCRETE  | WHEN PUMPING 22 25 ft.   |
| med-Hard Gray  | 129                                    | 133  |   | below PLASTIC OTHER   | TYPE OF PUMP USED (for test)  A air P piston T turbine                               |
| Hard Gray  | 133                                    | 735  | Х                                       | MAIN Nominal diameter Total depth CASING top (main) casing of main casing | 27 27 27 other   |
| Hard Pink  | 235                                    | 315  |   | TYPE (nearest inch)! (nearest foot)                                       | C centrifugal R rotary (describe below)  |
| Hard Gray  | 315                                    | 400  |   | 60 61 63 64 66 70  E OTHER CASING (if used)                               | J jet S submersible  |
| 110.4.5.4  | 0.0                                    |  |   | diameter depth (feet) H inch from to                                      |  |
|  |  |  |   | Å   | PUMP INSTALLED DRILLER INSTALLED PUMP YES NO (CIRCLE) (YES or NO)                    |
|  |  |  |   | NG  | IF DRILLER INSTALLS PUMP, THIS SECTION   |
|  |  | 24   | X                                       | screen type SCREEN RECORD   | MUST BE COMPLETED FOR ALL WELLS.  TYPE OF PUMP INSTALLED PLACE (A.C.J.P.R.S.T.O)  29 |
|  |  | 31   | ^                                       | insert STEEL BRASS OPEN   | PLACE (A,C,J,P,R,S,T,O) 29<br>IN BOX 29.<br>CAPACITY:                                |
|  |  | 225  | X                                       | (appropriate code below BRONZE HOLE P L O T                               | GALLONS PER MINUTE (to nearest gallon) 31 35   |
|  |  |  |   | PLASTIC OTHER   | PUMP HORSE POWER 37 41   |
| NUMBER OF UNSUCCESSE   | UL WELL                                | s:   |   | DEPTH (nearest ft.)   | PUMP COLUMN LENGTH (nearest ft.)   |
| WELL HYDROFRACTURED  |  | yes  | (N)                                     | E 1 8 9 11 15 17 21   | CASING HEIGHT (circle appropriate box  |
| CIRCLE APPROP  |  |  |   | C H 2 23 24 26 30 32 36   | + above LAND SURFACE   |
| WHEN THIS WELL WAS  E ELECTRIC LOG OBTAINI   | COMPLET                                |  |   | C 3<br>R 38 39 41 45 47 51  | below (nearest)  |
| P TEST WELL CONVERTED  |  |  |   | E   | LOCATION OF WELL ON LOT SHOW PERMANENT STRUCTURE SUCH AS                             |
| I HEREBY CERTIFY THAT THIS WEI<br>ACCORDANGE WITH COMAR 86,044<br>IN CONFORMANCE WITH ALE CON<br>CAPTIONED PERMIT AND THAT T | LL HAS BEE<br>04."WELL-C<br>DITIONS ST | ONSTRUCT<br>ATED IN T  | TON" AND<br>HE ABOVE                    | DIAMETER (NEAREST OF SCREEN INCH)   | BUILDING, SEPTIC TANKS, AND /OR<br>LANDMARKS AND INDICATE NOT LESS                   |
| HEREIN IS ACCURATE AND CON<br>KNOWLEDGE  | APLETE TO                              | THE BES  | T OF MY                                 | 56 60<br>from to  | THAN TWO DISTANCES (MEASUREMENTS TO WELL)  |
| DRILLERS LIC. NO. 1  | y W D                                  | 30   | 4.                                      | GRAVEL PACK   | · ~  |
| DRILLERS SIGNATURE   | 4                                      |  | 1                                       | WAS FLOWING WELL INSERT F IN BOX 68 68                                    | 8. [37   |
| (MUST MATCH SIGNATURE O  | N APPLICA                              | 89-  | 7.                                      | MDE USE ONLY (NOT TO BE FILLED IN BY DRILLER) T (E.R.O.S.) W Q            | +17:   |
| 65/1/1   | no                                     | VALUE OF THE PARTY |   | 70 72   | ¥ % ●  |
| SITE SUPERVISOR (sign. of responsible for sitework if diff   |  |  |   | TELESCOPE LOG 74 75 76  |  |
|  |  | - Formitte   |   | CASING INDICATOR OTHER DATA   |  |

| C 1 1235<br>(THIS NUMBER IS TO BE P  | (M<br>UNCHED | DE USE    |                     | STATE OF MARYLAND WELL COMPLETION REPORT FILL IN THIS FORM COMPLETELY   | THIS REPORT MUST BE SUBMITTED WITHIN 45 DAYS AFTER WELL IS COMPLETED.  COUNTY NUMBER                      |
|--|--------------|-----------|---------------------|---|---|
| IN COLS. 3-6 ON ALL CARE ST/CO USE ONLY DATE Received MM DO YY  8 13   | DAT          | E WEL     | L COMPL             | PLEASE TYPE  Depth of Well  22 26 (TO NEAREST FOOT)   | PERMIT NO   |
| OWNER  | 3 -1         | SIT       | 250                 | ve field De Trat name TOWN H  | Aland 20777   |
| STREET OR RFDSUBDIVISION   | Mod          | - Frank   | 1                   | SECTION   | LOT _ Z3  |
| WELL   |              |           |                     | GROUTING RECORD YRS NO  | C 3   |
| Not required to  |              | -         | THEIR               | VELL HAS BEEN GROUTED Circle Appropriate Box)   | PUMPING TEST  |
| STATE THE KIND OF FORMAT<br>COLOR, DEPTH, THICKNESS  |              | ATER BE   | check               | PPE OF GROUTING MATERIAL (Circle one)  BENTONITE CLAY   | HOURS PUMPED (nearest hour)   |
| DESCRIPTION (Use additional sheets if needed)  | FROM         | то        | if water<br>bearing | 45 48 NO. OF POUNDS 45 46 O   | PUMPING RATE (gal. per min.)  |
| loi/   | 0            | 30        |                     | GALLONS OF WATER 504  | METHOD USED TO  |
| ford Tan   | 30           | 70        | ×                   | DEPTH OF GROUT SEAL (to nearest foot)   | MEASURE PUMPING RATE  |
| tord Gray  | 70           | 185       |                     | from 48 TOP 52 ft. to 54 BOTTOM 58 ft. (enter 0 if from surface)  | WATER LEVEL (distance from land surface)  |
| tand Pink  | 185          | 190       |                     | casing CASING RECORD  | BEFORE PUMPING 17 20 ft.  |
| Ned-Hard Gray  | 190          | 193       | 212000              | types insert appropriate  | WHEN PUMPING ft.  |
| Hard Gray  | 193          | 196       | 1                   | appropriate code below PL OT  | TYPE OF PUMP USED (for test)  |
|  |              | ,         |                     | PLASTIC OTHER   | A air P piston T turbin   |
| Hard Pinis   | 196          | 206       |                     | MÁIN Nôminal diameter Total depth CASING top (main) casing of main casing TYPE (nearest inch)! (nearest foot) | 27 27 other   |
| tard Gray  | 206          | 400       |                     | TYPE (nearest inch)! (nearest foot)   | C centrifugal R rotary O (desc  |
|  |              |           | - A                 | 60 61 63 64 66 70   | J jet S submersible   |
|  |              |           |                     | OTHER CASING (if used) diameter depth (feet)  | 27 27   |
|  | 32           | 33        | X                   | inch from to  | PUMP INSTALLED  |
|  |              |           | X                   |   | DRILLER INSTALLED PUMP YES N<br>(CIRCLE) (YES or NO)  |
|  | 55           | 36        | ^                   |   | IF DRILLER INSTALLS PUMP, THIS SECTION MUST BE COMPLETED FOR ALL WELLS.                                   |
|  |              |           |                     | screen type SCREEN RECORD   | TYPE OF PUMP INSTALLED PLACE (A,C,J,P,R,S,T,O) 29   |
|  | 51.4         |           | The s               | insert STEEL BRASS OPEN   | IN BOX 29.  |
|  |              |           | De la               | appropriate code below BRONZE HOLE  | CAPACITY: GALLONS PER MINUTE (to nearest gallon) 31   |
|  |              |           |                     | Deflow PLASTIC OTHER  | PUMP HORSE POWER  |
|  |              |           |                     | DEPTH (nearest ft.)   | PUMP COLUMN LENGTH  |
| NUMBER OF UNSUCCESSE   | UL WELL      | .S:       | 703                 | 2   | (nearest ft.)   |
| WELL HYDROFRACTURED  |              | Y         | N                   | 8 9 11 15 17 21   | CASING HEIGHT (circle appropriate box and enter casing height)  |
| CIRCLE APPROP  |              |           |                     | 2 23 24 26 30 32 36   | 49 above LAND SURFACE   |
| A WELL WAS ABANDON WHEN THIS WELL WAS  | COMPLET      |           |                     | 3   | below (neare foot   |
| P TEST WELL CONVERTE   |              | DUCTION   | 1                   | 38 39 41 35 47 51   | A LOCATION OF WELL ON LOT   |
| HERERY CERTIEV THAT THIS WE  | LL HAS BEE   | N CONSTR  | RUCTED IN           | SLOT SIZE 1 2 3   | SHOW PERMANENT STRUCTURE SUCH A   |
| ACCORDANCE WITH COMAR 26.P4. N CONFORMANCE WITH ALL CON<br>CAPTIONED PERMIT, AND THAT THE<br>HEREIN IS ACCURATE AND CON<br>KNOWLEDGE.  | THE INFOR    | MATION PI | RESENTED            | DIAMETER  | BUILDING, SEPTIC TANKS, AND /OR LANDMARKS AND INDICATE NOT LESS THAN TWO DISTANCES (MEASUREMENTS TO WELL) |
| DRILLERS LIC. NO. 1  | NW D         | 30        | 4.                  | RAVEL PACK  |   |
| DRILLERS SIGNATURE   | 14           | 10332     | A STATE LEAD        | WELL DRILLEU AS FLOWING WELL ISERT F IN 80X 68 68   | 1/10  |
| (MUST MATCH SIGNATURE O  | 1            | -0        | 3                   | IDE USE ONLY<br>NOT TO BE FILLED IN BY DRILLER)   | 10/18/  |
| LIC. NO. IA_   | WD           | 21        | 4 1                 | T (E.R.O.S.) W Q  | Tx  |
| Josh Ho  | luce         |           |                     | 7072  | •   |
| SITE SUPERVISOR (sign. or responsible for sitework if differential signs of the sitework of the site o |              |           |                     | ELESCOPE LOG 74 75 76 ASING INDICATOR OTHER DATA  | 28  |
| DENV-CR00  |              |           |                     | COUNTY  |   |

| B 1 2492 SEQUENCE NO. (MDE USE ONLY)                                | STATE OF MARYLAND                      | STATE PERMIT NUMBER  |
|---|--|--|
| ADDI  | ICATION FOR PERMIT TO DRILL W          | 1FII 411 95 1651   |
| , 2 5   | 9486 please type                       | 70 70 70   |
|   |  | fill in this form completely   |
| Date Received (APA)  OWNER INFORMATION                              | B 3 4                                  | LOCATION OF WELL   |
| 8 MM DD YY 13   | 8 COUNTY                               | 21   |
| Richar Joel   | Hemlos                                 | to thill   |
| 18 Last Name Owner First N  |  | 42   |
| 12950 Buefield Many   | PRINCE SECTION L                       | 1 101 23   |
| 36 Street or RFD  | 55 44 4                                | LOT 23<br>6 48 50  |
| Highland and 20   | 777 Highla                             | nl   |
| 57 Tewn 70 State 72   | Zip 76 52 NEAREST TOV                  | 71 71  |
| DRILLER INFORMATION   | MILES FROM TOWN                        | (enter 0 if in town) M I   |
| land kelly MW   | 304                                    | 73 ' 76 77 78  |
| Driller's Name 76 Lice  | ense No. 81 B 4                        | 2 2 2 2 2 1 2 1 .  |
| Jones Well Drilling Inc.  | DIRECTION OF WELL FROM                 |  |
| Firm Name   | ZIRSY TOWN (CIRCLE BOX)                | 11 NEAR WHAT ROAD 30   |
| 3700 Kich Rd Jamells Will   | e, ma                                  | ON WHICH SIDE OF ROAD  |
| Address 10 1400 -1  | 9_0\   0_0                             | (CIRCLE APPROPRIATE BOX)   |
| Signature Date  |  | WEST S EAST  |
| B 2 WELL INFORMATION  |  | 34 30 37 SOUTH   |
| 1 2 APPROX. PUMPING RATE  |  | ENTER FT OR MI 38 39   |
| (GAL. PER MIN.) 8   | 12   S   S   S   S   S   S   S   S   S | 40 11 270  |
| AVERAGE DAILY QUANTITY NEEDED (GAL. PER DAY) 14                     | 20 8 8 8 9                             | TAX MAP: BLK: PARCEL Z/D   |
| USE FOR WATER (CIRCLE APPROPRIA                                     |  | T TO BE FILLED IN BY DRILLER   |
| DOMESTIC POTABLE SUPPLY & RESIDENTIAL                               | // HE                                  | ALTH DEPARTMENT APPROVAL   |
| IRRIGATION  | Houra                                  | 19/1007  |
| F FARMING (LIVESTOCK WATERING & AGRICULTUR                          |  | COUNTY NO.   |
| IRRIGATION  | STATE<br>SIGNATURE                     | INSERT S   |
| 22 I INDUSTRIAL, COMMERICIAL, DEWATERING                            | DATE ISSUED                            | 1 1 de 2 de 3/ 41/   |
| P PUBLIC WATER SUPPLY WELL  | 7/22/0                                 | 2 Natt Clar 1/25/08  |
| TEST, OBSERVATION, MONITORING                                       | NORTH 43 MM DD YY                      | 48 CO SIGNATURE EXP. DATE  |
| @ GEO-THERMAL Z holes closel  | GRID 50                                | 0 0 0 GRID 0 0 0 63  |
|   |  |  |
| APPROXIMATE DEPTH OF WELL 400                                       | SHOW MAJOR FEAT<br>BOX & LOCATE WEI    |  |
| APPROXIMATE DEPTH OF WELL 24 28                                     | FEET WITH AN X                         |  |
| 6   | NEAREST SOURCES OF DRILL               | ING WATER  |
| APPROXIMATE DIAMETER OF WELL  | inch 1.                                |  |
| METHOD OF DRILLING (circle of                                       | 2.<br>ne) 3.                           | artin de la companya   |
| BORED (or Augered) JETTED   | Jetted & DRIVEN                        | Sept. 1887 - 1   |
| 30 AIR-ROTary AHI-PERcussion ROTARY                                 | (Hydraulic Rotary) WRITE THE BOX NU    | MBER .   |
| 37 CABLE REVerse-ROTary   | DRIVE-POINT FROM THE MAP HE            | RE   |
| other   |  | A In   |
| REPLACEMENT OR DEEPENED W   | IELIS E 59                             | 000  |
| (CIRCLE APPROPRIATE BOX)  | // 2                                   | 000 0  |
| THIS WELL WILL NOT REPLACE AN EXISTING WEL                          |  | 0 10   |
| THIS WELL WILL REPLACE A WELL THAT WILL BE                          |  | ELOW SHOWING LOCATION OF WELL IN RBY TOWNS AND ROADS AND GIVE  |
| ABANDONED AND SEALED  THIS WELL WILL REPLACE A WELL THAT WILL BE    | DICTANCE FROM W                        | ELL TO NEAREST ROAD JUNCTION   |
| 39 S AS A STANDBY-CONTACT LOCAL APPROVING AUT                       |  | the state of   |
| FOR POLICY ON STANDBY WELLS  THIS WELL WILL DEEPEN AN EXISTING WELL |  | The Notes  |
| PERMIT NUMBER OF WELL TO BE REPLACED OR DEEPE                       | NED                                    | The Marie  |
| (IF AVAILABLE) 41   | 52 N                                   | Was a second   |
| Not to be filled in by driller (MDE OR COUNTY                       | USE ONLY)                              | (W)  |
| Not to be fined in by diffiel (MDE ON COUNTY                        | OSE ONE!)                              | eside es   |
| APPROP. PERMIT NUMBER   | 3 3¥                                   | The state of the s |
| Un ac   | 1/21 1/2/                              | 7  |
| PERMIT No. 70 71 72 73 74   | 75 76 77 78 79                         | 1 100 10   |
| SPECIAL CONDITIONS  | ( ) al 11                              | 1 4111 14  |
| NOTE - APPROVING AUTHORITIES SHOULD USE SERVING STEELIF NEEDER      | COMMA ADVINE                           | & your t bettom to TOD &   |
| DENV-Permit 97  | 40                                     |  |
| k .   | ② COUNTY                               |  |



7178 Columbia Gateway Drive, Columbia MD 21046 (410) 313-2640 Fax (410) 313-2648 TDD (410) 313-2323 Toll Free 1-866-313-6300 website: www.hchealth.org

Penny E. Borenstein, M.D., M.P.H., Health Officer

## TO ALL INTERESTED PARTIES

Revised 3/11/05

|            | Hishland of  | On          | WELL TAG #: _ | HO-95-1651                                    |
|------------|--------------|-------------|---------------|---|
| BDIVISION: |              | LOT:        | COUNTY #:     | 13  |
| OPOSAL:    | 2 geo        | bores close | 1 100g.       |   |
|            |              | LOCATION    |               |   |
|            |              |             |               | - contenter using<br>growt - Bors ~ 400' days |
|            |              |             |               | - Contacter wary                              |
|            |              | 1           |               | Bons ~ 400' day                               |
|            |              |             |               |   |
|            | BON THE 15   | in the same |               |   |
|            |              |             |               |   |
|            | Bre 12 02 15 | S for sale  |               |   |
|            |              |             |               |   |
|            |              |             | _             | 7   |
|            |              |             |               |   |
|            |              |             |               |   |
|            |              |             |               | 7   |
|            |              |             |               |   |
|            |              |             |               |   |
|            |              |             |               |   |
|            |              |             |               |   |
|            |              |             |               |   |
|            |              |             |               |   |

INSPECTOR:

DATE: 9/5/08