

C1 2091

SEQUENCE NO. (MDE USE ONLY)

STATE OF MARYLAND WELL COMPLETION REPORT

FILL IN THIS FORM COMPLETELY PLEASE TYPE

THIS REPORT MUST BE SUBMITTED WITHIN 45 DAYS AFTER WELL IS COMPLETED.

(THIS NUMBER IS TO BE PUNCHED IN COLS. 3-6 ON ALL CARDS)

COUNTY NUMBER

ST/CO USE ONLY DATE Received MM DD YY

DATE WELL COMPLETED MM DD YY

Depth of Well

PERMIT NO. FROM "PERMIT TO DRILL WELL"

OWNER, STREET OR RFD, SUBDIVISION, SECTION, TOWN, LOT

WELL LOG

Not required for driven wells

STATE THE KIND OF FORMATIONS PENETRATED, THEIR COLOR, DEPTH, THICKNESS AND IF WATER BEARING

DESCRIPTION (Use additional sheets if needed)

FEET FROM TO

check if water bearing

Sand 0 23
Gray Mica Rock 23 320

GROUTING RECORD

WELL HAS BEEN GROUTED (Circle Appropriate Box)

TYPE OF GROUTING MATERIAL (Circle one)

CEMENT CM BENTONITE CLAY BC

NO. OF BAGS NO. OF POUNDS

GALLONS OF WATER

DEPTH OF GROUT SEAL (to nearest foot)

from TOP ft. to BOTTOM ft.

CASING RECORD

casing types insert appropriate code below

ST CO PL OT STEEL CONCRETE PLASTIC OTHER

MAIN CASING TYPE Nominal diameter top (main) casing Total depth of main casing

OTHER CASING (if used) diameter inch depth (feet) from to

SCREEN RECORD

screen type or open hole insert appropriate code below

ST BR HO PL OT STEEL BRASS OPEN HOLE PLASTIC OTHER

DEPTH (nearest ft.)

8 9 11 15 17 21 23 24 26 30 32 36 38 39 41 45 47 51

SLOT SIZE 1 2 3 DIAMETER OF SCREEN (NEAREST INCH)

GRAVEL PACK IF WELL DRILLED WAS FLOWING WELL INSERT F IN BOX 68

MDE USE ONLY (NOT TO BE FILLED IN BY DRILLER) T (E.R.O.S.) W Q

70 72 74 75 76 TELESCOPE CASING LOG INDICATOR OTHER DATA

C 3

PUMPING TEST

HOURS PUMPED (nearest hour)

PUMPING RATE (gal. per min.)

METHOD USED TO MEASURE PUMPING RATE

WATER LEVEL (distance from land surface)

BEFORE PUMPING

WHEN PUMPING

TYPE OF PUMP USED (for test)

A air P piston T turbine C centrifugal R rotary O other J jet S submersible

PUMP INSTALLED

DRILLER INSTALLED PUMP (CIRCLE) (YES OR NO)

IF DRILLER INSTALLS PUMP, THIS SECTION MUST BE COMPLETED FOR ALL WELLS.

TYPE OF PUMP INSTALLED PLACE (A,C,J,P,R,S,T,O) IN BOX 29

CAPACITY: GALLONS PER MINUTE (to nearest gallon)

PUMP HORSE POWER

PUMP COLUMN LENGTH (nearest ft.)

CASING HEIGHT (circle appropriate box and enter casing height)

LAND SURFACE above below

LOCATION OF WELL ON LOT

SHOW PERMANENT STRUCTURE SUCH AS BUILDING, SEPTIC TANKS, AND /OR LANDMARKS AND INDICATE NOT LESS THAN TWO DISTANCES (MEASUREMENTS TO WELL)



NUMBER OF UNSUCCESSFUL WELLS:

WELL HYDROFRACTURED

CIRCLE APPROPRIATE LETTER A A WELL WAS ABANDONED AND SEALED WHEN THIS WELL WAS COMPLETED E ELECTRIC LOG OBTAINED P TEST WELL CONVERTED TO PRODUCTION WELL

I HEREBY CERTIFY THAT THIS WELL HAS BEEN CONSTRUCTED IN ACCORDANCE WITH COMAR 26.04.04 "WELL CONSTRUCTION" AND IN CONFORMANCE WITH ALL CONDITIONS STATED IN THE ABOVE CAPTIONED PERMIT, AND THAT THE INFORMATION PRESENTED HEREIN IS ACCURATE AND COMPLETE TO THE BEST OF MY KNOWLEDGE.

DRILLERS LIC. NO. 1 M S D 024

DRILLERS SIGNATURE

LIC. NO. 1 D

SITE SUPERVISOR (sign. of driller or journeyman responsible for sitework if different from permittee)

B 1 **6384**

SEQUENCE NO. (MDE USE ONLY)


STATE OF MARYLAND
APPLICATION FOR PERMIT TO DRILL WELL
532517 please type

STATE PERMIT NUMBER
40-95-1859
fill in this form completely

Date Received (APA)
OWNER INFORMATION
8 MM DD YY 13
15 Last Name Owner First Name 34
36 Street or RFD 55
57 Town 70 State 72 Zip 76
Monheit Michael
12652 Highland Rd
Highland Md 20777

B 3 LOCATION OF WELL
8 COUNTY 21
23 SUBDIVISION 42
SECTION 44 46 LOT 48 50
52 NEAREST TOWN 71
MILES FROM TOWN (enter 0 if in town) *42* M I
73 76 77 78

DRILLER INFORMATION
Driller's Name License No. 81
Firm Name
Address
Signature Date
Joseph L Mayne M S D 024
Joseph L Mayne Well Drilling
5512 Ridge Rd Mt. Airy Md 21771
Joseph L Mayne 1-28-2010



B 4
1 2 DIRECTION OF WELL FROM TOWN (CIRCLE BOX)
11 NEAR WHAT ROAD 30
ON WHICH SIDE OF ROAD (CIRCLE APPROPRIATE BOX)
34 4/10 37 DISTANCE FROM ROAD 171
ENTER FT OR MI 38 39
TAX MAP: 40 BLK: 5 PARCEL 368

B 2 WELL INFORMATION
1 2 APPROX. PUMPING RATE (GAL. PER MIN.) 4
8 500 12
AVERAGE DAILY QUANTITY NEEDED (GAL. PER DAY) 14 20

NOT TO BE FILLED IN BY DRILLER HEALTH DEPARTMENT APPROVAL
Howard COUNTY NAME COUNTY NO. *13*
STATE SIGNATURE INSERT S
DATE ISSUED *1/28/10* CO SIGNATURE *Kim Waf* EXP. DATE *1/28/11*
43 MM DD YY 48
NORTH GRID *489* 000 EAST GRID *0811* 000
50 55 57 63

USE FOR WATER (CIRCLE APPROPRIATE BOX)
 DOMESTIC POTABLE SUPPLY & RESIDENTIAL IRRIGATION
 FARMING (LIVESTOCK WATERING & AGRICULTURAL IRRIGATION)
 INDUSTRIAL, COMMERCIAL, DEWATERING
 PUBLIC WATER SUPPLY WELL
 TEST, OBSERVATION, MONITORING
 GEO-THERMAL

APPROXIMATE DEPTH OF WELL *300* FEET
24 28
APPROXIMATE DIAMETER OF WELL *6* INCH
NEAREST INCH

SHOW MAJOR FEATURES OF BOX & LOCATE WELL WITH AN X

SOURCES OF DRILLING WATER
1. *well*
2.
3.


METHOD OF DRILLING (circle one)
BORED (or Augered) JETTED Jetted & DRIVEN
30 AIR-ROTARY AIR-PERCussion ROTARY (Hydraulic Rotary)
37 CABLE REVerse-ROTARY DRive-POINT
other

WRITE THE BOX NUMBER FROM THE MAP HERE
E *819*
N *489*

REPLACEMENT OR DEEPEMED WELLS (CIRCLE APPROPRIATE BOX)
 THIS WELL WILL NOT REPLACE AN EXISTING WELL
 THIS WELL WILL REPLACE A WELL THAT WILL BE ABANDONED AND SEALED
39 THIS WELL WILL REPLACE A WELL THAT WILL BE USED AS A STANDBY-CONTACT LOCAL APPROVING AUTHORITY FOR POLICY ON STANDBY WELLS
 THIS WELL WILL DEEPEM AN EXISTING WELL
PERMIT NUMBER OF WELL TO BE REPLACED OR DEEPEMED (IF AVAILABLE) 41 *40-95-215052*

DRAW A SKETCH BELOW SHOWING LOCATION OF WELL IN RELATION TO NEARBY TOWNS AND ROADS AND GIVE DISTANCE FROM WELL TO NEAREST ROAD JUNCTION

Not to be filled in by driller (MDE OR COUNTY USE ONLY)
APPROP. PERMIT NUMBER *G*
PERMIT No. *40-95-1859*
70 71 72 73 74 75 76 77 78 79



SPECIAL CONDITIONS *Ex. Well status dependent on new well yield.*
NOTE APPROVING AUTHORITIES SHOULD USE SEPARATE SHEET IF NEEDED



HOWARD COUNTY HEALTH DEPARTMENT

W 32517

DATE
2 / 3 / 2010

Received From

Betty L Mayne

PHONE #

5512 Ridge Rd. Mt Airy MD 21771

For Well Permit - Standby Well

12652 Scaggsville Rd (Michael Monheit)

CASH

CHECK

NO.

7553

One hundred sixty and 00/100

Dollars

\$

160 | 00

Received By

Mary L Briggs



Account Identifier: District - 05 Account Number - 356199

Owner Information

Owner Name: MONHEIT MICHAEL
 GOLDEN ELLEN MONHEIT T/E
Use: RESIDENTIAL
Principal Residence: NO
Mailing Address: 12422 KONDRUP DR
 FULTON MD 20759-9642
Deed Reference: 1) / 7701/ 392
 2)

Location & Structure Information

Premises Address
 12652 ROUTE 216
 HIGHLAND 20777
Legal Description
 5.000 AR
 12652 ROUTE 216
 HIGHLAND

Map	Grid	Parcel	Sub District	Subdivision	Section	Block	Lot	Assessment Area	Plat No: Plat Ref:
40	5	368						2	

Special Tax Areas
 Town
 Ad Valorem NO A/V, RURAL FIRE TAX
 Tax Class

Primary Structure Built	Enclosed Area	Property Land Area	County Use
1978	1,492 SF	5.00 AC	

Stories	Basement	Type	Exterior
2	YES	STANDARD UNIT	FRAME

Value Information

	Base Value	Value Phase-in Assessments		
		As Of 01/01/2008	As Of 07/01/2009	As Of 07/01/2010
Land	305,000	360,000		
Improvements:	131,670	183,690		
Total:	436,670	543,690	508,016	543,690
Preferential Land:	0	0	0	0

Transfer Information

Seller: MONHEIT MICHAEL KENNETH	Date: 10/09/2003	Price: \$0
Type: NOT ARMS-LENGTH	Deed1: / 7701/ 392	Deed2:
Seller: MONHEIT MICHAEL	Date: 09/11/1996	Price: \$75,591
Type: NOT ARMS-LENGTH	Deed1: / 3809/ 657	Deed2:
Seller: DAVEY DONA L	Date: 06/24/1991	Price: \$225,000
Type: IMPROVED ARMS-LENGTH	Deed1: / 2348/ 615	Deed2:

Exemption Information

Partial Exempt Assessments	Class	07/01/2009	07/01/2010
County	000	0	0
State	000	0	0
Municipal	000	0	0

Tax Exempt: NO
Exempt Class:

Special Tax Recapture:
 * NONE *

N-489
 E-0811

-76°57'42"



39°10'28"



39°10'28"

-76°57'42"



Disclaimer: Howard County, Maryland assumes no responsibility for the accuracy of this report or the information contained herein or derived therefrom. The user assumes all risks and liabilities whatsoever resulting from or arising out of the use of this information. There are no oral agreements or warranties relating to the use of this report.



By:
Office:
Map Width: 910.00 ft.
Print Date: 1/28/2010
Scale: 1 in. = 100 ft.

-76°57'5."



39°10'28"


39°10'28"

Disclaimer: Howard County, Maryland assumes no responsibility for the accuracy of this report or the information contained herein or derived therefrom. The user assumes all risks and liabilities whatsoever resulting from or arising out of the use of this information. There are no oral agreements or warranties relating to the use of this report.

-76°57'5."



By:
Office:
Map Width: 2,640.00 ft.
Print Date: 1/28/2010



INDICATE NORTH - NAME ADJOINING ROADWAY AS BASE LINE

SEPTIC TANK LEVEL existing ST (1000gal) CLEANOUTS existing ST

DISTRIBUTION BOX LEVEL NA

DRAIN FIELD/TITLE DEPTH 10 1/2 FT. TRENCH WIDTH 2 FT. INLET DEPTH 2 1/2 - 3 FT.

EFFECTIVE GRAVEL DEPTH 7 1/2 - 8 FT. TOTAL LENGTH 67 FT. = 5350

NUMBER OF TRENCHES 1 ONE SIDEWALL/BOTTOM AREA 530 ± SQ. FT.

DRYWALL INSIDE DIAMETER _____ FT. EFFECTIVE DEPTH BELOW INLET _____ FT.

ABSORBENT AREA _____ SQ. FT.

REMARKS: ^{Soil} Minor Sandy, Nice loam - OK any depth - OK to cover Basin system when finished R/P 10/16/96

DATE SYSTEM APPROVED 10/16/96 INSPECTOR R.P. [Signature]