

# APPLICATION

PERCOLATION TESTING

A 515344B

P \_\_\_\_\_

HOWARD COUNTY HEALTH DEPARTMENT  
BUREAU OF ENVIRONMENTAL HEALTH  
3525-H ELLICOTT MILLS DRIVE/ELLICOTT CITY, MARYLAND 21043  
TELEPHONE: 313-2640

DISTRICT \_\_\_\_\_

DATE 7/16/2001

TO: THE COUNTY HEALTH OFFICER  
ELLICOTT CITY, MARYLAND

I HEREBY APPLY FOR THE NECESSARY TEST PRIOR TO APPLICATION FOR PERMIT TO CONSTRUCT (OR RECONSTRUCT) A SEWAGE DISPOSAL SYSTEM.

PROPERTY OWNER Covered Bridge Farms, LLC

ADDRESS 2435 Duvall Rd PHONE (410) 792-2100 X215

AGENT OR PROSPECTIVE BUYER Hildenberg, Boender & Assoc., Inc

ADDRESS 5072 Dorsey Hall Dr, Suite 202, EC, MD 21042 PHONE 410-997-0296

PROPERTY LOCATION:

SUBDIVISION Grey Property (Former) -> Covered Bridge Farm LLC (existing Farm Hous LOT NO. \_\_\_\_\_

ROAD AND DESCRIPTION off NE Duvall Rd approx 5000ft from intersection C AE Mullinix Rd

TAX MAP 13 PARCEL # 107

SIZE OF LOT 131.4 Ac ± TYPE BLDG. SFD  
(SINGLE FAMILY DWELLING OR COMMERCIAL)

THE SYSTEM INSTALLED UNDER THIS APPLICATION IS ACCEPTABLE ONLY UNTIL PUBLIC FACILITIES BECOME AVAILABLE. I FULLY UNDERSTAND THE FEE CONNECTED WITH THE FILING OF THIS PERC TEST APPLICATION IS NON-REFUNDABLE UNDER ANY CIRCUMSTANCES. I ALSO AGREE TO COMPLY WITH ALL M.O.S.H.A. REQUIREMENTS IN TESTING THIS LOT.

(SIGNATURE OF APPLICANT)

APPROVED BY \_\_\_\_\_ FOR \_\_\_\_\_ DATE \_\_\_\_\_

DISAPPROVED BY \_\_\_\_\_ FOR \_\_\_\_\_ DATE \_\_\_\_\_

HOLD PENDING FURTHER TESTS \_\_\_\_\_

REASONS FOR REJECTION OR HOLDING \_\_\_\_\_

PERCOLATION TEST PLAT/PRELIMINARY PLAT - TITLE OR I.D. # \_\_\_\_\_ DATE \_\_\_\_\_

SITE DEVELOPMENT PLAN/FINAL PLAT - TITLE OR I.D. # \_\_\_\_\_ DATE \_\_\_\_\_

# THIS IS NOT A PERMIT

A515344 (cont'd) Gray Property (Farm) off Duvall Rd.

COUNTY #

SOIL PROFILE A


0'	Reddish-brown
10'	Reddish-brown (5YR 5/8-4/6)
2-3'	HL (2m sil) sil. med
	Reddish-brown (2.5YR 4/6-5/6)
	FL-SIL (Mossy) sil. med
8'	Fine color Med loam (Mossy) - yellow St. S. separate (dige like Mossy)
± 12 1/2'	Same color med - more yellow ± 15-20% wet St. S. separate
14 1/2'	

B

Same or A

SOIL PROFILE

0'	
----	--



INDICATE NORTH - NAME ADJOINING ROADWAY AS BASE LINE.

DATE	TEST NO.	DEPTH	PRE-WET		TEST - 1" DROP		TIME
			START	STOP	START	STOP	
9/21/01	(7/8) A	14 1/2' 5	11:25:00	11:29 (Frosted)	11:29	11:34:30	5 min
	9 X	14 1/2' 5'	11:45:00	11:48:30	11:48:30	11:53:00	5 min
<p>Note: Test Hole 7/8 is to keep 7+8 were further down slope from Farm Building. Then as shown on approved perc plan, but SDA is about right with 5' bed out area.</p> <p>Warning: If this land is ever subdivided into small lots, remember to keep SDA at least 50ft from scales - or wet season test them 11/6/01 RPP unbl.</p>							

REMARKS existing dry well has 3ft left between liquid level and DW. lid.

TYPE OF SOIL 6 levels

TESTED BY R. Kelly

ALSO PRESENT AEC (Mike) Jerry Kushing (Kustant from record)

TRENCH DESIGN DATA: AVERAGE PERCOLATION TIME 5 min TRENCH WIDTH 2'

INLET DEPTH 2' MAXIMUM BOTTOM DEPTH 8' SQ. FT./BEDROOM 180

# APPLICATION

PERCOLATION TESTING

A 515344A

P \_\_\_\_\_

HOWARD COUNTY HEALTH DEPARTMENT  
BUREAU OF ENVIRONMENTAL HEALTH  
3525-H ELLICOTT MILLS DRIVE/ELLICOTT CITY, MARYLAND 21043  
TELEPHONE: 313-2640

DISTRICT \_\_\_\_\_

DATE 7/16/2001

TO: THE COUNTY HEALTH OFFICER  
ELLICOTT CITY, MARYLAND

I HEREBY APPLY FOR THE NECESSARY TEST PRIOR TO APPLICATION FOR PERMIT TO CONSTRUCT (OR RECONSTRUCT) A SEWAGE DISPOSAL SYSTEM.

PROPERTY OWNER COVERED BRIDGE FARMS, LLC  
ADDRESS 2435 DUVALL ROAD, PHONE (410) 792-2100 EXT 215  
WOODBINE, MD 21797  
AGENT OR PROSPECTIVE BUYER MILDENBERG, BOENDER & ASSOC, INC.  
ADDRESS 5072 DORSEY HALL DR, SUITE 202 PHONE (410) 997-0296  
ELLICOTT CITY, MD 21042

PROPERTY LOCATION:

SUBDIVISION ~~HA~~ Grey Property LOT NO. \_\_\_\_\_  
ROAD AND DESCRIPTION APPROXIMATELY 5000 FEET FROM INTERSECTION  
OF A.E. MULLINIX ROAD / DUVALL ROAD ALONG NORTHEAST  
SIDE OF DUVALL ROAD  
TAX MAP 13 PARCEL # 107  
SIZE OF LOT 131.4 AC± TYPE BLDG. SFD  
PARCEL (SINGLE FAMILY DWELLING OR COMMERCIAL)

THE SYSTEM INSTALLED UNDER THIS APPLICATION IS ACCEPTABLE ONLY UNTIL PUBLIC FACILITIES BECOME AVAILABLE. I FULLY UNDERSTAND THE FEE CONNECTED WITH THE FILING OF THIS PERC TEST APPLICATION IS NON-REFUNDABLE UNDER ANY CIRCUMSTANCES. I ALSO AGREE TO COMPLY WITH ALL M.O.S.H.A. REQUIREMENTS IN TESTING THIS LOT.

Stephanie Deuchick  
(SIGNATURE OF APPLICANT)

APPROVED BY \_\_\_\_\_ FOR \_\_\_\_\_ DATE \_\_\_\_\_

DISAPPROVED BY \_\_\_\_\_ FOR \_\_\_\_\_ DATE \_\_\_\_\_

HOLD PENDING FURTHER TESTS \_\_\_\_\_

REASONS FOR REJECTION OR HOLDING \_\_\_\_\_


PERCOLATION TEST PLAT/PRELIMINARY PLAT - TITLE OR I.D. # \_\_\_\_\_ DATE \_\_\_\_\_

SITE DEVELOPMENT PLAN/FINAL PLAT - TITLE OR I.D. # \_\_\_\_\_ DATE \_\_\_\_\_

## THIS IS NOT A PERMIT

2435? Dwall Rd - Grey Bopale

515344  
COUNTY #



**SOIL PROFILE 6**

0' Same as 5  
yell, yellow, red  
chL-SL

2 1/2' fine channing  
thin fiber  
ok wet to 9'

9' Heavy  
pockets  
of channels  
+ Striar  
45-50% mix  
in matrix of  
25-40%  
fine channels  
+ SL

**SOIL PROFILE 5**

0' sst Brn hL

2 1/2' yell + yellow  
shd spangle  
chL-SL

9' Massive  
40-50%  
chL-SL  
9'

Mid Brn  
- yellow  
chL-SL  
mostly 20-30%  
F-ch

1, 2, 3  
6' 1/2' dark Brn - sst Brn  
hL-L (3FSL)

12' 1/2' sst Brn hL-L  
2P-m sbk

15' 1/2' yell + yel Brn  
Microcon L-PSL  
(massive)

15-25%  
m-F channels  
of weak str. separate  
discontinuous

5 1/2' Mix of colors  
(yell Brn, Mid Brn  
+ Brn Red)

Channery  
L-SL (spangle)

5-10% c/fiber  
of mid zone or  
red silt

20-35%  
F-walk

**4**

8' Typical hL  
sst Brn hL-L  
(2P - sLk)

2 1/2' (Mixed Brn/Brn)  
+ yellow

chL-SL  
15-25%  
fine channing  
of weak str. separate  
discontinuous

6' Strong vecol  
Mid hL - Mid Brn  
Pract. - sLk  
Flex 40-50%  
F-walk

8 1/2' Some chL  
chL-SL  
20-30%  
channery

DATE	TEST NO.	DEPTH	PRE-WET		TEST - 1" DROP		TIME
			START	STOP	START	STOP	
8/24/01	2	13 1/2' 5'	11:11:00	11:16:30	11:16:30	11:27:00	10 1/2 min
	3	14 1/2' 4 1/2'	11:14:00	11:17:00	11:17:00	11:29:00	7 min
	4	14 1/2' 5'	11:16:00	11:21:30	11:21:30	11:27:00	6 min
	1	14 1/2' 5'	11:29:00	11:34:30	11:34:30	11:40:00	5 1/2 min
	4	17 1/2' 7 1/2'	12:00:30	12:02:00	12:02:00	12:07:00	5 min
	5	14' 5 1/2'	12:18:00	12:24:30	12:24:30	12:32:00	7 1/2 min
	6	14' No test; anal to #5					OK for the Too rocky below 9'

REMARKS: Note: given variable rockiness - Make SDA at least 12,000 sq ft area. Test hole 4 + 6 (chL) #6 ok for shallow only, others OK.

TYPE OF SOIL: Mt Airy, Minor in all the field, just up hill of soybean field

TESTED BY: J. R. Blay

TRENCH DESIGN DATA: AVERAGE PERCOLATION TIME 7 min TRENCH WIDTH 3

INLET DEPTH 1 1/2 - 2' MAXIMUM BOTTOM DEPTH 5' SQ. FT./BEDROOM 210'

Fail

Jerry Ruching  
ALSO PRESENT AEC Mike Johnson  
Willy Snowden




---

**HOWARD COUNTY HEALTH DEPARTMENT**

---

*Diane L. Matuszak, M.D., M.P.H., County Health Officer*

August 27, 2001

Mildenberg, Boender & Assoc., Inc.  
C/o Stephanie Demchek  
5072 Dorsey Hall Dr.  
Ellicott City, Md. 21042

RE: Percolation Test Results  
Application #' (s) 515344  
Proposed Use: Second House Site on Existing Farm  
Subdivision  
Property ID: Grey Property Lot 1  
Duvall Rd.  
Tax Map 13 Parcel 107

Dear Ms. Demchek:

Percolation testing conducted August 24, 2001 on the above referenced property indicated limited satisfactory soil conditions. Limiting conditions were excessive rockiness and fast percolation rates in test hole #4 and excessive rockiness below 9 ft at test hole # 6. Also the drainage swale beside test holes 1,2 & 6, would further limit reconfiguration of the SDA.

Copies of the percolation test results are enclosed. One further note: the existing house on this property was not evaluated for well and septic on this at this time. Such evaluation, including percolation testing to establish a sewage disposal easement of at least 10,000 sq. ft. for this separate house site would be required before any further consideration for percolation certification plan review may be made.

If you have any questions regarding this matter, please feel free to contact me at the above address or by calling 313-2640.

Very truly yours,

Ronald J. Pinkley, R.S.  
Water and Sewerage Program

:dc  
Enclosures  
cc: Tax Assessment Office  
Covered Bridge Farms, LLC  
File



**MILDENBERG,  
BOENDER & ASSOC., INC.**

Engineers

Planners

Surveyors

5072 Dorsey Hall Drive, Suite 202, Ellicott City, Maryland 21042 (410) 997-0296 Balt. (410) 997-0298 Fax

January 31, 2007

Mr. Robert Bricker  
Howard County Health Department  
7178 Columbia Gateway Drive  
Columbia, MD 21046

RE: Grey Property, Lot 1  
(F-06-032)  
**Direct Submission**

Dear Mr. Bricker:

On behalf of our client, Covered Bridge Farm, LLC, we are forwarding this package for your review and approval. This submittal includes the following:


1. One (1) set of the revised Percolation Certification Plat, per your phone conversation with Jacob Hikmat today January 31, 2007.

Please note that the location of the sewer clean outs and septic tank have been field located as shown on the attached Perc Certification Plat.

The Original Record Plat must be submitted to the Department of Planning and Zoning on or before February 1, 2007. The original Record Plat submission will not be accepted for submission without your approval. If the Perc Certification Plat meets your approval, please contact Department of Planning and Zoning directly in order to allow us to resubmit the Plat.

Thank you for your time and effort. Should you have any questions or comments, please feel free to contact our office at your earliest convenience.

Very truly yours  
Mildenberg, Boender & Associates, Inc.

  
Mashid Tringa  
Project Manager

Mmt

cc: R. Wayne Newsome. w/enc.  
Cindy Hamilton  
Derrick Jones



January 30, 2007

Mr. Robert Bricker  
Howard County Health Department  
7178 Columbia Gateway Drive  
Columbia, MD 21046

RE: Grey Property, Lot 1  
(F-06-032)  
**Direct Submission**

Dear Mr. Bricker:

On behalf of our client, Covered Bridge Farm, LLC, we are forwarding this package for your review and approval. This submittal includes the following:

1. One (1) set of the revised Percolation Certification Plat per your comments of January 19, 2007.


Following is a point-by-point response to your comments dated January 19, 2007:

1. A revised Percolation Certification Plat showing the boundaries of Lot 1 is included with this submission.
  - a. All property lines within the boundaries of Parcels 354 and 107 have been shown and labeled.
  - b. The revised Percolation Certification Plat is drawn at the scale of 1"= 200'.
  - c. The perc test locations have been shown as they were on the October 2001 plat.
  - d. All the notes have been revised.
  - e. In reference to Parcel 354, the note has been added as requested.
2. The final plat has been revised to show the entire property as requested.

Please note that the APFO deadline for this project is **February 1, 2007**. We have addressed all of your comments regarding the Perc Certification Plat. The Original Record Plat has to be submitted to the Department of Planning and Zoning on or before February 1, 2007. The original Record Plat submission will not be accepted for submission without your approval. If the Perc Certification Plat meets your approval, please contact Department of Planning and zoning directly in order to allow us to resubmit the Plat.

Thank you for your time and effort. Should you have any questions or comments, please feel free to contact our office at your earliest convenience.

Very truly yours  
Mildenberg, Boender & Associates, Inc.




Mashid Tringa  
Project Manager

Mmt

cc: R. Wayne Newsome. w/enc.  
Cindy Hamilton  
Derrick Jones

H:\01-012\wp\012-12.health-dir3.doc





VICINITY MAP  
SCALE: 1" = 200'

**GENERAL NOTES:**

- SUBJECT PROPERTY ZONED RC-DEO WITHIN THE AGRICULTURAL LAND PRESERVATION DISTRICT PER THE 02/02/2004 COMPREHENSIVE ZONING PLAN AND THE "COMP. LITE" ZONING AMENDMENTS EFFECTIVE 7/28/06.
- BOUNDARY SHOWN HEREON IS BASED ON DEED INFORMATION.
- SITE LOCATION:  
TAX MAP 13, PARCEL 354  
DEED REFERENCE: 5551/0530  
SITE AREA: 80.25 ACRES ±
- TOPOGRAPHIC DATA SHOWN HEREON IS BASED ON HOWARD COUNTY'S 200 SCALE TOPOGRAPHIC MAPS.
- BASED ON AVAILABLE COUNTY DATA, NO HISTORIC STRUCTURES OR BURIAL GROUNDS EXIST ON SITE.
- PRIVATE WATER AND PRIVATE SEWERAGE WILL BE UTILIZED.
- THIS AREA DESIGNATES A PRIVATE SEWERAGE EASEMENT OF AT LEAST 10,000 SQ. FT. AS REQUIRED BY THE MARYLAND STATE DEPARTMENT OF ENVIRONMENT FOR INDIVIDUAL SEWERAGE DISPOSAL. IMPROVEMENTS OF ANY NATURE IN THIS AREA ARE RESTRICTED UNTIL PUBLIC SEWERAGE IS AVAILABLE. THIS EASEMENT SHALL BECOME NULL AND VOID UPON CONNECTION TO A PUBLIC SEWERAGE SYSTEM. THE COUNTY HEALTH OFFICER SHALL HAVE THE AUTHORITY TO GRANT VARIANCES FOR ENCROACHMENTS INTO THE PRIVATE SEWERAGE EASEMENT, & RECORDATION OF A MODIFIED EASEMENT SHALL NOT BE NECESSARY.
- SEPTIC AREA DRAINS TO AN INTERIOR SWALE AND WILL NOT DRAIN TOWARD OFF-SITE WELLS. THE PROPOSED WELL IS SET ON A HIGHPPOINT, OFF-SITE SEPTIC AREAS WILL NOT DRAIN TOWARD PROPOSED WELL.
- THE PURPOSE OF THIS PLAT IS TO REVISE THE PERC CERTIFICATION PLAT THAT WAS APPROVED AND SIGNED BY THE HEALTH DEPARTMENT ON OCTOBER 6, 2001. THIS REVISION IS TO ADDRESS HEALTH DEPARTMENT'S COMMENTS OF JANUARY 19, 2007 GENERATED FOR CREATING LOT 1.

**LEGEND**

- PASSED PERC HOLES
- FAILED PERC HOLES
- PERC HOLES NOT TESTED
- ▨ EXISTING SEPTIC EASEMENT
- EXISTING WELL

**SOILS DESCRIPTION**

SYMBOL	DESCRIPTION
ChC2	Chester silt loam, 8% to 15% slopes, moderately eroded --- Type B
Co	Codorus silt loam --- Type C
CuB	Comus silt loam, local alluvium, 3% to 8% slopes --- Type B
GIA	Gleng loam, 0% to 3% slopes --- Type B
GIB2	Gleng loam, 3% to 8% slopes, moderately eroded --- Type B
GIC2	Gleng loam, 8% to 15% slopes, moderately eroded --- Type B
GID2	Gleng loam, 15% to 25% slopes, moderately eroded --- Type B
GID3	Gleng loam, 15% to 25% slopes, severely eroded --- Type B
GnB2	Glenville silt loam, 3% to 8% slopes, moderately eroded --- Type C
Hb	Hobbs silt loam --- Type D
MIB2	Mt. Airy channery loam, 3% to 8% slopes, moderately eroded --- Type A
MIC2	Mt. Airy channery loam, 8% to 15% slopes, moderately eroded --- Type A
MIC3	Mt. Airy channery loam, 8% to 15% slopes, severely eroded --- Type A
MID2	Mt. Airy channery loam, 15% to 25% slopes, moderately eroded --- Type A
MIE	Mt. Airy channery loam, 25% to 45% slopes --- Type A

APPROVED FOR PRIVATE WATER AND PRIVATE SEWERAGE SYSTEMS  
HOWARD COUNTY HEALTH DEPARTMENT



Robert D. Weber  
HOWARD COUNTY HEALTH OFFICER  
DATE: 2/1/07

project	2001-012	date	JAN 2007
illustration	JLM/MMT	engineering	MMT
scale	1" = 200'	approval	


description	revisions
no.	date

**GREY PROPERTY, LOT 1**  
TAX MAP 13 - PARCEL 107 - GRID 11  
HOWARD COUNTY, MARYLAND  
FOURTH ELECTION DISTRICT  
**REVISED PERC CERTIFICATION PLAT**

**MILDENBERG, BOENDER & ASSOC., INC.**  
Engineers Planners Surveyors  
5872 Dorsey Hall Drive, Suite 202, Piltcott City, Maryland, 21042  
(410) 597-0286 Fax: (301) 631-5521 Wash. (410) 997-0288 Fax.

**OWNER**  
COVERED BRIDGE FARMS, LLC  
2435 DUVALL ROAD  
WOODBINE, MARYLAND 21797  
(410) 792-2100 EXT. 215





VICINITY MAP  
SCALE: 1" = 2000'

**GENERAL NOTES:**

- SUBJECT PROPERTY ZONED RC-DEO PER THE 10/18/93 COMPREHENSIVE ZONING PLAN.
- BOUNDARY SHOWN HEREON IS BASED ON DEED INFORMATION.
- SITE LOCATION:  
TAX MAP 13, PARCEL 107  
DEED REFERENCE: 5551/0530  
SITE AREA: 131.4 ACRES ±
- TOPOGRAPHIC DATA SHOWN HEREON IS BASED ON HOWARD COUNTY'S 200 SCALE TOPOGRAPHIC MAPS.
- BASED ON AVAILABLE COUNTY DATA, NO HISTORIC STRUCTURES OR BURIAL GROUNDS EXIST ON SITE.
- SOILS DATA BASED ON HOWARD COUNTY SOIL SURVEY DATED 1968, SHEET 6.
- PRIVATE WATER AND PRIVATE SEWERAGE WILL BE UTILIZED.
- THIS AREA DESIGNATES A PRIVATE SEWERAGE EASEMENT OF AT LEAST 10,000 SQ. FT. AS REQUIRED BY THE MARYLAND STATE DEPARTMENT OF ENVIRONMENT FOR INDIVIDUAL SEWERAGE DISPOSAL IMPROVEMENTS OF ANY NATURE IN THIS AREA ARE RESTRICTED UNTIL PUBLIC SEWERAGE IS AVAILABLE. THIS EASEMENT SHALL BECOME NULL AND VOID UPON CONNECTION TO A PUBLIC SEWERAGE SYSTEM. THE COUNTY HEALTH OFFICER SHALL HAVE THE AUTHORITY TO GRANT VARIANCES FOR ENCROACHMENTS INTO THE PRIVATE SEWERAGE EASEMENT, & RECORDATION OF A MODIFIED EASEMENT SHALL NOT BE NECESSARY.
- SEPTIC AREA DRAINS TO AN INTERIOR SWALE AND WILL NOT DRAIN TOWARD OFF-SITE WELLS. THE PROPOSED WELL IS SET ON A HIGHPPOINT, OFF-SITE SEPTIC AREAS WILL NOT DRAIN TOWARD PROPOSED WELL.

**LEGEND**

- PASSED PERC HOLES
- FAILED PERC HOLES
- PERC HOLES NOT TESTED
- PROPOSED SEPTIC EASEMENT
- PROPOSED WELL



**SOILS DESCRIPTION**

SYMBOL	DESCRIPTION
ChC2	Chester silt loam, 8% to 15% slopes, moderately eroded -- Type B
Co	Codorus silt loam -- Type C
CoB	Codorus silt loam, local alluvium, 3% to 8% slopes -- Type B
GLA	Gleniel loam, 0% to 3% slopes -- Type B
GLB2	Gleniel loam, 3% to 8% slopes, moderately eroded -- Type B
GLC2	Gleniel loam, 8% to 15% slopes, moderately eroded -- Type B
GLD2	Gleniel loam, 15% to 25% slopes, moderately eroded -- Type B
GLD3	Gleniel loam, 15% to 25% slopes, severely eroded -- Type B
GnB2	Glenville silt loam, 3% to 8% slopes, moderately eroded -- Type C
Ha	Hobbs silt loam -- Type D
MtB2	Mt. Airy channery loam, 3% to 8% slopes, moderately eroded -- Type A
MtC2	Mt. Airy channery loam, 8% to 15% slopes, moderately eroded -- Type A
MtC3	Mt. Airy channery loam, 8% to 15% slopes, severely eroded -- Type A
MtD2	Mt. Airy channery loam, 15% to 25% slopes, moderately eroded -- Type A
MtE	Mt. Airy channery loam, 25% to 45% slopes -- Type A

APPROVED FOR PRIVATE WATER AND PRIVATE SEWERAGE SYSTEMS  
HOWARD COUNTY HEALTH DEPARTMENT

*Diehl*  
HOWARD COUNTY HEALTH OFFICER  
DATE: 11/6/01

project	2001-012	date	OCT 2001
illustration	JLM/SJD	engineering	SJD
scale	1" = 200'	approval	

description	revisions
no.	date

**GREY PROPERTY (Deed) (Cont)**  
TAX MAP 13 - PARCEL 107 - GRID 11  
HOWARD COUNTY, MARYLAND  
FOURTH ELECTION DISTRICT  
PC 575344  
PERC CERTIFICATION PLAN

**MILDENBERG, BOENDER & ASSOC., INC.**  
Engineers Planners Surveyors  
5972 Dorsey Hall Drive Suite 202, Ellicott City, Maryland 21042  
(410) 997-0286 Bldg. (301) 621-5521 Wash. (410) 997-0288 Fax.

**OWNER**  
COVERED BRIDGE FARMS, LLC  
2435 DUVALL ROAD  
WOODBINE, MARYLAND 21197  
(410) 792-2100 EXT. 215