



HOWARD COUNTY HEALTH DEPARTMENT

44510

CODES

DATE

1/16/13

WS

☐ CASH

☐ CHECK

NO.

Received
From

For

Stephen P Delosh
Well Permit (Geo Town)

One hundred sixty ¹⁴⁰²⁷ Philadelphia
Dollars

\$

160.00

Received By

J King

<div style="display: flex; align-items: center;"><div style="border: 1px solid black; padding: 2px; margin-right: 5px;">C1</div><div style="border: 1px solid black; padding: 2px; font-size: 1.2em;">21688</div></div>		SEQUENCE NO. (MDE USE ONLY)		STATE OF MARYLAND WELL COMPLETION REPORT FILL IN THIS FORM COMPLETELY PLEASE TYPE		THIS REPORT MUST BE SUBMITTED WITHIN 45 DAYS AFTER WELL IS COMPLETED.			
1 2 3 6 (THIS NUMBER IS TO BE PUNCHED IN COLS. 3-6 ON ALL CARDS)		DATE RECEIVED MM DD YY 03 13 13		DATE WELL COMPLETED MM DD YY 02 12 13		Depth of Well 22 300 26 (TO NEAREST FOOT)		PERMIT NO. FROM "PERMIT TO DRILL WELL" 40 - 95 - 2476	
OWNER last name first name Mishkar Abhay		WELL SITE ADDRESS 14027 Triadelphia Mill Rd		TOWN Dayton		SUBDIVISION Karinwood		SECTION LOT 4	
WELL LOG Not required for driven wells STATE THE KIND OF FORMATIONS PENETRATED, THEIR COLOR, DEPTH, THICKNESS AND IF WATER BEARING		GROUTING RECORD WELL HAS BEEN GROUTED (Circle Appropriate Box) yes no Y N 44 44 TYPE OF GROUTING MATERIAL (Circle one) CEMENT CM BENTONITE CLAY BC NO. OF BAGS 45 46 16 NO. OF POUNDS 45 46 200 GALLONS OF WATER 400 DEPTH OF GROUT SEAL (to nearest foot) from 48 TOP 52 ft. to 54 BOTTOM 58 ft. (enter 0 if from surface)		CASING RECORD casing types insert appropriate code below ST CO STEEL CONCRETE PL OT PLASTIC OTHER MAIN CASING TYPE Nominal diameter top (main) casing (nearest inch)! Total depth of main casing (nearest foot) 60 61 63 64 66 70		PUMPING TEST HOURS PUMPED (nearest hour) 8 9 PUMPING RATE (gal. per min.) 11 15 METHOD USED TO MEASURE PUMPING RATE N/A WATER LEVEL (distance from land surface) BEFORE PUMPING 17 20 260 ft. WHEN PUMPING 22 25 N/A ft. TYPE OF PUMP USED (for test) A air P piston T turbine C centrifugal R rotary O other (describe below) J jet S submersible			
DESCRIPTION (Use additional sheets if needed)		FEET FROM TO 0 15 15 60 60 300 check if water bearing		OTHER CASING (if used) EACH CASING diameter inch depth (feet) from to		SCREEN RECORD screen type or open hole (insert appropriate code below) ST BR HO STEEL BRASS OPEN HOLE PL OT PLASTIC OTHER		PUMP INSTALLED DRILLER INSTALLED PUMP YES NO (CIRCLE) (YES or NO) IF DRILLER INSTALLS PUMP, THIS SECTION MUST BE COMPLETED FOR ALL WELLS. TYPE OF PUMP INSTALLED PLACE (A,C,J,P,R,S,T,O) IN BOX 29. CAPACITY: GALLONS PER MINUTE (to nearest gallon) 31 35 PUMP HORSE POWER 37 41 PUMP COLUMN LENGTH (nearest ft.) 43 47 CASING HEIGHT (circle appropriate box and enter casing height) + above } LAND SURFACE - below } 3 (nearest foot)	
NUMBER OF UNSUCCESSFUL WELLS: 0		WELL HYDROFRACTURED yes no Y N		DEPTH (nearest ft.) 1 2 EACH CASING 8 9 11 15 17 21 23 24 26 30 32 36 38 39 41 45 47 51 SLOT SIZE 1 2 3 DIAMETER OF SCREEN (NEAREST INCH) 56 60 from to		LATITUDE 39.220545 LONGITUDE 77.008048 (DEFAULT COORD. WGS 84) NOTES: MAR 13 2013 HOWARD COUNTY HEALTH DEPT. BUREAU OF ENVIRONMENTAL HEALTH			
CIRCLE APPROPRIATE LETTER A A WELL WAS ABANDONED AND SEALED WHEN THIS WELL WAS COMPLETED E ELECTRIC LOG OBTAINED P TEST WELL CONVERTED TO PRODUCTION WELL		I HEREBY CERTIFY THAT THIS WELL HAS BEEN CONSTRUCTED IN ACCORDANCE WITH COMAR 26.04.04 "WELL CONSTRUCTION" AND IN CONFORMANCE WITH ALL CONDITIONS STATED IN THE ABOVE CAPTIONED PERMIT, AND THAT THE INFORMATION PRESENTED HEREIN IS ACCURATE AND COMPLETE TO THE BEST OF MY KNOWLEDGE.		DRILLERS LIC. NO. 1 MWD 572 DRILLERS SIGNATURE (MUST MATCH SIGNATURE ON APPLICATION) LIC. NO. 1 JWD 391 SITE SUPERVISOR (sign. of driller or journeyman responsible for sitework if different from permittee)		MDE USE ONLY (NOT TO BE FILLED IN BY DRILLER) T (E.R.O.S.) W Q 70 72 74 75 76 TELESCOPE CASING LOG INDICATOR OTHER DATA			

C 1 27687		SEQUENCE NO. (MDE USE ONLY)		STATE OF MARYLAND WELL COMPLETION REPORT FILL IN THIS FORM COMPLETELY PLEASE TYPE		THIS REPORT MUST BE SUBMITTED WITHIN 45 DAYS AFTER WELL IS COMPLETED.	
1 2 3 6 (THIS NUMBER IS TO BE PUNCHED IN COLS. 3-6 ON ALL CARDS)						COUNTY NUMBER	
ST/CO USE ONLY DATE Received MM DD YY 03 13 13		DATE WELL COMPLETED MM DD YY 02 21 13		Depth of Well 22 300 26 (TO NEAREST FOOT)		PERMIT NO. FROM "PERMIT TO DRILL WELL" OK 5/6/16SC HD - 95 - 2476	
OWNER last name first name Maphakar Abhay		WELL SITE ADDRESS 4027 Triadelphia Mill Rd		TOWN Dayton		LOT 4	
SUBDIVISION Karinwood		SECTION		LOT			
WELL LOG Not required for driven wells		GROUTING RECORD WELL HAS BEEN GROUTED (Circle Appropriate Box) yes no Y N 44 44 TYPE OF GROUTING MATERIAL (Circle one) CEMENT CM BENTONITE CLAY BC NO. OF BAGS 16 NO. OF POUNDS 400 GALLONS OF WATER 400 DEPTH OF GROUT SEAL (to nearest foot) from 48 TOP 52 ft. to 54 BOTTOM 58 ft. (enter 0 if from surface)		C 3 1 2 PUMPING TEST HOURS PUMPED (nearest hour) N/A PUMPING RATE (gal. per min.) N/A METHOD USED TO MEASURE PUMPING RATE N/A WATER LEVEL (distance from land surface) BEFORE PUMPING 200 ft. WHEN PUMPING N/A ft. TYPE OF PUMP USED (for test) A air P piston T turbine C centrifugal R rotary O other (describe below) J jet S submersible			
STATE THE KIND OF FORMATIONS PENETRATED, THEIR COLOR, DEPTH, THICKNESS AND IF WATER BEARING		CASING RECORD casing types insert appropriate code below MAIN CASING TYPE Nominal diameter top (main) casing (nearest inch)! Total depth of main casing (nearest foot) 60 61 63 64 66 70 OTHER CASING (if used) EACH CASING diameter inch depth (feet) from to					
DESCRIPTION (Use additional sheets if needed)		FEET FROM TO Silt, Tr. Mica 0 15 Dry. Brown. M. St. ff Weathered Rock (shale) siltstone 15 60 Rock, Siltstone 60 300 Hard Installed 1.25" U-bend closed loop geothermal					
NUMBER OF UNSUCCESSFUL WELLS: 0		C 2 1 2 DEPTH (nearest ft.) EACH CASING 8 9 11 15 17 21 23 24 26 30 32 36 38 39 41 45 47 51 SLOT SIZE 1 2 3 DIAMETER OF SCREEN 56 60 from to		PUMP INSTALLED DRILLER INSTALLED PUMP YES NO IF DRILLER INSTALLS PUMP, THIS SECTION MUST BE COMPLETED FOR ALL WELLS. TYPE OF PUMP INSTALLED PLACE (A,C,J,P,R,S,T,O) IN BOX 29. CAPACITY: GALLONS PER MINUTE (to nearest gallon) 31 35 PUMP HORSE POWER 37 41 PUMP COLUMN LENGTH (nearest ft.) 43 47 CASING HEIGHT (circle appropriate box and enter casing height) + above } LAND SURFACE - below } 3 (nearest foot) 49 50 51			
WELL HYDROFRACTURED yes no Y N							
CIRCLE APPROPRIATE LETTER A A WELL WAS ABANDONED AND SEALED WHEN THIS WELL WAS COMPLETED E ELECTRIC LOG OBTAINED P TEST WELL CONVERTED TO PRODUCTION WELL							
I HEREBY CERTIFY THAT THIS WELL HAS BEEN CONSTRUCTED IN ACCORDANCE WITH COMAR 26.04.04 "WELL CONSTRUCTION" AND IN CONFORMANCE WITH ALL CONDITIONS STATED IN THE ABOVE CAPTIONED PERMIT, AND THAT THE INFORMATION PRESENTED HEREIN IS ACCURATE AND COMPLETE TO THE BEST OF MY KNOWLEDGE.							
DRILLERS LIC. NO. M WD 572 DRILLERS SIGNATURE (MUST MATCH SIGNATURE ON APPLICATION) LIC. NO. JWD 391 SITE SUPERVISOR (sign. of driller or journeyman responsible for sitework if different from permittee)		GRAVEL PACK IF WELL DRILLED WAS FLOWING WELL INSERT F IN BOX 68 MDE USE ONLY (NOT TO BE FILLED IN BY DRILLER) T (E.R.O.S.) W Q 70 72 74 75 76 TELESCOPE CASING LOG INDICATOR OTHER DATA					
						LATITUDE 39.220632 LONGITUDE 77.001934 (DEFAULT COORD. WGS 84) NOTES: MAR 13 2013 HOWARD COUNTY HEALTH DEPT. BUREAU OF ENVIRONMENTAL HEALTH	

C 1 21686 <small>(THIS NUMBER IS TO BE PUNCHED IN COLS. 3-6 ON ALL CARDS)</small>	SEQUENCE NO. (MDE USE ONLY)	STATE OF MARYLAND WELL COMPLETION REPORT FILL IN THIS FORM COMPLETELY PLEASE TYPE	THIS REPORT MUST BE SUBMITTED WITHIN 45 DAYS AFTER WELL IS COMPLETED. COUNTY NUMBER																																																																																																				
ST/CO USE ONLY DATE Received MM DD YY 03 13 13	DATE WELL COMPLETED MM DD YY 02 20 13	Depth of Well 22 300 26 (TO NEAREST FOOT)	PERMIT NO. FROM "PERMIT TO DRILL WELL" 6/6/16 2476																																																																																																				
OWNER WELL SITE ADDRESS SUBDIVISION		TOWN SECTION LOT																																																																																																					
WELL LOG Not required for driven wells STATE THE KIND OF FORMATIONS PENETRATED, THEIR COLOR, DEPTH, THICKNESS AND IF WATER BEARING		GROUTING RECORD WELL HAS BEEN GROUTED (Circle Appropriate Box) TYPE OF GROUTING MATERIAL (Circle one) CEMENT CM BENTONITE CLAY BC NO. OF BAGS 16 NO. OF POUNDS 400 GALLONS OF WATER 400 DEPTH OF GROUT SEAL (to nearest foot) from 48 TOP 52 ft. to 54 BOTTOM 58 ft. (enter 0 if from surface)																																																																																																					
DESCRIPTION (Use additional sheets if needed) Silt, Tr. Mica Brown, Dry M. Stiff Weathered Rock (Shale) Silt Stone Rock, silt stone Hard Installed 1.25" U-bend closed Coop Geothermal		CASING RECORD casing types insert appropriate code below <table border="1" style="width:100%; text-align: center;"> <tr> <td>ST STEEL</td> <td>CO CONCRETE</td> </tr> <tr> <td>PL PLASTIC</td> <td>OT OTHER</td> </tr> </table> MAIN CASING TYPE Nominal diameter top (main) casing (nearest inch) Total depth of main casing (nearest foot)		ST STEEL	CO CONCRETE	PL PLASTIC	OT OTHER																																																																																																
ST STEEL	CO CONCRETE																																																																																																						
PL PLASTIC	OT OTHER																																																																																																						
FEET FROM TO 0 15 15 58 58 300		OTHER CASING (if used) diameter inch depth (feet) from to EACH CASING																																																																																																					
NUMBER OF UNSUCCESSFUL WELLS: 0		SCREEN RECORD screen type or open hole (insert appropriate code below) <table border="1" style="width:100%; text-align: center;"> <tr> <td>ST STEEL</td> <td>BR BRASS</td> <td>HO OPEN HOLE</td> </tr> <tr> <td>PL PLASTIC</td> <td>OT OTHER</td> <td></td> </tr> </table>		ST STEEL	BR BRASS	HO OPEN HOLE	PL PLASTIC	OT OTHER																																																																																															
ST STEEL	BR BRASS	HO OPEN HOLE																																																																																																					
PL PLASTIC	OT OTHER																																																																																																						
WELL HYDROFRACTURED YES Y NO N		C 2 DEPTH (nearest ft.) <table border="1" style="width:100%; text-align: center;"> <tr> <td>1</td><td>2</td><td>3</td><td>4</td><td>5</td><td>6</td><td>7</td><td>8</td><td>9</td><td>10</td><td>11</td><td>12</td><td>13</td><td>14</td><td>15</td><td>16</td><td>17</td><td>18</td><td>19</td><td>20</td><td>21</td><td>22</td><td>23</td><td>24</td><td>25</td><td>26</td><td>27</td><td>28</td><td>29</td><td>30</td><td>31</td><td>32</td><td>33</td><td>34</td><td>35</td><td>36</td><td>37</td><td>38</td><td>39</td><td>40</td><td>41</td><td>42</td><td>43</td><td>44</td><td>45</td><td>46</td><td>47</td><td>48</td><td>49</td><td>50</td><td>51</td><td>52</td><td>53</td><td>54</td><td>55</td><td>56</td><td>57</td><td>58</td><td>59</td><td>60</td><td>61</td><td>62</td><td>63</td><td>64</td><td>65</td><td>66</td><td>67</td><td>68</td><td>69</td><td>70</td><td>71</td><td>72</td><td>73</td><td>74</td><td>75</td><td>76</td><td>77</td><td>78</td><td>79</td><td>80</td><td>81</td><td>82</td><td>83</td><td>84</td><td>85</td><td>86</td><td>87</td><td>88</td><td>89</td><td>90</td><td>91</td><td>92</td><td>93</td><td>94</td><td>95</td><td>96</td><td>97</td><td>98</td><td>99</td><td>100</td> </tr> </table>		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100				
CIRCLE APPROPRIATE LETTER A A WELL WAS ABANDONED AND SEALED WHEN THIS WELL WAS COMPLETED E ELECTRIC LOG OBTAINED P TEST WELL CONVERTED TO PRODUCTION WELL		PUMPING TEST HOURS PUMPED (nearest hour) N/A PUMPING RATE (gal. per min.) N/A METHOD USED TO MEASURE PUMPING RATE N/A WATER LEVEL (distance from land surface) BEFORE PUMPING 200 ft. WHEN PUMPING N/A ft. TYPE OF PUMP USED (for test) A air P piston T turbine C centrifugal R rotary O other (describe below) J jet S submersible																																																																																																					
I HEREBY CERTIFY THAT THIS WELL HAS BEEN CONSTRUCTED IN ACCORDANCE WITH COMAR 26.04.04 "WELL CONSTRUCTION" AND IN CONFORMANCE WITH ALL CONDITIONS STATED IN THE ABOVE CAPTIONED PERMIT, AND THAT THE INFORMATION PRESENTED HEREIN IS ACCURATE AND COMPLETE TO THE BEST OF MY KNOWLEDGE.		PUMP INSTALLED DRILLER INSTALLED PUMP YES NO (CIRCLE) (YES or NO) IF DRILLER INSTALLS PUMP, THIS SECTION MUST BE COMPLETED FOR ALL WELLS. TYPE OF PUMP INSTALLED PLACE (A,C,J,P,R,S,T,O) IN BOX 29. CAPACITY: GALLONS PER MINUTE (to nearest gallon) 31 35 PUMP HORSE POWER 37 41 PUMP COLUMN LENGTH (nearest ft.) 43 47 CASING HEIGHT (circle appropriate box and enter casing height) + above - below LAND SURFACE 3 (nearest foot)																																																																																																					
DRILLERS LIC. NO. 1 MWD 572 DRILLERS SIGNATURE (MUST MATCH SIGNATURE ON APPLICATION) LIC. NO. 1 JWD 391		NOTES: MAR 13 2013 BUREAU OF ENVIRONMENTAL HEALTH																																																																																																					
SITE SUPERVISOR (sign. of driller or journeyman responsible for sitework if different from permittee)		MDE USE ONLY (NOT TO BE FILLED IN BY DRILLER) T (E.F.O.S.) W Q TELESCOPE CASING LOG INDICATOR OTHER DATA																																																																																																					

B 1 1 2 3 4 5 6 <u>18461</u>	SEQUENCE NO. (MDE USE ONLY)	STATE OF MARYLAND APPLICATION FOR PERMIT TO DRILL WELL please type <u>544510</u>	STATE PERMIT NUMBER <u>HO - 95 - 2476</u> <small>fill in this form completely</small>
Date Received (APA) <u>01/16/13</u> 8 MM DD YY 13 15 <u>Maghekar</u> Last Name Owner 34 <u>Abhay</u> First Name 36 <u>14027 Triadelphia Mill Rd.</u> Street or RFD 55 57 <u>Dayton</u> Town 70 <u>Md.</u> State 72 <u>21036</u> Zip 76		B 3 LOCATION OF WELL 8 <u>Howard</u> COUNTY 21 23 <u>Karinwood</u> SUBDIVISION 42 SECTION <u>44</u> LOT <u>4</u> 46 48 50 52 <u>Dayton</u> NEAREST TOWN 71	
DRILLER INFORMATION 8 <u>Sam Connelly</u> Driller's Name 76 <u>MWD 572</u> License No. 81 9 <u>Connelly and Associates</u> Firm Name 10 11 <u>260 Interstate Ct. Frederick, Md. 21704</u> Address 12 13 <u>Samuel A. Connelly</u> Signature 14 <u>1/16/13</u> Date		B 4 SOURCES OF DRILLING WATER 1. <u>private</u> 2. 3. (14027) Triadelphia Mill Rd. 11 STREET ADDRESS 30 ON WHICH SIDE OF ROAD (CIRCLE APPROPRIATE BOX) NORTH WEST <input checked="" type="checkbox"/> EAST SOUTH 120' 34' 37' DISTANCE FROM ROAD ENTER FT OR MI 38 39 TAX MAP: <u>0027</u> BLK: <u>24</u> PARCEL <u>0076</u>	
B 2 WELL INFORMATION 1 APPROX. PUMPING RATE 2 (GAL. PER MIN.) 8 <u>N/A</u> 12 AVERAGE DAILY QUANTITY NEEDED (GAL. PER DAY) 14 <u>N/A</u> 20		NOT TO BE FILLED IN BY DRILLER HEALTH DEPARTMENT APPROVAL <u>Howard</u> COUNTY NAME COUNTY NO. <u>(13) P42311</u> STATE SIGNATURE DATE ISSUED <u>1/30/2013</u> 43 MM DD YY 48 CO SIGNATURE <u>Brian Baker</u> EXP/DATE <u>1/30/2014</u> 41	
USE FOR WATER (CIRCLE APPROPRIATE BOX) 22 <input type="checkbox"/> DOMESTIC POTABLE SUPPLY & RESIDENTIAL IRRIGATION <input type="checkbox"/> FARMING (LIVESTOCK WATERING & AGRICULTURAL IRRIGATION) <input type="checkbox"/> INDUSTRIAL, COMMERCIAL, DEWATERING <input type="checkbox"/> PUBLIC WATER SUPPLY WELL <input type="checkbox"/> TEST, OBSERVATION, MONITORING <input type="checkbox"/> OPEN LOOP GEOTHERMAL <input checked="" type="checkbox"/> CLOSED LOOP GEOTHERMAL		APPROXIMATE DEPTH OF WELL <u>300</u> FEET 24 28 APPROXIMATE DIAMETER OF WELL <u>6</u> INCH NEAREST INCH	
METHOD OF DRILLING (circle one) 30 BORED (or Augered) <u>JETTED</u> Jetted & DRIVEN 37 AIR-ROTary <u>AIR-PERCussion</u> ROTARY (Hydraulic Rotary) CABLE REVERSE-ROTary DRIVE-POINT other		PROPOSED LOCATION OF WELL ON LOT SHOW PERMANENT STRUCTURES SUCH AS BUILDINGS, SEPTIC SYSTEM, ROADS AND/OR LANDMARKS AND INDICATE NOT LESS THAN TWO DISTANCE MEASUREMENTS TO WELL 	
REPLACEMENT OR DEEPEMED WELLS (CIRCLE APPROPRIATE BOX) 39 <input checked="" type="checkbox"/> THIS WELL WILL NOT REPLACE AN EXISTING WELL <input type="checkbox"/> THIS WELL WILL REPLACE A WELL THAT WILL BE ABANDONED AND SEALED <input type="checkbox"/> THIS WELL WILL REPLACE A WELL THAT WILL BE USED AS A STANDBY-CONTACT LOCAL APPROVING AUTHORITY FOR POLICY ON STANDBY WELLS <input type="checkbox"/> THIS WELL WILL DEEPMEN AN EXISTING WELL PERMIT NUMBER OF WELL TO BE REPLACED OR DEEPEMED (IF AVAILABLE) 41 _____ 52		Not to be filled in by driller (MDE OR COUNTY USE ONLY) APPROP. PERMIT NUMBER _____ <u>G</u> _____ PERMIT No. <u>HO - 95 - 2476</u> 70 71 72 73 74 75 76 77 78 79	
SPECIAL CONDITIONS NOTE APPROVING AUTHORITIES SHOULD USE SEPARATE SHEET IF NEEDED <u>Core + Borehole Completely From Bottom Upwards</u> <u>With Tremie Pipe</u>			

THIS DOCUMENT CERTIFIED TO:



CASE #: HF-12-1207



REDFIN


Russell Chandler
russell.chandler@redfin.com
(240) 988-7609



TRIADELPHIA MILL ROAD

S32°08'00"E
177.63

1/30/2013
Borough
Locations
O.K.
(BB)



LOCATION DRAWING OF:
#14027 TRIADELPHIA MILL ROAD
LOT 4
MAP OF
KARINWOOD
PLAT BOOK 9, PAGE 72
HOWARD COUNTY, MARYLAND

LEGEND:

-X- - FENCE
B/E - BASEMENT ENTRANCE
B/W - BAY WINDOW
BR - BRICK
BRL - BLDG. RESTRICTION LINE
BSMT - BASEMENT
C/S - CONCRETE STOOP
CONC - CONCRETE
D/W - DRIVEWAY
FR - FRAME
MAC - MACADAM
O/H - OVERHANG
PUE - PUBLIC UTILITY ESM'T.

COLOR KEY:

A Land Surveying Company

DULEY
and
Associates, Inc.



Serving D.C. and MD.
14604 Elm Street, Upper Marlboro, MD 20772