

C1 6032 SEQUENCE NO. (OEP USE ONLY)  
1 2 3 6  
(THIS NUMBER IS TO BE PUNCHED  
IN COLS. 3-6 ON ALL CARDS)

STATE OF MARYLAND  
WELL COMPLETION REPORT  
FILL IN THIS FORM COMPLETELY  
PLEASE PRINT OR TYPE

THIS REPORT MUST BE SUBMITTED WITHIN  
45 DAYS AFTER WELL IS COMPLETED.  
COUNTY  
NUMBER A-24589

DATE Received        
DATE WELL COMPLETED 092887  
Depth of Well 22 125 26  
(TO NEAREST FOOT)  
PERMIT NO.  
FROM "PERMIT TO DRILL WELL"  
10-81-2228  
OWNER SWIFT WAYNE  
STREET OR RFD UNDERWOOD RD / OLD FREDERICK RD TOWN SLACKSCORNER  
SUBDIVISION ANNANDALE SECTION 1 LOT 1

WELL LOG  
Not required for driven wells  
STATE THE KIND OF FORMATIONS  
PENETRATED, THEIR COLOR, DEPTH,  
THICKNESS AND IF WATER BEARING  
DESCRIPTION (Use additional sheets if needed) FEET  
FROM TO Check if water bearing  
Brown shale 0 20  
Gray granite 20 125

GROUTING RECORD  
WELL HAS BEEN GROUTED (Circle Appropriate Box) YES Y NO N  
TYPE OF GROUTING MATERIAL  
CEMENT CM BENTONITE CLAY BC  
NO. OF BAGS 6 NO. OF POUNDS 36  
GALLONS OF WATER 36  
DEPTH OF GROUT SEAL (to nearest foot)  
from 48 TOP 52 ft. to 54 BOTTOM 58 ft.  
(enter 0 if from surface)

CASING RECORD  
casing types insert appropriate code below  
ST CO STEEL CONCRETE  
PL OT PLASTIC OTHER  
MAIN CASING TYPE Nominal diameter top (main) casing (nearest inch) Total depth of main casing (nearest foot)  
57 63 64 25 70

OTHER CASING (if used)  
EACH CASING diameter inch depth (feet) from to  
inches feet

SCREEN RECORD  
screen type or open hole insert appropriate code below  
ST BR HO STEEL BRASS OPEN HOLE  
PL PL PLASTIC OTHER

C2  
DEPTH (nearest ft.)  
EACH SCREEN 1 2 3  
1 10 23 125  
2 23 24 26 30 32 36  
3 38 39 41 45 47 51  
SLOT SIZE 1 2 3  
DIAMETER OF SCREEN 56 60 (NEAREST INCH)  
from to

GRAVEL PACK  
IF WELL DRILLED WAS FLOWING WELL INSERT F IN BOX 68

OEP USE ONLY (NOT TO BE FILLED IN BY DRILLER)  
T (E.R.O.S.) WQ  
70 72 74 75 76  
TELESCOPE CASING LOG INDICATOR OTHER DATA

C3  
PUMPING TEST  
HOURS PUMPED (nearest hour) 3  
PUMPING RATE (gal. per min. to nearest gal.) 12  
METHOD USED TO MEASURE PUMPING RATE bucket  
WATER LEVEL (distance from land surface)  
BEFORE PUMPING 44  
WHEN PUMPING 44  
TYPE OF PUMP USED (for test)  
A air P piston T turbine  
C centrifugal R rotary O other (describe below)  
J jet S submersible

PUMP INSTALLED  
DRILLER WILL INSTALL PUMP YES NO  
(CIRCLE) (YES OR NO)  
IF DRILLER INSTALLS PUMP, THIS SECTION MUST BE COMPLETED FOR ALL WELLS EXCEPT HOME USE  
TYPE OF PUMP INSTALLED PLACE (A,C,J,P,R,S,T,O) IN BOX-SEE ABOVE: 29  
CAPACITY: GALLONS PER MINUTE (to nearest gallon) 31 35  
PUMP HORSE POWER 37 41  
PUMP COLUMN LENGTH (nearest ft.) 43 47  
CASING HEIGHT (circle appropriate box and enter casing height)  
+ above } LAND SURFACE 2 (nearest foot)  
- below }

LOCATION OF WELL ON LOT  
SHOW PERMANENT STRUCTURE SUCH AS BUILDING, SEPTIC TANKS, AND/OR LANDMARKS AND INDICATE NOT LESS THAN TWO DISTANCES (MEASUREMENTS TO WELL)  
OLD FREDERICK RD.  
40' 65'

CIRCLE APPROPRIATE LETTER  
A A WELL WAS ABANDONED AND SEALED WHEN THIS WELL WAS COMPLETED  
E ELECTRIC LOG OBTAINED  
P TEST WELL CONVERTED TO PRODUCTION WELL  
I HEREBY CERTIFY THAT THIS WELL HAS BEEN CONSTRUCTED IN ACCORDANCE WITH COMAR 10.17.13 "WELL CONSTRUCTION" AND IN CONFORMANCE WITH ALL CONDITIONS STATED IN THE ABOVE CAPTIONED PERMIT, AND THAT THE INFORMATION PRESENTED HEREIN IS ACCURATE AND COMPLETE TO THE BEST OF MY KNOWLEDGE.  
DRILLERS IDENT. NO. 238  
DRILLERS SIGNATURE Joseph P. Mayne  
SITE SUPERVISOR (sign. of driller or journeyman responsible for sitework if different from permittee)