

9/8/65

PERMIT

P 10690

SEWAGE DISPOSAL SYSTEM

A 09959

MARYLAND STATE DEPARTMENT OF HEALTH

HOWARD COUNTY

ELLICOTT CITY

INDEXED

DISTRICT 5

DATE 8/4/65

Frank Robbins IS PERMITTED TO INSTALL ALTER

ADDRESS 112 Hunting Lane, Simpsonville, Md. PHONE AT 6-2534

A SEWAGE DISPOSAL SYSTEM LOCATED AT _____

SUBDIVISION Holiday Hills ROAD Vista Rd. LOT 79, Sec. 6

PROPERTY OWNER same as above

ADDRESS _____

SPECIFICATIONS - 4 bedrooms

DRAIN FIELD _____ DEPTH _____ FEET, BOTTOM AREA _____ SQ. FT.

SEEPAGE PITS _____ ABSORBENT SIDE-WALL AREA _____ SQ. FT.

SEPTIC TANK CAPACITY 1000 GALLONS

FOR GARBAGE GRINDER, INCREASE DISPOSAL AREA 22% & TANK CAPACITY 50%.

OTHER Dry well 12 ft. in dia. by 12 ft. deep below the inlet located 12 ft. off the front property line and 12 ft. off the right side property line as determined when facing the lot from Vista Rd.

PLANS APPROVED BY J. Hennigan DATE 4/20/65

FILL SEPTIC TANK AND DISTRIBUTION BOX WITH WATER BEFORE CALLING FOR AN INSPECTION. COVER NO WORK UNTIL INSPECTED AND APPROVED.

NEITHER THE HOWARD COUNTY COMMISSIONERS NOR THE HEALTH DEPARTMENT IS RESPONSIBLE FOR THE SUCCESSFUL OPERATION OF ANY SYSTEM.

A 09959

