


SOILS LEGEND			
SYMBOL	NAME / DESCRIPTION	GROUP	'K' FACTOR
GbC	GLADSTONE LOAM, 8 TO 15 PERCENT SLOPES	A	0.28
GmC	GLENVILLE SILT LOAM, 8 TO 15 PERCENT SLOPES	C	0.43
GmB	GLENVILLE SILT LOAM, 3 TO 8 PERCENT SLOPES	C/D	0.37
GbB	GLADSTONE LOAM, 3 TO 8 PERCENT SLOPES	A	0.28

NOTES:
 1) SOIL INFORMATION HAS BEEN TAKEN FROM THE UNITED STATES DEPARTMENT OF AGRICULTURE; NATURAL RESOURCES CONSERVATION SERVICE; WEB SOIL SURVEY.
 2) HIGHLY ERODIBLE SOILS ARE THOSE SOILS WITH A SLOPE GREATER THAN 15 PERCENT OR THOSE SOILS WITH A SOIL ERODIBILITY FACTOR 'K' GREATER THAN 0.35 AND WITH A SLOPE GREATER THAN 5 PERCENT.

LEGEND

- EXISTING CONTOUR(GIS)
- EXISTING CONTOUR(FIELD RUN)
- EXISTING TREELINE
- SOIL BOUNDARY
- EXISTING ELECTRIC MARKING
- PERCOLATION TEST HOLE: PASSED 2022
- PERCOLATION TEST HOLE: PASSED 1988
- FUTURE WELL LOCATION
- PROPOSED SEWAGE DISPOSAL AREA
- 25% OR GREATER STEEP SLOPES




VICINITY MAP
SCALE: 1"=200'

GENERAL NOTES

- SUBJECT PROPERTY ZONED RR-DEO PER 10/06/2013 COMPREHENSIVE ZONING PLAN.
- TOTAL AREA OF PROPERTY = 3.54 AC.±
- DEED REFERENCE: LIBER 3743 FOLIO 00571.
- PLAT REFERENCE: PLAT # 8787.
- PROPERTY ADDRESS: 11813 CHAPEL WOODS COURT, CLARKSVILLE MD 21029
- PRIVATE WATER AND PRIVATE SEWER WILL BE USED WITHIN THIS SITE.
- THE BOUNDARY SHOWN HERE ON IS BASED ON A BOUNDARY SURVEY PERFORMED BY SEG LAND SURVEYING IN NOVEMBER OF 2021.
- THE TOPOGRAPHY SHOWN WITHIN THE DEVELOPMENT AREA IS BASED ON A TOPOGRAPHIC SURVEY PERFORMED BY SEG LAND SURVEYING IN AUGUST OF 2022. TOPOGRAPHY OUTSIDE OF THE AREA OF DEVELOPMENT IS BASED ON HOWARD COUNTY GIS FLOWN IN 2018.
- ZZZZ THIS AREA DESIGNATES A PRIVATE SEWAGE AREA OF AT LEAST 10,000 SQUARE FEET, AS REQUIRED BY THE MARYLAND STATE DEPARTMENT OF THE ENVIRONMENT FOR INDIVIDUAL SEWAGE DISPOSAL (COMAR 26.04.03). IMPROVEMENTS OF ANY NATURE IN THIS AREA ARE RESTRICTED UNTIL PUBLIC SEWERAGE IS AVAILABLE. THIS AREA SHALL BECOME NULL AND VOID UPON CONNECTION TO A PUBLIC SEWERAGE SYSTEM. THE COUNTY HEALTH OFFICER SHALL HAVE THE AUTHORITY TO GRANT ADJUSTMENTS TO THE PRIVATE SEWAGE AREA. RECORDATION OF A MODIFIED SEWAGE AREA SHALL NOT BE NECESSARY.
- THE LOT SHOWN HEREON COMPLIES WITH THE MINIMUM OWNERSHIP, WIDTH AND LOT AREA AS REQUIRED BY THE MARYLAND DEPARTMENT OF THE ENVIRONMENT.
- ALL EXISTING WELLS, SEPTIC SYSTEMS AND SEWAGE DISPOSAL AREA WITHIN 100 FEET OF THE PROPERTY BOUNDARIES AND ALL EXISTING AND PROPOSED WELLS THAT ARE LOCATED WITHIN 200 FEET DOWN GRADIENT OF EXISTING OR PROPOSED SEPTIC SYSTEMS AND SEWAGE DISPOSAL AREA HAVE BEEN LOCATED.
- ANY CHANGES TO THE PRIVATE SEWAGE EASEMENT SHALL REQUIRE A REVISED PERCOLATION CERTIFICATION PLAN.
- A BUILDING PERMIT WILL NOT BE ISSUED UNTIL THIS PERCOLATION CERTIFICATION IS APPROVED AND THAT THE OSDS PLAN IS RECEIVED, REVIEWED AND APPROVED.
- SECTION 105.0.E.3.a OF THE HOWARD COUNTY ZONING REGULATIONS REQUIRE A MINIMUM FRONT BUILDING RESTRICTION LINE OF 75'. AN ADMINISTRATIVE ADJUSTMENT TO THE BULK REGULATIONS WILL BE REQUIRED TO BE REVIEWED AND APPROVED BY HOWARD COUNTY DEPARTMENT OF PLANNING AND ZONING TO ALLOW A REDUCTION OF THE MINIMUM LOT WITH TO 164' WITH A 132' FRONT BUILDING RESTRICTION LINE.
- THE PURPOSE OF THIS PERCOLATION CERTIFICATION PLAN IS TO ESTABLISH A SEWAGE DISPOSAL AREA AND REPLACEMENT WELL LOCATIONS FOR PARCEL 36 LOT 2.
- There is a signed mylar plat from 12/14/23 that establishes the Forest Conservation Easement for this property (F-24-024; Mallan Property).

NOTE: * PLEASE SEE GENERAL NOTE #14



OWNER/DEVELOPER
 ALHAD & KAREN CHANDE
 11101 DORSCH FARM ROAD
 ELLICOTT CITY, MARYLAND 21042


PERCOLATION CERTIFICATION PLAN

CHANDE PROPERTY

11813 CHAPEL WOODS COURT
 LOT 2 MALLAN'S PROPERTY

TAX MAP 29 GRID 13 5TH ELECTION DISTRICT PARCEL 36 LOT 2 HOWARD COUNTY, MARYLAND

		DESIGN BY: PS
	16005 Frederick Road, 2nd Floor Woodbine, Maryland 21797 Phone: 443.325.5076 Fax: 410.696.2022 Email: info@sillengineering.com Civil Engineering for Land Development	DRAWN BY: ZS
		CHECKED BY: PS
		SCALE: AS SHOWN
		DATE: JANUARY 24, 2022
		PROJECT #: 20-067
		SHEET #: 1 of 1



APPROVED: FOR PRIVATE WATER AND PRIVATE SEWAGE SYSTEMS IN ACCORDANCE WITH THE MASTER PLAN OF HOWARD COUNTY COUNTY HEALTH OFFICER HOWARD COUNTY HEALTH DEPARTMENT	I CERTIFY THAT THE INFORMATION SHOWN HEREON IS BASED ON FIELD WORK PERFORMED BY ME OR UNDER MY DIRECT SUPERVISION, AND IS CORRECT, TO THE BEST OF MY KNOWLEDGE AND BELIEF. PAUL M. SILL, PE, LEED AP LICENSED PROFESSIONAL ENGINEER #32025 DATE: 1/24/23
--	---

PROFESSIONAL CERTIFICATION: I HEREBY CERTIFY THAT THESE DOCUMENTS WERE PREPARED OR APPROVED BY ME, AND THAT I AM A DULY LICENSED PROFESSIONAL ENGINEER UNDER THE LAWS OF THE STATE OF MARYLAND, LICENSE NO. 32025, EXPIRATION DATE JUNE 30, 2025.

SOILS LEGEND			
SYMBOL	NAME / DESCRIPTION	GROUP	'K' FACTOR
GbC	GLENELG LOAM, 0 TO 3 PERCENT SLOPES	A	0.28
GmC	GLENELG LOAM, 3 TO 8 PERCENT SLOPES	C	0.43
GmB	GLENELG LOAM, 3 TO 8 PERCENT SLOPES	C/D	0.37
GbB	GLENELG LOAM, 3 TO 8 PERCENT SLOPES	A	0.28

NOTES
 1) SOIL INFORMATION HAS BEEN TAKEN FROM THE UNITED STATES DEPARTMENT OF AGRICULTURE; NATURAL RESOURCES CONSERVATION SERVICE; WEB SOIL SURVEY
 2) HIGHLY ERODIBLE SOILS ARE THOSE SOILS WITH A SLOPE GREATER THAN 15 PERCENT OR THOSE SOILS WITH A SOIL 'ERODIBILITY FACTOR' 'K' GREATER THAN 0.35 AND WITH A SLOPE GREATER THAN 5 PERCENT.

LEGEND

EXISTING CONTOUR (GIS) 352

EXISTING CONTOUR (FIELD RUN) 382

EXISTING TREELINE

SOIL BOUNDARY


EXISTING ELECTRIC MARKING

PERCOLATION TEST HOLE: PASSED 2022


PERCOLATION TEST HOLE: PASSED 1988

FUTURE WELL LOCATION

PROPOSED SEWAGE DISPOSAL AREA



- GENERAL NOTES**
- SUBJECT PROPERTY ZONED RR-DEO PER 10/06/2013 COMPREHENSIVE ZONING PLAN.
 - TOTAL AREA OF PROPERTY = 3.54 AC ±
 - DEED REFERENCE: LIBER 3743 FOLIO 00571.
 - PLAT REFERENCE: PLAT # 8787
 - PROPERTY ADDRESS: 11813 CHAPEL WOODS COURT, CLARKSVILLE MD 21029
 - PRIVATE WATER AND PRIVATE SEWER WILL BE USED WITHIN THIS SITE
 - THE BOUNDARY SHOWN HERE ON IS BASED ON A BOUNDARY SURVEY PERFORMED BY SEG LAND SURVEYING IN NOVEMBER OF 2021
 - THE TOPOGRAPHY SHOWN WITHIN THE DEVELOPMENT AREA IS BASED ON A TOPOGRAPHIC SURVEY PERFORMED BY SEG LAND SURVEYING IN AUGUST OF 2022. TOPOGRAPHY OUTSIDE OF THE AREA OF DEVELOPMENT IS BASED ON HOWARD COUNTY GIS FLOWN IN 2018.
 - THIS AREA DESIGNATES A PRIVATE SEWAGE AREA OF AT LEAST 10,000 SQUARE FEET, AS REQUIRED BY THE MARYLAND STATE DEPARTMENT OF THE ENVIRONMENT FOR INDIVIDUAL SEWAGE DISPOSAL (COMAR 26.04.03). IMPROVEMENTS OF ANY NATURE IN THIS AREA ARE RESTRICTED UNTIL PUBLIC SEWERAGE IS AVAILABLE. THIS AREA SHALL BECOME NULL AND VOID UPON CONNECTION TO A PUBLIC SEWERAGE SYSTEM. THE COUNTY HEALTH OFFICER SHALL HAVE THE AUTHORITY TO GRANT ADJUSTMENTS TO THE PRIVATE SEWAGE AREA. RECORDATION OF A MODIFIED SEWAGE AREA SHALL NOT BE NECESSARY.
 - THE LOT SHOWN HEREON COMPLIES WITH THE MINIMUM OWNERSHIP, WIDTH AND LOT AREA AS REQUIRED BY THE MARYLAND STATE DEPARTMENT OF THE ENVIRONMENT.
 - ALL EXISTING WELLS, SEPTIC SYSTEMS AND SEWAGE DISPOSAL AREA WITHIN 100 FEET OF THE PROPERTY BOUNDARIES AND ALL EXISTING AND PROPOSED WELLS THAT ARE LOCATED WITHIN 200 FEET DOWN GRADIENT OF EXISTING OR PROPOSED SEPTIC SYSTEMS AND SEWAGE DISPOSAL AREA HAVE BEEN LOCATED.
 - ANY CHANGES TO THE PRIVATE SEWAGE EASEMENT SHALL REQUIRE A REVISED PERCOLATION CERTIFICATION PLAN.
 - SECTION 105.0.E.3.a OF THE HOWARD COUNTY ZONING REGULATIONS REQUIRE A MINIMUM LOT WIDTH OF 200' AT THE FRONT BUILDING RESTRICTION LINE. SECTION 105.0.E.4.a.(2) REQUIRES A MINIMUM FRONT BUILDING RESTRICTION LINE OF 75'. AN ADMINISTRATIVE ADJUSTMENT TO THE BULK REGULATIONS WILL BE REQUIRED TO BE REVIEWED AND APPROVED BY HOWARD COUNTY DEPARTMENT OF PLANNING AND ZONING TO ALLOW A REDUCTION OF THE MINIMUM LOT WITH TO 164' WITH A 133' FRONT BUILDING RESTRICTION LINE.
 - THE PURPOSE OF THIS PERCOLATION CERTIFICATION PLAN IS TO ESTABLISH A SEWAGE DISPOSAL AREA AND REPLACEMENT WELL LOCATIONS FOR PARCEL 36 LOT 2.



OWNER/DEVELOPER
 ALHAD & KAREN CHANDE
 11101 DORSCH FARM ROAD
 ELLICOTT CITY, MARYLAND 21042

PERCOLATION CERTIFICATION PLAN
CHANDE PROPERTY
 11813 CHAPEL WOODS COURT
 LOT 2 MALLAN'S PROPERTY
 TAX MAP 29 GRID 13
 5TH ELECTION DISTRICT
 PARCEL 36 LOT 2
 HOWARD COUNTY, MARYLAND

SILL ENGINEERING GROUP, LLC
 16005 Frederick Road, 2nd Floor
 Woodbine, Maryland 21797
 Phone: 410.325.5076
 Fax: 410.696.2022
 Email: info@sillengineering.com
 Civil Engineering for Land Development


DESIGN BY: PS
 DRAWN BY: ZS
 CHECKED BY: PS
 SCALE: AS SHOWN
 DATE: OCTOBER 26, 2022
 PROJECT #: 20-067
 SHEET #: 1 of 1

APPROVED: FOR PRIVATE WATER AND PRIVATE SEWAGE SYSTEMS IN ACCORDANCE WITH THE MASTER PLAN OF HOWARD COUNTY

COUNTY HEALTH OFFICER
 HOWARD COUNTY HEALTH DEPARTMENT

I CERTIFY THAT THE INFORMATION SHOWN HEREON IS BASED ON FIELD WORK PERFORMED BY ME OR UNDER MY DIRECT SUPERVISION AND IS CORRECT, TO THE BEST OF MY KNOWLEDGE AND BELIEF.

PAUL M. SILL, PE, LEED AP
 LICENSED PROFESSIONAL ENGINEER #32025
 DATE: 10/26/22




PROFESSIONAL CERTIFICATION: I HEREBY CERTIFY THAT THESE DOCUMENTS WERE PREPARED OR APPROVED BY ME, AND THAT I AM A DULY LICENSED PROFESSIONAL ENGINEER UNDER THE LAWS OF THE STATE OF MARYLAND, LICENSE NO. 32025, EXPIRATION DATE, JUNE 20, 2023.

SOILS LEGEND			
SYMBOL	NAME / DESCRIPTION	GROUP	'K' FACTOR
GbC	GLADSTONE LOAM, 8 TO 15 PERCENT SLOPES	A	0.28
GmC	GLENVILLE SILT LOAM, 8 TO 15 PERCENT SLOPES	C	0.43
GmB	GLENVILLE SILT LOAM, 3 TO 8 PERCENT SLOPES	C/D	0.37
GbB	GLADSTONE LOAM, 3 TO 8 PERCENT SLOPES	A	0.28

NOTES:
 1) SOIL INFORMATION HAS BEEN TAKEN FROM THE UNITED STATES DEPARTMENT OF AGRICULTURE; NATURAL RESOURCES CONSERVATION SERVICE; WEB SOIL SURVEY.
 2) HIGHLY ERODIBLE SOILS ARE THOSE SOILS WITH A SLOPE GREATER THAN 15 PERCENT OR THOSE SOILS WITH A SOIL ERODIBILITY FACTOR 'K' GREATER THAN 0.35 AND WITH A SLOPE GREATER THAN 5 PERCENT.

LEGEND


- EXISTING CONTOUR(GIS)
- EXISTING CONTOUR(FIELD RUN)
- EXISTING TREELINE
- SOIL BOUNDARY
- EXISTING ELECTRIC MARKING
- PERCOLATION TEST HOLE: PASSED 2022
- PERCOLATION TEST HOLE: PASSED 1988
- FUTURE WELL LOCATION
- PROPOSED SEWAGE DISPOSAL AREA
- 25% OR GREATER STEEP SLOPES



VICINITY MAP
SCALE: 1"=2000'

GENERAL NOTES

1. SUBJECT PROPERTY ZONED RR-DEO PER 10/06/2013 COMPREHENSIVE ZONING PLAN.
2. TOTAL AREA OF PROPERTY = 3.54 AC±.
3. DEED REFERENCE: LIBER 3743 FOLIO 00571.
4. PLAT REFERENCE: PLAT # 8787
5. PROPERTY ADDRESS: 11813 CHAPEL WOODS COURT, CLARKSVILLE MD 21029
6. PRIVATE WATER AND PRIVATE SEWER WILL BE USED WITHIN THIS SITE.
7. THE BOUNDARY SHOWN HERE ON IS BASED ON A BOUNDARY SURVEY PERFORMED BY SEG LAND SURVEYING IN NOVEMBER OF 2021.
8. THE TOPOGRAPHY SHOWN WITHIN THE DEVELOPMENT AREA IS BASED ON A TOPOGRAPHIC SURVEY PERFORMED BY SEG LAND SURVEYING IN AUGUST OF 2022. TOPOGRAPHY OUTSIDE OF THE AREA OF DEVELOPMENT IS BASED ON HOWARD COUNTY GIS FLOW IN 2018.
9. THIS AREA DESIGNATES A PRIVATE SEWAGE AREA OF AT LEAST 10,000 SQUARE FEET, AS REQUIRED BY THE MARYLAND STATE DEPARTMENT OF THE ENVIRONMENT FOR INDIVIDUAL SEWAGE DISPOSAL (COMAR 26.04.03). IMPROVEMENTS OF ANY NATURE IN THIS AREA ARE RESTRICTED UNTIL PUBLIC SEWERAGE IS AVAILABLE. THIS AREA SHALL BECOME NULL AND VOID UPON CONNECTION TO A PUBLIC SEWERAGE SYSTEM. THE COUNTY HEALTH OFFICER SHALL HAVE THE AUTHORITY TO GRANT ADJUSTMENTS TO THE PRIVATE SEWAGE AREA. RECORDATION OF A MODIFIED SEWAGE AREA SHALL NOT BE NECESSARY.
10. THE LOT SHOWN HEREON COMPLIES WITH THE MINIMUM OWNERSHIP, WIDTH AND LOT AREA AS REQUIRED BY THE MARYLAND DEPARTMENT OF THE ENVIRONMENT.
11. ALL EXISTING WELLS, SEPTIC SYSTEMS AND SEWAGE DISPOSAL AREA WITHIN 100 FEET OF THE PROPERTY BOUNDARIES AND ALL EXISTING AND PROPOSED WELLS THAT ARE LOCATED WITHIN 200 FEET DOWN-GRADE OF EXISTING OR PROPOSED SEPTIC SYSTEMS AND SEWAGE DISPOSAL AREA HAVE BEEN LOCATED.
12. ANY CHANGES TO THE PRIVATE SEWAGE EASEMENT SHALL REQUIRE A REVISED PERCOLATION CERTIFICATION PLAN.
13. A BUILDING PERMIT WILL NOT BE ISSUED UNTIL THIS PERCOLATION CERTIFICATION IS APPROVED AND THAT THE OSDS PLAN IS RECEIVED, REVIEWED AND APPROVED.
14. SECTION 105.0.E.3.a OF THE HOWARD COUNTY ZONING REGULATIONS REQUIRE A MINIMUM LOT WIDTH OF 200' AT THE FRONT BUILDING RESTRICTION LINE. SECTION 105.0.E.4.a.(2) REQUIRES A MINIMUM FRONT BUILDING RESTRICTION LINE OF 75'. AN ADMINISTRATIVE ADJUSTMENT TO THE BULK REGULATIONS WILL BE REQUIRED TO BE REVIEWED AND APPROVED BY HOWARD COUNTY DEPARTMENT OF PLANNING AND ZONING TO ALLOW A REDUCTION OF THE MINIMUM LOT WITH TO 164' WITH A 132' FRONT BUILDING RESTRICTION LINE.
15. THE PURPOSE OF THIS PERCOLATION CERTIFICATION PLAN IS TO ESTABLISH A SEWAGE DISPOSAL AREA AND REPLACEMENT WELL LOCATIONS FOR PARCEL 36 LOT 2.
16. There is a signed mylar plat from 12/14/23 that establishes the Forest Conservation Easement for this property (F-24-024; Mallan Property).



PLAN VIEW
SCALE: 1"=50'

OWNER/DEVELOPER
 ALHAD & KAREN CHANDE
 11101 DORSCH FARM ROAD
 ELLICOTT CITY, MARYLAND 21042

PERCOLATION CERTIFICATION PLAN

CHANDE PROPERTY


11813 CHAPEL WOODS COURT
 LOT 2 MALLAN'S PROPERTY

TAX MAP 29 GRID 13 PARCEL 36 LOT 2
 5TH ELECTION DISTRICT HOWARD COUNTY, MARYLAND



SILL ENGINEERING GROUP, LLC
 16005 Frederick Road, 2nd Floor
 Woodbine, Maryland 21797
 Phone: 443.325.5076
 Fax: 410.696.2022
 Email: info@sillengineering.com
 Civil Engineering for Land Development

DESIGN BY: PS
 DRAWN BY: ZS
 CHECKED BY: PS
 SCALE: AS SHOWN
 DATE: JANUARY 24, 2022
 PROJECT #: 20-067
 SHEET #: 1 of 1



APPROVED: FOR PRIVATE WATER AND PRIVATE SEWAGE SYSTEMS IN ACCORDANCE WITH THE MASTER PLAN OF HOWARD COUNTY

 COUNTY HEALTH OFFICER
 HOWARD COUNTY HEALTH DEPARTMENT 96
 3/8/23

I CERTIFY THAT THE INFORMATION SHOWN HEREON IS BASED ON FIELD WORK PERFORMED BY ME OR UNDER MY DIRECT SUPERVISION, AND IS CORRECT, TO THE BEST OF MY KNOWLEDGE AND BELIEF.

 PAUL M. SILL, PE, LEED AP
 LICENSED PROFESSIONAL ENGINEER #32025
 DATE: 1/24/23


PROFESSIONAL CERTIFICATION: I HEREBY CERTIFY THAT THESE DOCUMENTS WERE PREPARED OR APPROVED BY ME, AND THAT I AM A DULY LICENSED PROFESSIONAL ENGINEER UNDER THE LAWS OF THE STATE OF MARYLAND, LICENSE NO. 82025, EXPIRATION DATE: JUNE 20, 2028.

SOILS LEGEND			
SYMBOL	NAME / DESCRIPTION	GROUP	'K' FACTOR
GDC	GLADSTONE LOAM, 8 TO 15 PERCENT SLOPES	A	0.28
GmC	GLENVILLE SILT LOAM, 8 TO 15 PERCENT SLOPES	C	0.43
GmB	GLENVILLE SILT LOAM, 3 TO 8 PERCENT SLOPES	C/D	0.37
GbB	GLADSTONE LOAM, 3 TO 8 PERCENT SLOPES	A	0.28

NOTES
 1) SOIL INFORMATION HAS BEEN TAKEN FROM THE UNITED STATES DEPARTMENT OF AGRICULTURE, NATURAL RESOURCES CONSERVATION SERVICE, WEB SOIL SURVEY.
 2) HIGHLY FRODIBLE SOILS ARE THOSE SOILS WITH A SLOPE GREATER THAN 15 PERCENT OR THOSE SOILS WITH A SOIL FRODIBILITY FACTOR 'K' GREATER THAN 0.35 AND WITH A SLOPE GREATER THAN 5 PERCENT.

LEGEND


- EXISTING CONTOUR(GIS)
- EXISTING CONTOUR(FIELD RUN)
- EXISTING TREELINE
- SOIL BOUNDARY
- EXISTING ELECTRIC MARKING
- PERCOLATION TEST HOLE PASSED 2022
- PERCOLATION TEST HOLE PASSED 1988
- FUTURE WELL LOCATION
- PROPOSED SEWAGE DISPOSAL AREA



VICINITY MAP
SCALE: 1"=200'

GENERAL NOTES


- SUBJECT PROPERTY ZONED RR-DEO PER 10/06/2013 COMPREHENSIVE ZONING PLAN.
- TOTAL AREA OF PROPERTY = 3.54 AC ±.
- DEED REFERENCE: LIBER 3743 FOLIO 00571.
- PLAT REFERENCE: PLAT # 8787.
- PROPERTY ADDRESS: 11813 CHAPEL WOODS COURT, CLARKSVILLE MD 21029.
- PRIVATE WATER AND PRIVATE SEWER WILL BE USED WITHIN THIS SITE.
- THE BOUNDARY SHOWN HERE ON IS BASED ON A BOUNDARY SURVEY PERFORMED BY SEG LAND SURVEYING IN NOVEMBER OF 2021.
- THE TOPOGRAPHY SHOWN WITHIN THE DEVELOPMENT AREA IS BASED ON A TOPOGRAPHIC SURVEY PERFORMED BY SEG LAND SURVEYING IN AUGUST OF 2022. TOPOGRAPHY OUTSIDE OF THE AREA OF DEVELOPMENT IS BASED ON HOWARD COUNTY GIS FLOWN IN 2016.
- THIS AREA DESIGNATES A PRIVATE SEWAGE AREA OF AT LEAST 10,000 SQUARE FEET, AS REQUIRED BY THE MARYLAND STATE DEPARTMENT OF THE ENVIRONMENT FOR INDIVIDUAL SEWAGE DISPOSAL (COMAR 26.04.03). IMPROVEMENTS OF ANY NATURE IN THIS AREA ARE RESTRICTED UNTIL PUBLIC SEWERAGE IS AVAILABLE. THIS AREA SHALL BECOME NULL AND VOID UPON CONNECTION TO A PUBLIC SEWERAGE SYSTEM. THE COUNTY HEALTH OFFICER SHALL HAVE THE AUTHORITY TO GRANT ADJUSTMENTS TO THE PRIVATE SEWAGE AREA. RECORDATION OF A MODIFIED SEWAGE AREA SHALL NOT BE NECESSARY.
- THE LOT SHOWN HEREON COMPLIES WITH THE MINIMUM OWNERSHIP, WIDTH AND LOT AREA AS REQUIRED BY THE MARYLAND DEPARTMENT OF THE ENVIRONMENT.
- ALL EXISTING WELLS, SEPTIC SYSTEMS AND SEWAGE DISPOSAL AREA WITHIN 100 FEET OF THE PROPERTY BOUNDARIES AND ALL EXISTING AND PROPOSED WELLS THAT ARE LOCATED WITHIN 200 FEET DOWN GRADIENT OF EXISTING OR PROPOSED SEPTIC SYSTEMS AND SEWAGE DISPOSAL AREA HAVE BEEN LOCATED.
- ANY CHANGES TO THE PRIVATE SEWAGE EASEMENT SHALL REQUIRE A REVISED PERCOLATION CERTIFICATION PLAN.
- A BUILDING PERMIT WILL NOT BE ISSUED UNTIL THIS PERCOLATION CERTIFICATION IS APPROVED AND THAT THE OSDS PLAN IS RECEIVED, REVIEWED AND APPROVED.
- SECTION 105.0.E.3.a OF THE HOWARD COUNTY ZONING REGULATIONS REQUIRE A MINIMUM LOT WIDTH OF 200' AT THE FRONT BUILDING RESTRICTION LINE. SECTION 105.0.E.4.a.(2) REQUIRES A MINIMUM FRONT BUILDING RESTRICTION LINE OF 75'. AN ADMINISTRATIVE ADJUSTMENT TO THE BULK REGULATIONS WILL BE REQUIRED TO BE REVIEWED AND APPROVED BY HOWARD COUNTY DEPARTMENT OF PLANNING AND ZONING TO ALLOW A REDUCTION OF THE MINIMUM LOT WITH TO 164' WITH A 133' FRONT BUILDING RESTRICTION LINE.
- THE PURPOSE OF THIS PERCOLATION CERTIFICATION PLAN IS TO ESTABLISH A SEWAGE DISPOSAL AREA AND REPLACEMENT WELL LOCATIONS FOR PARCEL 36 LOT 2.



PLAN VIEW
SCALE: 1"=50'


OWNER/DEVELOPER
 ALHAD & KAREN CHANDE
 11101 DORSCH FARM ROAD
 ELLICOTT CITY, MARYLAND 21042

PERCOLATION CERTIFICATION PLAN
CHANDE PROPERTY
 11813 CHAPEL WOODS COURT
 LOT 2 MALLAN'S PROPERTY
 TAX MAP 29 GRID 13
 5TH ELECTION DISTRICT
 PARCEL 36 LOT 2
 HOWARD COUNTY, MARYLAND



SILL ENGINEERING GROUP, LLC
 16005 Frederick Road, 2nd Floor
 Woodbine, Maryland 21797
 Phone: 443.325.5076
 Fax: 410.696.2022
 Email: info@sillengineering.com
 Civil Engineering for Land Development

DESIGN BY: PS
 DRAWN BY: ZS
 CHECKED BY: PS
 SCALE: AS SHOWN
 DATE: DECEMBER 20, 2022
 PROJECT #: 20-067
 SHEET #: 1 of 1



APPROVED: FOR PRIVATE WATER AND PRIVATE SEWAGE SYSTEMS IN ACCORDANCE WITH THE MASTER PLAN OF HOWARD COUNTY

COUNTY HEALTH OFFICER
 HOWARD COUNTY HEALTH DEPARTMENT

I CERTIFY THAT THE INFORMATION SHOWN HEREON IS BASED ON FIELD WORK PERFORMED BY ME OR UNDER MY DIRECT SUPERVISION, AND IS CORRECT, TO THE BEST OF MY KNOWLEDGE AND BELIEF.

PAUL M. SILL, PE, LEED AP
 LICENSED PROFESSIONAL ENGINEER #32025
 DATE: 12/21/22

PROFESSIONAL CERTIFICATION: I HEREBY CERTIFY THAT THESE DOCUMENTS WERE PREPARED OR APPROVED BY ME, AND THAT I AM A DULY LICENSED PROFESSIONAL ENGINEER UNDER THE LAWS OF THE STATE OF MARYLAND, LICENSE NO. 32025, EXPIRATION DATE JUNE 25, 2023.