

Record Detail * (This section is required.)

Permit Type	Permit Number	Opened Date
Building/Residential/Addition/SFD	B24003133	08/21/2024

Description of Work
 SFD/ CONSTRUCT 22' X 30'8" FIRST FLOOR ADDITION FOR GREATROOM AND EXPANDED DEN, CONSTRUCT 27' X 22-4" SCREENED PORCH WITH STEPS, 6X6 OPEN PORCH, INTERIOR ALTERATIONS FOR RECONFIGURED KITCHEN & BREAKFAST* AMENDMENT SUBMITTED 07.09.2025 TO CHANGE TO 13' X 12' ADDITION TO BREAKFAST NOOK AND 16' X 6' ADDITION TO THE GREAT ROOM AND CREATE 20' X 203' PORCH AND 14' X 12' DECK*, 1 STORY, Crawl Space, 1R, 1FB, 0HB, 1FP, OTHER STRUCTURE = N/A, 0BR, PORCH/DECK = Open and Screen Porch, ENERGY METHOD = Prescriptive Method, **7/3/25 AMENDMENT TO CHANGE SIZE OF GREAT ROOM TO 20X22, RELOCATE BREAKFAST NOOK, AND ADD 478 SF SCREENED PORCH**

Amendment
Rec'd 7/10/25
-H.O.
Approved 7/10/25

[check spelling](#)

Address * (This section is required.)

Search **Reset** **Clear** **Get Parcel & Owner**

Street #	Street Name	Street Type	
13542	MITCHELLS	WAY	
Unit Type	Unit #	X Coordinate	Y Coordinate
-Select-		-76.98923	39.3058
City	State	Zip Code	Primary
WEST FRIENDSHIP	MD	21794	Yes

Parcel * (This section is required.)

Search **Reset** **Clear** **Get Address & Owner**

GIS ID *	Parcel	Parcel Area	Land Value	Improved Value	Exemption Value	Plan Area
923999	4	1.01	210100	1068100	0	RURAL
Legal Description						
LOT 7 1.016 A []13542 MITCHELLS WAY []CLOVERFIELD						

[check spelling](#)

Block	Lot	Census Tract	Council Dist	Inspection Dist	Supervisor Dist	Map #	DAP Zone
	7	603000	5				
Plan Area	State Tax Id	Subdivision Name					
	1403348822	Cloverfield					
Section	Area	Tax Map					
		15					
Grid	Zoning District	ADC Map					
15-8	RC-DEO	4813-B2					
SDP No.	Final Plan No.	WP File No.					
	F-06-110						
Record Plat No.	WS Contract No.	FDP No.	Primary				
18953-1895			Yes				
Owner Occupied	Year Built	Historic District					
<input type="radio"/> Yes <input type="radio"/> No	2012	<input type="radio"/> Yes <input checked="" type="radio"/> No					
Historic District Registry No.	Stat Area	Flood Plain					
	3-04	<input type="radio"/> Yes <input checked="" type="radio"/> No					
Building No							

Owner (This section is not required.)

Search **Reset** **Clear**

Name *
 Jane H
Address Line 1
 13542 Mitchells Way
Address Line 2

Address Line 3

Mail City
 West Friendship
Mail State
 MD
Mail Zip Code
 21794
Phone
 443-285-9057
Primary
 Yes
E-mail

Professionals (This section is not required.)

License # * 0	Business Name OWNER TO ACT AS CONTRACTOR			
License Type * Property Owner	First Name JANE	Middle Name	Last Name HARDESTY	
Primary Yes	Address Line 1			
	Address Line 2			
	City		State	ZIP Code
	Phone 1	Phone 2	Fax	
	E-mail			

Applicant (This section is not required.)

Search	As Owner	As Lic. Prof	As Contact	
Type * Applicant	First Name Jane	MI Facchir	Last Name Hardesty	
Relationship Applicant	Full Name Jane Facchina Hardesty			
Primary No	Organization Name			
	Street Address 6432 Western Star Run			
	Address Line 2			
	City Clarksville		State MD	Zip Code 21029
	Phone 443-285-9057	Cell	Fax	
	E-mail * jane.facchina@gmail.com			

Contact (This section is not required.)

Search	As Owner	As Lic. Prof	As Contact	
Type Contact	First Name Jane	MI Facchir	Last Name Hardesty	
Relationship Applicant	Full Name Jane Facchina Hardesty			
Primary Yes	Organization Name			
	Street Address 6432 Western Star Run			
	Address Line 2			
	City Clarksville		State MD	Zip Code 21029
	Phone 443-285-9057	Cell	Fax	
	E-mail jane.facchina@gmail.com			

Addtl Info

Est Construction Cost * 125000	Housing Units * 0	Number of Buildings * 0	Public Owned No	
Construction Type -Select-				

RESIDENTIAL ADDITION INFORMATION

RESIDENTIAL ADDITION INFORMATION

Capital Project-No Fee * <input type="radio"/> Yes <input checked="" type="radio"/> No	Capital Project Number <input type="text"/> (Text)	Fee Exempt * <input type="radio"/> Yes <input checked="" type="radio"/> No	Roadside Tree Project Permit <input type="radio"/> Yes <input checked="" type="radio"/> No	Roadside Tree Pr <input type="text"/>
--	--	--	--	---

No of Stories * 1 (Text) Foundation * Crawl Space Basement * N/A No of Rooms * 1 (Text) Full Baths * 1 (Number) Ha 0

Model * SFD/ CONSTRUCT 22' X 30'8" FIRST FLOOR ADDITION.FOR GREATROOM.AND.EXPANDED.DEN.CONSTRUCT.27' X 22.4" SCREENED

[check spelling](#)

Other Structure * N/A Bedrooms * 0 (Number) Porch Deck * Open and Screen Porch No of Fireplaces * 1 (Number) Type of Fireplace * Prefab
W & S Fees Paid Water * Private Sewage * Private Utilities * Gas & Electric Heating System * Electric & Natural Gas Sprinkler System * None
 Yes No
1st Floor Width 22 FT (Number) 1st Floor Depth 30.8 FT (Number) 2nd Floor Width FT (Number) 2nd Floor Depth FT (Number) Basement Width FT (Number) Basement Depth FT (Number) Height FT (Number)
Total Square Footage * 1195 SQFT (Number) Occupiable Square Footage * 536 SQFT (Number) Affordable Housing Funding * N/A Foundation Measurement 22x22.8 (Text)
Walls 2x6 16oc (Text) Roof gable/asp (Text) Change In Use Yes No Grading Permit No (Text) Senior Housing Yes No MIHU Outside Downtown Columbia Yes No

Additional Description Info

7/3/25 AMENDMENT TO CHANGE SIZE OF GREAT ROOM TO 20X22, RELOCATE BREAKFAST NOOK, AND ADD 478 SF SCREENED PORCH

Expiration Date

1/5/2026

MIHU Required Units

0 (Num)

[check spelling](#)

GREEN INFORMATION

Goal Level --Select-- Actual Level --Select-- Leed Registration Number (Text) Date of Leed Certification


STORM WATER MANAGEMENT

Green Roofs A1 Yes No Permeable Pavements A2 Yes No Reinforced Turf A3 Yes No Disconnection of Rooftop Runoff N1 (Number)
Sheetflow to Conservation Areas N3 Yes No Rainwater Harvesting M1 (Number) Submerged Gravel Wetlands M2 (Number) Landscape Infiltration
Dry Wells M5 (Number) Micro Bioretention M6 (Number) Rain Gardens M7 (Number) Swales M8 (Number)
PSWM Certification Received in CID on

Submit Cancel

LOT 8

PART OF BUILDABLE
PRESERVATION
PARCEL "A"



LOT 6

MITCHELLS WAY
PUBLIC ACCESS STREET
50' R/W

Name: Jane Hardesty
Street Address: 13542 Mitchells Way
City, State, Zip: West Friendship MD 21794
Date: July 2, 2025

Amendment, Permit # B24003133

Ms. Debbie Whalen
Division of Plan Review
Department of Inspections, Licenses and Permits
Howard County Government
3430 Court House Dr
Ellicott City, MD 21043

Dear Ms. Whalen:

I am requesting to amend Permit # B24003133 at 13542 Mitchells Way West Friendship MD 21794 to

~~Revised the initial plans for a first-floor great room addition 20' by 22' and to add a screened in porch to the revised plan of a first floor relocated breakfast nook and an expanded great room ~ 6' by 16'8" and to add a screened in porch.~~
Revised the initial plans for a first-floor great room addition 20' by 22' and to add a screened in porch to the revised plan of a first floor relocated breakfast nook and an expanded great room ~ 6' by 16'8" and to add a screened in porch.

Enclosed:

- Fee: _____
- Plot Plans
- Sets of Construction Drawings
- Other: _____

If there is anything we can do to assist you, please let me know.

Sincerely,

Jane Hardesty

Name: Jane Hardesty
Title: _____
Phone: 443-285-9057
Email: jane.facchina@gmail.com

PROFESSIONAL CERTIFICATION
 I certify that these documents were prepared by me, and that I am a duly licensed professional architect under the laws of the State of Florida.
 License Number: 91478
 Expiration Date: 6/30/2024

NOTES:
 1. THIS DOCUMENT IS INTENDED TO BE USED FOR THE PROPOSED ADDITION AND RENOVATION OF THE EXISTING RESIDENCE.
 2. ALL DIMENSIONS ARE IN FEET AND INCHES.
 3. SEE ALL RELATED DOCUMENTS FOR A COMPLETE SET OF REQUIREMENTS.
 4. ALL RIGHTS RESERVED.

PROPOSED ADDITION

HANDESTY RESIDENCE

ARCHITECT
 Jonathan Rivera, AIA, NCARB
 Licensed Architect, Florida
 Licensed Architect, Maryland
 443.226.5746
 jonrivera.com


ISSUE DATES:

7-21-24	ARCHITECT
10-03-24	PERMIT SET
11-04-24	PERMIT SET
12-04-24	PERMIT SET
01-04-25	PERMIT SET
07-02-25	PERMIT SET


SCALE:
 NTS

0.04
 SIMPLIFIED


PRINT DATE:
 Wednesday, July 2, 2025



EXISTING FIRST FLOOR



EXISTING FOUNDATION



EXISTING SECOND FLOOR

PROFESSIONAL CERTIFICATION
 I, Jonathan Rivera, a duly Licensed Professional Engineer in the State of Arizona, No. 12345, certify that the design shown on these drawings was prepared or supervised by me, and that I am a duly Licensed Professional Engineer in the State of Arizona, License No. 12345, and that I am the Engineer of Record for this project.
 License Number: 12345
 Expiration Date: 12/31/2025

NOT TO SCALE
 THIS DRAWING IS A PRELIMINARY DESIGN AND IS NOT TO BE USED FOR CONSTRUCTION WITHOUT THE WRITTEN APPROVAL OF THE ARCHITECT. ANY CHANGES TO THIS DRAWING MUST BE APPROVED BY THE ARCHITECT.
 Jonathan Rivera, Architect
 At 100% Scale

PROPOSED ADDITION

HARDESTY RESIDENCE
 1234 N. 10th St., Phoenix, AZ 85006
 Project No. 2024-001


ARCHITECT
 Jonathan Rivera, AIA, NCARB
 Jonathan Rivera, AIA, NCARB
 1000 N. 10th St., Suite 100
 Phoenix, AZ 85006
 Phone: 602.425.5755
 Email: jonathan@riveraarchitect.com

ISSUE DATES:

7-31-24	REVIEW SET
10-30-24	REVIEW SET
11-04-24	REVIEW SET
12-24-24	PERMIT SET
01-30-25	REMARK SET
07-02-25	REMARK SET


SCALE: 1/4" = 1'-0"
FOUNDATION

2.01
 PRINT DATE:
 Wednesday, July 2, 2025



TYPICAL CORNER REINFORCING UNO

ALL DIMENSIONS TO BE VERIFIED IN FIELD



FOUNDATION NOTES

- 1) 1800 PSI MAX SOIL BEARING CAPACITY ASSUMED
- 2) 4\"/>

FOUNDATION ADDITION

- 1) 8\"/>

TYPICAL ADDITION WALL

- 1) 8\"/>

EXISTING FOUNDATION WALL

- 1) 8\"/>

EXISTING FOUNDATION WALL

- 1) 8\"/>

EXISTING FOUNDATION WALL

- 1) 8\"/>

EXISTING FOUNDATION WALL

- 1) 8\"/>

EXISTING FOUNDATION WALL

- 1) 8\"/>

EXISTING FOUNDATION WALL

- 1) 8\"/>

EXISTING FOUNDATION WALL


- 1) 8\"/>

EXISTING FOUNDATION WALL

- 1) 8\"/>

ALL DIMENSIONS TO BE VERIFIED IN FIELD

TYPICAL HOUSE BOX - 2x6 EXTERIOR WALL
 TYPICAL METHOD OF WALL CONSTRUCTION - 4x8x16 S
 COMMUNIST SHEATH - WOOD STRUCTURAL PANEL



NOTES

1. THE THESE DRAWINGS SHALL BE REVIEWED BY THE DESIGN PROFESSIONAL OF RECORD FOR COMPLEATILITY PRIOR TO CONSTRUCTION.
2. ALL EXTERIOR HEADERS SHALL BE (3) 2x10 WITH (3) 2x4 STUDS @ JACETS, 1 KING J.U.M.O.
3. ALL INTERIOR HEADERS SHALL BE (2) 2x8 WITH (2) 2x4 STUDS @ JACETS, 1 KING J.U.M.O.
4. COLUMNS AT ALL FLOORS SHALL HAVE CONJUNCTIONS SUPPORT TO FOUNDATION BY SOLID BLOCCING, BRACE, OR COLUMNS OF THE SAME SIZE BELOW.
5. NUMBER TO BE #29F OR #31F, J.M.C.
6. WUDS 2x10 V.G. BEAMS SHALL BE SCREWED TOGETHER W/ 3 ROWS OF SAMPOON SCW AS SHOWN AT 18" O.C.
7. STEEL BEAM SHALL BE PLYWOOD CUT WITH 1/2" SPOCS IN BETWEEN PLANCES AND ATTACHED WITH 2 ROWS OF 1/2" DIAMETER ASP. BOLTS AT 18" ON CENTER.
8. THE EXISTING HEADING SHOWN HAS BEEN ASSUMED, BUILDER TO NOTIFY THE ENGINEER IF FIELD OBSERVATIONS CONFLICT WITH THE INFORMATION SHOWN ON THE PLANS.
9. TRUSSES SHALL BE BRACED IN ACCORDANCE WITH THE SPCA BUILDING COMPONENT SAFETY INFORMATION (DC-1) GUIDE TO GOOD PRACTICE FOR HANDLING, INSTALLING & BRACING OF METAL PLATE CONNECTED WOOD TRUSSES.

PROPOSED ADDITION

HARDESTY RESIDENCE

ARCHITECT
 Jonathan Rivero AIA, NCARB
 Howard County, Maryland
 443.233.5745
 jon@jonathanyrivero.com

ISSUE DATES:

7-31-24	REVISION SET
10-30-24	REVISED SET
11-04-24	REVISED SET
12-26-24	PERMANENT SET
01-24-25	PERMANENT SET
07-08-25	PERMANENT SET

SCALE: 1/8" = 1'-0"


1ST FLOOR

3.01


PRINT DATE: Wednesday, July 2, 2025

PROFESSIONAL CERTIFICATION
 I certify that these documents
 were prepared by me or under my
 direct supervision and that I am a duly
 licensed professional
 in the State of Maryland.
 Jonathan Rivero, License Number: 134478
 Expiration Date: 4/30/2025

NOTE: ALL LOAD BEARING STUD WALLS TO BE DOUBLE TOP PLATE PER WALL SECTIONS












AIR BARRIER AT WALLS AND CEILING PERSPECTIVE



AIR SEALING @ MECH CHASE

BOTTOM PLATE @ PARTITION

TWO-STUD CORNER-BOTTOM



PROFESSIONAL CERTIFICATION
This document was prepared or approved by me, and that I am a duly licensed professional engineer in the State of Maryland.
License Number: 916078
Expiration Date: 05/26/2024

NOTICE:
This document is the property of Jonathan Rivera AIA, Inc. and is to be used only for the project and location specified herein. It is not to be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or by any information storage and retrieval system, without the prior written permission of Jonathan Rivera AIA, Inc. All rights reserved.

PROPOSED ADDITION

HARDESTY RESIDENCE
13502 Michaels Way
West Friendship, Maryland 21174

ARCHITECT
Jonathan Rivera AIA, INC. AIA
Howard County, Maryland
443.224.5745
jrivera@jonathrivera.com

ISSUE DATES:

7-31-24	REVIEW SET
10-30-24	REVIEW SET
11-04-24	REVIEW SET
12-2-24	PERMIT SET
01-2-25	PERMIT SET
07-02-25	PERMIT SET

SCALE: N.T.S.
DETAILS

3.02
PRINT DATE: Wednesday, July 2, 2025

PROFESSIONAL CERTIFICATION
 I certify that these documents
 were prepared by me, and that I am a duly
 licensed professional
 architect in the State of Maryland.
 License Number: 414578
 Expiration Date: 1/31/2026

No other person shall be permitted to
 practice architecture in the State of
 Maryland under the name of Jonathan
 Rivera, or the name of Jonathan Rivera
 Architects, or any name which is
 identical thereto.
 Copyright © 2019
 All Rights Reserved

PROPOSED ADDITION

HARDESTY RESIDENCE

13566 Michels Way
 West Friendship, Maryland 21174


ARCHITECT
 Jonathan Rivera AIA, NCARB
 Howard County, Maryland
 443.226.5745
 jonathandrivera.com

SCALE: 1/4" = 1'-0"
BRACING

3.51

PRINT DATE:
 Wednesday, July 2, 2025

ALL DIMENSIONS TO BE VERIFIED IN FIELD



[Symbol] = EXISTING WALL/PARTITION
 [Symbol] = PROPOSED NEW WALL/PARTITION

FIRST FLOOR CALCULATIONS

BRACED WALL LINE	WALL PANEL TYPE	NET REQUIRED WALL BRACING FT.	ACTUAL PROVIDED WALL BRACING FT.
A	CS-WP	4.96'	8.00'
B	CS-WP	4.75'	8.00'
C	CS-WP	8.25'	8.00'
1	CS-WP	3.40'	8.00'
2	CS-WP	3.40'	4.00'

ISSUE DATES:

7-31-24	REVIEW SET
10-30-24	REVIEW SET
11-04-24	REVIEW SET
12-24-24	PERMIT SET
04-24-25	PERMIT SET
07-02-25	PERMIT SET

PROFESSIONAL CERTIFICATION
I certify that these documents are my original work, or prepared by me or under my direct supervision and control, and that I am a duly licensed professional architect under the laws of the State of Arizona.
Licenses Number: A14278
Expiration Date: 6/30/2026

THIS DOCUMENT IS AN INSTRUMENT OF SERVICE. IT IS THE PROPERTY OF JONATHAN RIVERA ARCHITECT. IT IS TO BE USED ONLY FOR THE PROJECT AND SITE SPECIFICALLY IDENTIFIED HEREIN. IT IS NOT TO BE REPRODUCED, COPIED, OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, INCLUDING PHOTOCOPYING, RECORDING, OR BY ANY INFORMATION STORAGE AND RETRIEVAL SYSTEM, WITHOUT THE WRITTEN PERMISSION OF JONATHAN RIVERA ARCHITECT.
Copyright © 2023
All Rights Reserved

PROPOSED ADDITION


HARDESTY RESIDENCE
13542 Mitchell Way
Northridge, Maryland 21794

ARCHITECT
Jonathan Rivera AIA, NCARB
Howard County, Maryland
443.224.5745
jr@a11architect.com


ISSUE DATES:

7-31-24	REVISION SET
10-30-24	REVISION SET
11-04-24	REVISION SET
12-24-24	PERMIT SET
01-21-25	PERMIT SET
07-02-25	PERMIT SET

SCALE: 1/4" = 1'-0"
BRACING DETAILS



Corner Framing Details
NOT TO SCALE





NOTES

Methods WSP & CS-WSP: All areas to be sheathed with 7/16" o.s.b sheathing, including areas above doors and windows, and joints blocked. Fasteners shall be 6d common (2 1/2" x 0.131") nails at 6" spacing (edges) and 12" spacing (field).

Method GB:

Gypsum wall board shall not be less than 1/2" in thickness and shall be fastened with nails or screws in accordance with IRC tables R602.3(1) for exterior locations and R602.3.B for interior locations at 1" spacing (edges) and 1" spacing (field).




Braced Wall Panel Connections to Floor and Ceiling Framing
NOT TO SCALE

Tension Strap Capacity Required for Method CS-PF:

Minimum Wall Height (ft)	Minimum Top Stud Height (ft)	Minimum Stud Spacing (ft)	Minimum Stud Width (in)	Minimum Stud Depth (in)	Minimum Stud Spacing (ft)	Minimum Stud Width (in)	Minimum Stud Depth (in)
2	0	0	16	16	16	16	16
4	0	0	16	16	16	16	16
6	0	0	16	16	16	16	16
8	0	0	16	16	16	16	16
10	0	0	16	16	16	16	16
12	0	0	16	16	16	16	16
14	0	0	16	16	16	16	16
16	0	0	16	16	16	16	16
18	0	0	16	16	16	16	16
20	0	0	16	16	16	16	16

Notes: 1. See Section 05110 for other details. See IRC Table R602.3.A.1.1. 2. See Table R602.3.A.1.1.

Continuous Portal Frame
NOT TO SCALE



OVER RAISED WOOD FLOOR OR SECOND FLOOR - FRAMING ANCHOR OPTION
NOT TO SCALE

OVER RAISED WOOD FLOOR OR SECOND FLOOR - WOOD STRUCTURAL PANEL OVERLAP OPTION
NOT TO SCALE

PROFESSIONAL CERTIFICATION
 I certify that these documents
 were prepared or approved
 by me, and that I am duly
 licensed and in good standing
 as an architect under the laws of the
 State of Maryland.
 Jonathan Rivera, Architect
 License No. 1707/2024
 Expiration Date: 5/30/2024

THE ARCHITECT HAS BEEN REGISTERED OR
 LICENSED BY THE BOARD OF ARCHITECTS OF THE
 STATE OF MARYLAND. THIS ARCHITECTURE IS NOT
 TO BE REPRODUCED OR TRANSMITTED IN ANY
 FORM OR BY ANY MEANS, ELECTRONIC OR
 MECHANICAL, WITHOUT THE WRITTEN
 PERMISSION OF JONATHAN RIVERA ARCHITECTS.
 Copyright © 2020
 Jonathan Rivera Architect
 All Rights Reserved

PROPOSED ADDITION

**HARDESTY
RESIDENCE**
 13542 Mitchell Way
 West Friendship, Maryland 21174

ARCHITECT
 Jonathan Rivera AIA, NCARB
 Howard County, Maryland
 443.228.5746
 jrivera@jonathanrivera.com


ISSUE DATES:

7-21-24	REVIEW SET
10-30-24	REVIEW SET
11-04-24	REVISED SET
12-26-24	PERMITS SET
01-24-25	PERMITS SET
07-02-25	PERMITS SET

SCALE: 1/4" = 1'-0"

ROOF PLAN 4.01

PREPARED BY:
 Wednesday, July 2, 2025



PROFESSIONAL CERTIFICATION
I hereby certify that these documents were prepared or approved by me, and that I am a duly licensed architect under the laws of the State of Maryland.
License Number: 14362
Expiration Date: 07/01/2026

Where:
THE ARCHITECT HAS PROVIDED THE PROFESSIONAL SEAL AND SIGNATURE OF THE ARCHITECT AS REQUIRED BY THE PROFESSIONAL ACT OF MARYLAND.
Jonathan Rivera Architect
At Testimony

PROPOSED ADDITION

HARDESTY RESIDENCY

13642 Harbortrip, Maryland 21774
West Friendship, Maryland 21774


ARCHITECT
Jonathan Rivera AIA, NCARB
Howard County, Maryland
443.226.5745
jhr@jonathandrivera.com

ISSUE DATES:

7-31-24	REVIEW SET
10-30-24	REVIEW SET
11-04-24	REVIEW SET
12-26-24	PERMIT SET
01-24-25	PERMIT SET
07-02-26	PERMIT SET

SCALE: 1/4" = 1'-0"

SECTIONS
5.02
PRINT DATE:
Wednesday, July 2, 2025



SECTION B-B

- SECTION NOTES**
- 1) 1500 PSF MIN SOIL BEARING CAPACITY ASSUMED
 - 2) BEAMS, JOISTS, HEADERS & KNUES TO BE SPP #1/2 OR EQ. TYP THROUGH OUT.
 - 3) ALL LOCATIONS FOR HVAC, SWAP PIPES, ROUGH-INS, H/W/H, A/P, AND OTHER FEATURES ARE SUBJECT TO BUILDER SCHEDULING ON SITE
 - 4) FOUNDATION WALL MIN. THICKNESS 10" MINIMUM 12" THICK LEAD BEAMS W/ 10GA
 - 5) MIN. 1/2" HOOKED ANCHOR BOLTS TO BE USED AT ALL CONNECTIONS. SHALL BE SPACED AT 4' O.C. AND LOCATED 4" & 12" FROM EACH END OF ALL SILL PLATE PIECES.

NOTE: STAIRS WITH 2 OR MORE RISERS SHALL BE PROVIDED WITH HANDRAILS. HANDRAILS SHALL BE A MINIMUM OF 34" HIGH. HANDRAILS SHALL BE SECURED TO THE STRUCTURE AT REGULAR INTERVALS. THE TOP OF GRADE BELOW SHALL HAVE GUARDS A MINIMUM OF 34" HIGH. RISERS ARE TO BE CLOSED SUCH THAT THE OPENING BETWEEN THE TREADS DOES NOT PERMIT THE PASSAGE OF A 4" DIA. SPHERE.

PROFESSIONAL CERTIFICATION
I certify that these documents were prepared by me or under my direct supervision and that I am a duly licensed professional architect under the laws of the State of Maryland.
License Number: F14478
Expiration Date: 6/30/2024

NOTICE
THIS DOCUMENT IS THE PROPERTY OF JONATHAN RIVERA ARCHITECTURE. IT IS TO BE USED ONLY FOR THE PROJECT AND SITE SPECIFICALLY IDENTIFIED HEREIN. ANY REUSE OR MODIFICATION OF THIS DOCUMENT WITHOUT THE WRITTEN PERMISSION OF JONATHAN RIVERA ARCHITECTURE IS STRICTLY PROHIBITED.
Copyright © 2024
All Rights Reserved

PROPOSED ADDITION

HARDESTY RESIDENCE
13502 Michaels Way
Hunt Neighbors, Maryland 21774

ARCHITECT
Jonathan Rivera AIA, NCARB
Howard County, Maryland
443.226.5745
jrivera@jonathandrivera.com


ISSUE DATES:

7-31-24	REVISED SET
10-30-24	REVIEW SET
11-04-24	REVIEW SET
12-23-24	PERMIT SET
01-24-25	PERMIT SET
07-02-25	PERMIT SET

SCALE: 1/4" = 1'-0"

WALL SECTION

15.03
PRINT DATE: Wednesday, July 2, 2025



WALL SECTION AT HOUSE BOX