

Approved MRE
4/11/25

Record Detail (This section is required.)

Permit Type Building/Residential/Alteration/SFD Permit Number B25000904 Opened Date 03/11/2025

Description of Work SFD/ FIRST FLOOR ALTERATIONS TO RELOCATE interior non-bearing framing of two bathrooms and a bedroom to allow for a special needs barrier-free bathroom AND Install a portable ramp from the deck to the ground.

Online BP.

gd 3/25/25

check spelling

Address (This section is required.)

Search Reset Clear Get Parcel & Owner

Street # 17518 Street Name WOODCAMP Street Type RD
Unit Type --Select-- Unit # X Coordinate -77.12527 Y Coordinate 39.34205
City MOUNT AIRY State MD Zip Code 21771 Primary Yes

Parcel (This section is required.)

Search Reset Clear Get Address & Owner

GIS ID 831250 Parcel 489 Parcel Area 3.12 Land Value 110900 Improved Value 713400 Exemption Value 331020 Plan Area RURAL

Legal Description LOT 6 3.127 A []17518 WOODCAMP RD []WOODCAMP FARM

check spelling

Block 6 Census Tract 604001 Council Dist 5 Inspection Dist Supervisor Dist Map # DAP Zone
Plan Area State Tax Id 1404340817 Subdivision Name WOODCAMP FARM
Section Area Tax Map 7
Grid Zoning District RC-DEO ADC Map 4690-K6
SDP No. Final Plan No. F-79-106 WP File No. Primary Yes
Record Plat No. WS Contract No. FDP No.
Owner Occupied Year Built 1984 Historic District
Historic District Registry No. Stat Area 4-04 Flood Plain
Building No

Owner (This section is not required.)

Search Reset Clear

Name DUNN
Address Line 1 17518 Woodcamp Rd.
Address Line 2
Address Line 3
Mail City Mt. Airy
Mail State MD
Mail Zip Code 21771
Phone 240-285-7813
Primary Yes
E-mail

pltdunn@comcast.net

Cell Number

Fax Number

Professionals (This section is not required.)

License # 08050001020
 License Type MHC Co
 Primary Yes

Business Name WANTZ CONSTRUCTION COMPANY INC

First Name EDWARD Middle Name Last Name HOBBS

Address Line 1 1730 ENGLAND DRIVE
 Address Line 2

City HAMPSTEAD State MD ZIP Code 21074-0000

Phone 1 4107814770 Phone 2 Fax

E-mail WANTZCONSTRUCTION@GMAIL.COM

Applicant (This section is not required.)

Search As Owner As Lic. Prof As Contact

Type Applicant

Relationship Applicant

Primary No

First Name Edward MI Last Name Hobbs

Full Name Edward Hobbs

Organization Name Wantz Construction Company, Inc.

Street Address P.O. Box 693
 Address Line 2

City Hampstead State MD Zip Code 21074

Phone 410-781-4770 Cell 410-984-7786 Fax

E-mail wantzconstruction@gmail.com

Contact (This section is not required.)

Search As Owner As Lic. Prof As Contact

Type Contact

Relationship Applicant

Primary Yes

First Name Edward MI Last Name Hobbs

Full Name Edward Hobbs

Organization Name Wantz Construction Company, Inc.

Street Address P.O. Box 693
 Address Line 2

City Hampstead State MD Zip Code 21074

Phone 410-781-4770 Cell 410-984-7786 Fax

E-mail wantzconstruction@gmail.com

Addtl Info

Est Construction Cost 140205 Housing Units 0 Number of Buildings 0 Public Owned No

Construction Type 434 - Additions, Alterations and Conversions - Residential

RESIDENTIAL ALTERATION INFO

RESIDENTIAL ALTERATION INFORMATION


Total Square Footage	No of Stories	Basement	Bedrooms	Full Baths	Half Baths	Water	Sewage
482	SQFT (Number) 1	(Number) Unfinished	0	(Number) 0	(Number) 0	(Number) Private	Private

Existing Utilities
Electric ▼

Existing Heating System
Electric ▼

Existing Sprinkler System
None ▼

Type of New Fireplace
--Select-- ▼

Expiration Date
9/20/2025 

Submit

Cancel

Eshenbaugh, Melanie

From: Eshenbaugh, Melanie
Sent: Thursday, March 27, 2025 10:10 AM
To: wantzconstruction@gmail.com
Subject: B25000904
Attachments: 1000021753.jpg

Good morning,

After review of the building permit request and conducting a site visit at the property, there is a well potability concern. The well cap/conduit are not secured to the casing and are missing bolts which can present a groundwater contamination risk. Additionally, to gain approval of building permit #B25000904, we kindly request that the repair of the well conduit/cap to ensure that the well components are watertight. This requirement is in response to conducting the site visit to the property on 3/26/25 and observing the condition of the well cap/conduit (see attached photo). The well conduit will need to be secured under the cap and will need repaired to ensure water potability standards for the residence in accordance with Health Dept. code (code requirements in COMAR 26.04.04.25). Please submit to the Health Dept. office documentation of the well repair via email or mail as proof of completion of the work. Also, we strongly recommend water testing for bacteria to ensure there is no potential health risk to the occupants of the property. Please contact the Community Hygiene program (410-313-1773) and someone can assist with scheduling water sampling if there is a desire to have the well water tested. Let me know if you have any questions and thank you kindly.

Melanie Eshenbaugh
Bureau of Environmental Health
Howard County Health Dept.
8930 Stanford Blvd. Columbia, MD 21045
www.hchealth.org



CONFIDENTIALITY NOTICE

This message and the accompanying documents are intended only for the use of the individual or entity to which they are addressed and may contain information that is privileged, confidential, or exempt from disclosure under applicable law. If the reader of this email is not the intended recipient, you are hereby notified that you are strictly prohibited from reading, disseminating, distributing, or copying this communication. If you have received this email in error, please notify the sender immediately and destroy the original transmission.

Eshenbaugh, Melanie

From: wantzconstruction@gmail.com
Sent: Friday, April 11, 2025 1:55 PM
To: Eshenbaugh, Melanie
Subject: B25000904


[Note: This email originated from outside of the organization. Please only click on links or attachments if you know the sender.]

Please find attached a photo of the repaired well cap and conduit per your email of March 27, 2025. I am anticipating that this permit can now be approved. Should you need anything else from us, please let us know. Thank you for your concern and help in this matter.

Ed Hobbs
President - Wantz Construction







DRAWN BY:
PRINT DATE:
3/7/2025
PERSPECTIVES ARE NOT TO SCALE AND MAY NOT REFLECT EXACTLY WHAT IS AVAILABLE FOR THE PROJECT

Page Description:
EXISTING FLOOR PLAN


PROJECT DESCRIPTION FOR:
DUNN, PAM
17518 WOODCAMP ROAD
MT. AIRY, MD, 21771

ACCESSIBLE HOUSING SERVICES
 1-800-284-8076
www.AccessibleHousingServices.com



PAGE
1

To the best of our knowledge these plans are drawn to comply with owner's specifications. The contractor and/or homeowner shall verify all dimensions and enclosed drawings. **Accessible Housing Services**, is not liable for errors once construction has begun. While every effort has been made in the preparation of these plans to avoid mistakes, the maker can not guarantee against human error. The contractor of the job must check all dimensions and other details prior to construction and be solely responsible thereafter. Contractor is responsible for all code and governing body compliance and all engineering.



OVERVIEW NOTES	
CODE	TEXT
P1	NEW DECK AND RAMP
P2	ACCESSIBLE BEDROOM
P3	ACCESSIBLE BATHROOM
P4	HALL BATHROOM
P5	HALL CLOSET

DRAWN BY:
 PRINT DATE:
 3/7/2025
PERSPECTIVES ARE NOT TO SCALE AND
 MAY NOT REFLECT EXACTLY WHAT IS
 AVAILABLE FOR THE PROJECT

Page Description:
PROPOSED FLOOR PLAN


PROJECT DESCRIPTION FOR:
DUNN, PAM
17518 WOODCAMP ROAD
MT. AIRY, MD, 21771

ACCESSIBLE HOUSING SERVICES
 1-800-284-8076
 www.AccessibleHousingServices.com



PAGE
 2

To the best of our knowledge these plans are drawn to comply with owner's specifications. The contractor and/or homeowner shall verify all dimensions and enclosed drawings. **Accessible Housing Services**. is not liable for errors once construction has begun. While every effort has been made in the preparation of these plans to avoid mistakes, the maker can not guarantee against human error. The contractor of the job must check all dimensions and other details prior to construction and be solely responsible thereafter. Contractor is responsible for all code and governing body compliance and all engineering.



DECK/RAMP NOTES	
CODE	TEXT
D1	REMOVE AND REPLACE DECK BOARD WITH COMPOSITE DECK BOARDS WITH MAXIMUM SLIP RESISTANCE/ TRACTION. INCLUDE STEPS TO GROUND. INCLUDE STEPS OFF DECK ONTO NEW SIDEWALK ** DECK BOARDS TO BE REPLACED AFTER THE EXT DOOR IS INSTALLED.**
D2	REMOVE BRICK WALLS, REPAIR SIDING, INSTALL CABLE RAILINGS
D3	REPAIR SIDING AFTER WINDOW IS REMOVED.
D4	OVER NEW SIDEWALK AND STAIRS, INSTALL A MODULAR RAMP 12' L X 3' W WITH A 1:12 RAMP SLOPE. THE 12' RAMP WILL END ABOVE THE GROUND SINCE THE GROUND ELEVATION EXCEEDS 12".
D5	FORM AND POUR A SIDEWALK (20'X4') CONNECTING THE NEW REAR DECK TO THE POOL CONCRETE. AFTER CONCRETE IS POURED, REMOVE CONCRETE FORMS AND BACKFILL GROUND UP TO FINISHED CONCRETE TO PREVENT WHEELCHAIR FROM FALLING OFF CONCRETE ONTO THE GRASS.
D6	REPLACE EXTERIOR DOOR TO MASTER BEDROOM

DRAWN BY:
PRINT DATE: 3/7/2025
PERSPECTIVES ARE NOT TO SCALE AND MAY NOT REFLECT EXACTLY WHAT IS AVAILABLE FOR THE PROJECT


Page Description:
DECK AND RAMP

PROJECT DESCRIPTION FOR:
DUNN, PAM
17518 WOODCAMP ROAD
MT. AIRY, MD, 21771

ACCESSIBLE HOUSING SERVICES
 1-800-284-8076
www.AccessibleHousingServices.com

PAGE
3

To the best of our knowledge these plans are drawn to comply with owner's specifications. The contractor and/or homeowner shall verify all dimensions and enclosed drawings. Accessible Housing Services, is not liable for errors once construction has begun. While every effort has been made in the preparation of these plans to avoid mistakes, the maker can not guarantee against human error. The contractor of the job must check all dimensions and other details prior to construction and be solely responsible thereafter. Contractor is responsible for all code and governing body compliance and all engineering.



BEDROOM NOTES	
CODE	TEXT
BD1	1 RODS WITH SHELF ABOVE, 6 PAINTED WOOD SHELVES (12" DEEP X 24" WIDE)
BD2	HOMEOWNER REQUESTS FRAME AROUND BARN DOOR. SEE PIC. REQUIRES THERMOSTAT AND AIR RETURN MODIFICATION.
BD3	2X6 WALL TO ACCOMMODATE POCKET DOOR AND ABILITY TO HANG FIXTURES ON BOTH SIDES OF THE WALL
BD4	DOOR MUST BE INSTALLED PRIOR TO DECK WORK. DOOR MUST BE INSTALLED BARRIER-FREE ON EXISTING BEDROOM FLOOR.
BD5	HOMEOWNER REQUESTING THE EXTERIOR DOOR TO SWING 180° UNDER THE BATHROOM POCKET DOOR.
BD6	PAINT CEILING, WALLS, TRIM, DOORS, WINDOWS, ALL DISTURBED AREAS.
BD7	SOLID HARDWOOD FLOOR, MATCH HALL FLOORING AND FINISH, INCLUDE CLOSET FLOOR.
BD8	OVERHEAD CEILING LIFT PROVIDED BY OTHERS.



DRAWN BY:
 PRINT DATE:
 3/7/2025
PERSPECTIVES ARE NOT TO SCALE AND MAY NOT REFLECT EXACTLY WHAT IS AVAILABLE FOR THE PROJECT

Page Description:
 ACCESSIBLE BEDROOM

PROJECT DESCRIPTION FOR:
 DUNN, PAM
 17518 WOODCAMP ROAD
 MT. AIRY, MD, 21771

ACCESSIBLE HOUSING SERVICES
 1-800-284-8076
 www.AccessibleHousingServices.com



PAGE
 4

To the best of our knowledge these plans are drawn to comply with owner's specifications. The contractor and/or homeowner shall verify all dimensions and enclosed drawings. Accessible Housing Services. is not liable for errors once construction has begun. While every effort has been made in the preparation of these plans to avoid mistakes, the maker can not guarantee against human error. The contractor of the job must check all dimensions and other details prior to construction and be solely responsible thereafter. Contractor is responsible for all code and governing body compliance and all engineering.

DRAWN BY:
 PRINT DATE:
 3/7/2025
PERFECTIVES ARE NOT TO SCALE AND
 MAY NOT REFLECT EXACTLY WHAT IS
 AVAILABLE FOR THE PROJECT


Page Description:
ACCESSIBLE BATHROOM

PROJECT DESCRIPTION FOR:
DUNN, PAM
17518 WOODCAMP ROAD
MT. AIRY, MD, 21771

ACCESSIBLE HOUSING SERVICES
 1-800-284-8076
www.AccessibleHousingServices.com




PAGE
 5




BATHROOM NOTES	
CODE	TEXT
B2	BARRIER-FREE SHOWER. LEVEL TRANSITION FROM BATHROOM FLOOR TO SHOWER FLOOR.
B3	BATHROOM FLOOR TILE
B4	SHOWER FLOOR TILE
B5	PAINT CEILING, WALLS, TRIM, DOOR, ALL NEW CONSTRUCTION
B6	SHOWER WALL TILE, WALL TILE TO EXTEND BEHIND TOILET AND TO THE CEILING
B7	4' TALL LVP FLOORING USED AS WALL COVER WITH CHAIR RAIL TO REINFORCE WALL

To the best of our knowledge these plans are drawn to comply with owner's specifications. The contractor and/or homeowner shall verify all dimensions and enclosed drawings. Accessible Housing Services, is not liable for errors once construction has begun. While every effort has been made in the preparation of these plans to avoid mistakes, the maker can not guarantee against human error. The contractor of the job must check all dimensions and other details prior to construction and be solely responsible thereafter. Contractor is responsible for all code and governing body compliance and all engineering.



W1 - TOILET/SHOWER WALL



W2 - SHOWER BACK WALL

W1 NOTES

CODE	TEXT
W1-1	WALL TILE
W1-2	TILE NICHE
W1-3	SLIDE BAR WITH HAND HELD SHOWER
W1-4	GRAB BAR
W1-5	TOILET
W1-6	CEILING MOUNTED SHOWER HEAD
W1-7	TOILET PAPER HOLDER
W1-8	TOWEL BAR
W1-9	TOWEL HOOK

W2 NOTES

CODE	TEXT
W2-1	GRAB BAR
W2-2	SHOWER CEILING HEIGHT WILL BE DROPPED 2-4" FOR WATER SUPPLY LINE TO BE BELOW ATTIC

DRAWN BY:
PRINT DATE:
3/7/2025

PERSPECTIVES ARE NOT TO SCALE AND MAY NOT REFLECT EXACTLY WHAT IS AVAILABLE FOR THE PROJECT

Page Description:
BATHROOM WALL
ELEVATIONS

PROJECT DESCRIPTION FOR:


DUNN, PAM
17518 WOODCAMP ROAD
MT. AIRY, MD, 21771

ACCESSIBLE HOUSING SERVICES
1-800-284-8076
www.AccessibleHousingServices.com




PAGE
6

To the best of our knowledge these plans are drawn to comply with owner's specifications. The contractor and/or homeowner shall verify all dimensions and enclosed drawings. Accessible Housing Services, is not liable for errors once construction has begun. While every effort has been made in the preparation of these plans to avoid mistakes, the maker can not guarantee against human error. The contractor of the job must check all dimensions and other details prior to construction and be solely responsible thereafter. Contractor is responsible for all code and governing body compliance and all engineering.



W3 - SHOWER SIDE WALL



W4 - SHORT SINK WALL

W5 - SINK WALL

W3 NOTES	
CODE	TEXT
W3-1	GRAB BAR
W3-2	SLIDE BAR WITH HAND HELD SHOWER
W3-3	DIVERTER VALVE
W3-4	ON/OFF TEMP VALVE


W4 NOTES	
CODE	TEXT
W4-1	TOWEL HOOK/RING

W5 NOTES	
CODE	TEXT
W5-1	SEE ELECTRICAL SCHEDULE
W5-2	MIRROR
W5-3	SINK FAUCET
W5-4	ONYX COUNTER AND ADA SINK, 2" BACK AND SIDE SPLASH
W5-5	FLOOR TO CEILING CABINET WITH PULL OUT SHELVES

DRAWN BY:
PRINT DATE:
3/7/2025
PERPECTIVES ARE NOT TO SCALE AND MAY NOT REFLECT EXACTLY WHAT IS AVAILABLE FOR THE PROJECT


Page Description:
BATHROOM WALL ELEVATION

PROJECT DESCRIPTION FOR:
DUNN, PAM
17518 WOODCAMP ROAD
MT. AIRY, MD, 21771



ACCESSIBLE HOUSING SERVICES
1-800-284-8076
www.AccessibleHousingServices.com

To the best of our knowledge these plans are drawn to comply with owner's specifications. The contractor and/or homeowner shall verify all dimensions and enclosed drawings. **Accessible Housing Services** is not liable for errors once construction has begun. While every effort has been made in the preparation of these plans to avoid mistakes, the maker can not guarantee against human error. The contractor of the job must check all dimensions and other details prior to construction and be solely responsible thereafter. Contractor is responsible for all code and governing body compliance and all engineering.



DOOR NOTES	
CODE	TEXT
D1	EXTERIOR GLASS DOOR WITH SIDE LIGHT & BUILT IN BLINDS. SIMILAR TO NEW EXTERIOR LAUNDRY ROOM DOOR. SEE MATERIALS. INCLUDE STORM DOOR AND SMALL THRESHOLD RAMP
D2	48X80 COMMERCIAL GRADE SLIDING DOOR WITH COVERED TRACK
D3	48X80 DOUBLE SWING OUT DOORS
D4	40X84 POCKET DOOR - ALLOWS EXTERIOR DOOR TO SWING UNDER DOOR FRAME
D5	PLAIN FRONT HOLLOW DOOR TO MATCH EXISTING (BATH IS POCKET)
D5	PLAIN FRONT TO MATCH EXISTING
D6	REPLACE EXTERIOR DOOR TO MASTER BEDROOM

DRAWN BY:
PRINT DATE:
3/7/2025

PERSPECTIVES ARE NOT TO SCALE AND MAY NOT REFLECT EXACTLY WHAT IS AVAILABLE FOR THE PROJECT

Page Description:
DOORS


PROJECT DESCRIPTION FOR:
DUNN, PAM
17518 WOODCAMP ROAD
MT. AIRY, MD, 21771

ACCESSIBLE HOUSING SERVICES
1-800-284-8076
www.AccessibleHousingServices.com



PAGE
8

To the best of our knowledge these plans are drawn to comply with owner's specifications. The contractor and/or homeowner shall verify all dimensions and enclosed drawings. Accessible Housing Services, is not liable for errors once construction has begun. While every effort has been made in the preparation of these plans to avoid mistakes, the maker can not guarantee against human error. The contractor of the job must check all dimensions and other details prior to construction and be solely responsible thereafter. Contractor is responsible for all code and governing body compliance and all engineering.



ELECTRIC NOTES	
CODE	TEXT
E1	SEE MATERIAL LIST
E2	ACCESSIBLE BATHROOM VANITY LIGHT
E3	EXHAUST FAN, LIGHT, AND HEAT. VENTED TO EXTERIOR.
E4	ALL RECESSED LIGHTS 3-4"
E5	WALL MOUNTED FAN, HARDWIRE ON SWITCH, OUTLET FOR TV
E6	REPLACE (4) EXISTING EXTERIOR LIGHTS WITH NEW SWITCH IN BEDROOM

DRAWN BY:
PRINT DATE:
 3/7/2025
PERSPECTIVES ARE NOT TO SCALE AND MAY NOT REFLECT EXACTLY WHAT IS AVAILABLE FOR THE PROJECT

Page Description:
ELECTRICAL PLAN

PROJECT DESCRIPTION FOR:
DUNN, PAM
17518 WOODCAMP ROAD
MT. AIRY, MD, 21771


ACCESSIBLE HOUSING SERVICES
 1-800-284-8076
 www.AccessibleHousingServices.com



To the best of our knowledge these plans are drawn to comply with owner's specifications. The contractor and/or homeowner shall verify all dimensions and enclosed drawings. Accessible Housing Services, is not liable for errors once construction has begun. While every effort has been made in the preparation of these plans to avoid mistakes, the maker can not guarantee against human error. The contractor of the job must check all dimensions and other details prior to construction and be solely responsible thereafter. Contractor is responsible for all code and governing body compliance and all engineering.

2
45
40
00
180
1800

4
58
6
348
140
528



INDICATE NORTH. - NAME ADJOINING ROADWAY AS BASE LINE.

Woodcamp Rd

PERMIT CARD

SEPTIC TANK, LEVEL

CLEANOUTS DW ST

DISTRIBUTION BOX, LEVEL

TILE FIELD, DEPTH 9 FT. TRENCH WIDTH 2 FT.

34'8"

GRAVEL DEPTH 4.5 IN. TOTAL LENGTH 40 FT.

NUMBER OF TRENCHES 1 TOTAL BOTTOM AREA 180

SEEPAGE PITS, INSIDE DIAMETER PERIMETER 58 FT. DEPTH BELOW INLET 6 FT.

ABSORBENT AREA 348 SQ. FT.

REMARKS 6/8/84 OK to add stone in trenches, can cover work to trench after clean out are in place. $180 + 348 = 528$ SQ FT. (450 SQ FT REQUIRED) 6/12/84 528 sq. ft. (450 ft Required) Pitless adapter not installed. 18

6/12/84 Pitless Adapter Installed.

DATE SYSTEM APPROVED 6/12/84

INSPECTOR R. H. ...



30
28

COORDINATE SCHEDULE				CURVE DATA											
NO.	NORTH	EAST		NO.	RADIUS	LENGTH	TANGENT	Δ	CHORD BEARING & DISTANCE	NO.	RADIUS	LENGTH	TANGENT	Δ	CHORD BEARING & DISTANCE
1	3175.04C	4707.95D		15	2630.00'	229.56'	114.85'	05°00'24"	S62°11'41"E 279.46'						
2	3451.34T	7372.13G		20	25.00'	21.03'	111.0'	48°11'24"	N49°08'02"E 204.1'						
3	3201.28Z	7904.68G		21	36.00'	24.15'	111.0'	71°02'24"	S60°56'04"W 204.1'						
4	3174.54I	7892.12C		22	22.00'	21.03'	111.0'	48°11'24"	S60°56'04"W 204.1'						
5	2415.46E	7536.71Z													
6	1562.84E	7238.25D													
7	1240.19J	7187.71G													
8	805.33M	6812.77G													
9	544.08B	6705.86T													
10	306.33I	6431.87A													
11	1476.22S	6463.22Z													
12	2905.013	5335.30Z													
13	2455.23Z	6254.30A													
14	2811.783	6286.150													
15	3751.50I	6625.11A													
16	2644.54T	6026.10A													
17	3475.83Z	7254.53D													
18	3447.65Z	7266.56D													
19	2701.23D	6222.62Z													
20	2527.21A	6843.22Z													
21	1513.85D	6028.55E													
22	2447.33J	6022.11J													
23	1425.64E	6085.26Z													
24	2516.05A	6067.12S													

25	1600.25B	6243.25Z
26	3421.04T	7311.20G
27	3432.60D	7345.34D

AREA TABULATIONS

TOTAL NUMBER OF LOTS = 13
 TOTAL AREA OF LOTS = 66.849 AC.
 TOTAL AREA OF RIGHT-OF-WAY DED. = 2413 AC.
 TOTAL AREA OF FLOOD PLAIN = 10.758 AC.
 TOTAL AREA OF SUBDIVISION = 68.862 AC.



GENERAL NOTES

- TAX MAP: 7 (PART OF) PARCEL 2
- DEED REFERENCE:
- COORDINATES SHOWN HEREON ARE BASED ON ASSUMED DATUM
- THE LOTS SHOWN HEREON COMPLY WITH THE MINIMUM OWNERSHIP WIDTH AND LOT AREAS AS REQUIRED BY THE MARYLAND STATE DEPARTMENT OF HEALTH AND MENTAL HYGIENE.
- THIS AREA DESIGNATES A PRIVATE SEWAGE EASEMENT OF APPROXIMATELY 10,000 SQ. FT. AS REQUIRED BY THE MARYLAND STATE DEPARTMENT OF HEALTH AND MENTAL HYGIENE FOR INDIVIDUAL SEWAGE DISPOSAL. IMPROVEMENTS OF ANY NATURE IN THIS AREA ARE RESTRICTED UNTIL PUBLIC SEWAGE IS AVAILABLE AND SERVICING ANY RESIDENTIAL STRUCTURES CONSTRUCTED ON THESE BUILDING SITES. THESE EASEMENTS SHALL BECOME NULL AND VOID UPON CONNECTION TO A PUBLIC SEWAGE SYSTEM.
- ALL PERCOLATION TEST HOLES SHOWN HEREON HAVE BEEN FIELD LOCATED, AND ARE SHOWN THUS (O)
- FOR FLAG ON PIPE STEM LOTS, REFUSE COLLECTION, SNOW REMOVAL AND ROAD MAINTENANCE ARE PROVIDED TO THE JUNCTION OF THE FLAG ON PIPE STEM AND THE ROAD OF WAY AND NOT ONTO THE FLAG ON PIPE STEM OR WAYWAY
- SUBJECT PROPERTY ZONED R-1 PER 10-5-77 COMPREHENSIVE ZONING PLAN.
- LOTS 8, 9, 11, HOUSE+WELL SITES MUST BE CONFINED TO LEFT PEAK CORNER OF LOT

AREA TABULATIONS

TOTAL NUMBER OF LOTS THIS SHEET: 6
 TOTAL AREA OF LOTS THIS SHEET: 27.44 AC.
 TOTAL AREA OF RIGHT-OF-WAY DEDICATION: 2.05 AC.
 TOTAL AREA OF FLOOD PLAIN: 0.051 AC.
 TOTAL AREA OF PLAT: 29.462 AC.

OWNERS STATEMENT

APPROVED: FOR PRIVATE WATER AND PRIVATE SEWERAGE SYSTEMS, HOWARD COUNTY HEALTH DEPARTMENT.
 Wayne Hough, 10-24-80
 HOWARD COUNTY HEALTH OFFICER DATE

APPROVED: HOWARD COUNTY OFFICE OF PLANNING AND ZONING.
 Annalyn S. Zedel, 10-23-80
 PLANNING DIRECTOR DATE

APPROVED: FOR STORM DRAINAGE SYSTEMS AND PUBLIC ROADS, HOWARD COUNTY DEPARTMENT OF PUBLIC WORKS.
 DIRECTOR DATE

OWNERS STATEMENT

I, WAYNE HOUGH AND BARBARA A HOUGH, OWNER OF THE PROPERTY SHOWN AND DESCRIBED HEREON, HEREBY ADOPT THIS PLAN OF SUBDIVISION, AND IN CONSIDERATION OF THE APPROVAL OF THIS FINAL PLAT BY THE OFFICE OF PLANNING AND ZONING, ESTABLISH THE MINIMUM BUILDING RESTRICTION LINES AND GRANT UNTO HOWARD COUNTY, MARYLAND, ITS SUCCESSORS AND ASSIGNS, (1) THE RIGHT TO LAY, CONSTRUCT AND MAINTAIN SEWERS, DRAINS, WATER PIPES AND OTHER MUNICIPAL UTILITIES AND SERVICES, IN AND UNDER ALL ROADS AND STREET RIGHT-OF-WAYS AND THE SPECIFIC EASEMENT AREAS SHOWN HEREON; (2) THE RIGHT TO REQUIRE DEDICATION FOR PUBLIC USE THE BEDS OF THE STREETS AND/OR ROADS AND FLOOD PLAINS AND OPEN SPACE WHERE APPLICABLE AND FOR GOOD AND OTHER VALUABLE CONSIDERATION, I HEREBY GRANT THE RIGHT AND OPTION TO HOWARD COUNTY TO ACQUIRE THE FEE SIMPLE TITLE TO THE BEDS OF STREETS AND/OR ROADS AND FLOOD PLAINS, STORM DRAINAGE FACILITIES AND OPEN SPACE WHERE APPLICABLE, AND (3) THE RIGHT TO REQUIRE DEDICATION OF WATER WAYS AND MAINTENANCE AND DRAINAGE EASEMENTS FOR THE SPECIFIC PURPOSE OF THEIR CONSTRUCTION, REPAIRS AND MAINTENANCE, AND (4) THAT NO BUILDING OR SIMILAR STRUCTURE OF ANY KIND SHALL BE ERRECTED ON OR OVER THE SAID EASEMENTS AND RIGHT-OF-WAYS.

WITNESS MY/OUR HANDS THIS 14TH DAY OF October 1980

Wayne Hough
 Barbara A. Hough
 WITNESSES

SURVEYORS CERTIFICATE

I HEREBY CERTIFY THAT THE FINAL PLAT SHOWN HEREON IS CORRECT, THAT IT IS A SUBDIVISION OF ALL OF THE LANDS CONVEYED BY RICHARD W. HOUGH, ET AL TO WAYNE C. HOUGH AND BARBARA A. HOUGH, HIS WIFE, BY DEED DATED OCTOBER 16, 1978 AND RECORDED IN THE LAND RECORDS OF HOWARD COUNTY, MARYLAND, IN LIBER 908 AT FOLIO 279 AND THAT ALL MONUMENTS ARE IN PLACE AS SHOWN IN ACCORDANCE WITH THE ANNOTATED CODE OF MARYLAND, AS AMENDED.

James Finley Hansone Jr.
 JAMES FINLEY HANSONE JR. PLS. NO. 124 DATE

RECORDED AS PLAT _____ ON _____ ON _____
 AMONG THE LAND RECORDS OF HOWARD COUNTY, MARYLAND

WOODCAMP FARM

SHEET 1 - 3
 4TH ELECTION DISTRICT HOWARD COUNTY, MARYLAND
 SCALE: 1"=100' DATE: JUNE 1980

boender associates engineers/surveyors/planners
 SUITE 102 101 TOWN & COUNTRY PROFESSIONAL BUILDING
 ELLICOTT CITY, MARYLAND 21043
 BALTIMORE 301-485-7272 FALLSBURY 301-240-1286

6/8/84

AM PLEASE

Approved
RH AS

W, P.T. 6/12/84
6-13-84

PERMIT

P 33943

A 2907

SEWAGE DISPOSAL SYSTEM

MARYLAND STATE DEPARTMENT OF HEALTH

HOWARD COUNTY
BUREAU OF ENVIRONMENTAL HEALTH
992-2330

INDEX

04-340817

ELLICOTT CITY

DISTRICT 4th.

DATE 6/01/84

James Gue IS PERMITTED TO INSTALL ALTER

ADDRESS 4206 Lynn Burke Road, Monrovia, Md. PHONE 831-6228

SUBDIVISION Woodcamp Farms ROAD 17518 Woodcamp Road LOT 6, Section 1

PROPERTY OWNER Mr. & Mrs. Edward Dunn

ADDRESS 931 Slashpine Court
Sykesville, Maryland 21784

IF GARBAGE GRINDER IS USED INCREASE SEPTIC TANK CAPACITY BY 50% AND ABSORPTION AREA BY 22%.

GARBAGE GRINDER? YES NO

SEPTIC TANK CAPACITY 1250 GALLONS NUMBER OF BEDROOMS 3

~~Dry well and Ditch - 150 square foot sidewall area per bedroom. Dry well inlet maximum to be 3 feet below original grade. Eff. areas starts at 3 1/2 feet below original grade. Dry well bottom to be 9 feet below original grade. Place the dry well 270 feet from the back lot line and 30 feet from the right lot line as seen when facing the lot from Woodcamp Road. Add a ditch off dry well after a 5 ft. earth buffer. Run the ditch along level ground toward the front lot line. Ditch to be 9 feet deep. Inlet at 4 feet deep and 4 1/2 feet of stone.. Two inspections of ditch needed - before and after stone is installed.~~

BLDG. PERMIT SIGNED
AND RETURNED 11/1/83
Serial # 51213 -
Storage Building

PLANS APPROVED BY Raymond Hodges DATE 11/18/80

COVER NO WORK UNTIL INSPECTED AND APPROVED.

NEITHER THE HOWARD COUNTY COUNCIL NOR THE HEALTH DEPARTMENT IS RESPONSIBLE FOR THE SUCCESSFUL OPERATION OF ANY SYSTEM.

NOTE: IF TRENCH IS USED CALL FOR INSPECTION BEFORE AND AFTER PLACING GRAVEL IN TRENCH.

NOTE: NO DRY WELL SHALL EXCEED 15 FOOT IN DIAMETER. NO ABSORPTION TRENCH TO EXCEED 100 FEET IN LENGTH.

NOTE: ALL PIPE FROM HOUSE TO SEPTIC TANK MUST BE CAST IRON OR SCHEDULE 40 PVC OR ABS.

PERMIT VOID AFTER THREE YEARS.

NOTE: INSTALL STAND PIPE ON SEPTIC TANK AND DRY WELL. STAND PIPES MUST BE 6 INCHES IN DIAMETER. CAST IRON, CONCRETE OR TERRA COTTA, OR PVC OR ABS ACCEPTED. IF TOP OF SEPTIC TANK IS DEEPER THAN 3 FEET MANHOLE TO GRADE REQUIRED

***INSTALLER IS RESPONSIBLE FOR OBTAINING FINAL APPROVAL ON THIS PERMIT**

*CALL 992-2330 FOR INSPECTION OF SEPTIC SYSTEMS.

EH - 2-1082

A 29807