10/25/9Bm 10/25/

HOWARD COUNTY HEALTH DEPARTMENT

BUREAU OF ENVIRONMENTAL HEALTH

X45XXXXX 313-2640

PERMIT

SEWAGE DISPOSAL SYSTEM

DEPARTMENT OF HEALTH AND MENTAL HYGIENE

INDEXED

A 49320

DISTRICT 3rd

DATE 1/26/95

DATE SYSTEM APPROVED 4/6/99

NSPECTOR C. B.S.

		INSPE	CTOR
Jack Fyock Septic Service	IS PERMITT	ED TO INSTALL	ALTER
ADDRESS 13775 Triadelphia Road, Glenelg, Maryland	<u>d 21737 </u>	HONE 988-	9270
SUBDIVISION Goldbach Property LOT 1		l Triadelphia	Road E.C.
PROPERTY OWNER Sean K. Carne	ey/MAH NARV	ELL	11042
ADDRESS	/		· · ·
SEPTIC TANK CAPACITY 1250 GALLONS **** EX. ABA NUMBER OF BEDROOMS 4 DE	ISTING WELL AND ANDONED TO SATI PARTMENT PRIOR PTIC INSTALLATI	SFACTION OF F TO FINAL APPE	IEALTH
210 SQUARE FEET PER BEDROOM	PIIC INSTALLATI	ON. XXX	•
TRENCHES - Trench to be 2 feet wide. Inlet 4 feet depth 8 feet below original grade. Efforiginal grade. 4 feet of stone below LOCATION - Start the first trench 170 feet from the left lot line. Run trenches along control of the left lot line in length cap to grade or above on septic tank.	fective area be distribution possible front lot littour toward right. Provide 6",	gins at 4 fee ipe. ne and 10 fee ht side of pr 8" diameter	t below t from the
ILDING PERMIT SIGNED	1.1		
AND RETURNED 10800			
PLANS APROVED BYC. Williams		DATE	8/16/93
COVER NO WORK UNTIL INSPECTED AND APPROVED			
NEITHER THE HOWARD COUNTY COUNCIL NOR THE HEALTH DEPARTMENT IS RESPO	NSIBLE FOR THE SUCCES	SFUL OPERATION OF A	NY SYSTEM
NOTE: CLEANOUT REQUIRED EVERY 70 FEET OF SEWER LINE AND/OR AT 90° S ACCEPTABLE.	WEEPS IN LINES FROM	HOUSE TO DRAIN FI	ELDS, 90° ELBOWS I
NOTE: ALL PARTS OF SEPTIC SYSTEMS (I.E. TANK, DISTRIBUTION BOX TRENCHE AUTHORIZED)	S) TO BE 100 FEET FRO	DM WELL (UNLESS OT	HERWISE SPECIFICA

NOTE: IF DEEP TRENCH(ES) ARE USED CALL FOR INSPECTION BEFORE AND AFTER PLACING GRAVEL IN TRENCH(ES).


NOTE: NO DRY WELL SHALL EXCEED 15 FOOT IN DIAMETER NO ABSORPTION TRENCH TO EXCEED 100 FEET IN LENGTH


NOTE: ALL PIPE FROM HOUSE TO SEPTIC TANK MUST BE CAST IRON OR SCHEDULE 35/40 PVC OR ABS

PERMIT VOID AFTER TWO YEARS

NOTE: INSTALL STAND PIPE ON SEPTIC TANK AND DRY WELL STAND PIPES MUST BE 6 INCHES IN DIAMETER CAST IRON. CONCRETE OR TERRA COTTA OR PVA OR ABS ACCEPTED. IF TOP OF SEPTIC TANK IS DEEPER THAN 3 FEET. MANHOLE TO GRADE REQUIRED.

NOTE: DISTRIBUTION BOXES MUST HAVE BAFFLES






10/10 APPLICATION

PER	RCOLATION TESTING	A <u>47 Jan</u>
	u	P
	Proviou ok	PIOTPIOT
HOWARD COUNTY HEALTH DEPARTMENT	EXISTING HOUSE	DISTRICT
BUREAU OF ENVIRONMENTAL HEALTH	125 16/1/1	DATE 4/7/93
3525-H ELLICOTT MILLS DRIVE/ELLICOTT CITY, MARYLAND 210 TELEPHONE: 313-2640	15 70 ES	TABLISH
	PROPOSAL SCATIC AS	64 FOR -15
O: THE COUNTY HEALTH OFFICER ELLICOTT CITY, MARYLAND	OCCUPIED LOT VIA	EASENCET ONTO VACANT LOT,
HIERON ADDIVIOR THE NECESSARY TEST PRIOR TO APPLI	CATION FOR PERMIT TO CONSTRUCT (OF	R RECONSTRUCT) A SEWAGE DISPOSAL SYSTEM.
I HEREBY APPLY FOR THE NECESSARY TEST PRIOR TO APPLI		
PROPERTY OWNER Sean K CAIL	New 21042	
ADDRESS 3808 BAIAN C	Ellication PHONE	313-814
AGENT OR PROSPECTIVE BUYER	As Above	
	PHONE	
ADDRESS	PHONE	
PROPERTY LOCATION: 11791 TACACONIN 1	d	
SUBDIVISION	LOT NO.	
ROAD AND DESCRIPTION		
HOAD AIRD DEDOTILE THE TENTE OF	The state of the s	
30 //	, 20)	BLDG. PERMIT SIGNED
TAX MAP 16 PARCEL# 39 (GA)	, 20)	AND RETURNED 8/16/93
SIZE OF LOT 2 A CARS	TYPE BLDG.	SY Senil # 49979
SIZE OF LOT	(S	INGLE FAMILY DWELLING OR COMMERCIAL)
THE SYSTEM INSTALLED UNDER THIS APPLICATION IS ACCE	PTABLE ONLY UNTIL PUBLIC FACILITIES	S BECOME AVAILABLE. I FULLY UNDERSTAND THE
	1 1 11	territoria de la companya de la com
FEE CONNECTED WITH THE FILING OF THIS PERC TEST	APPLICATION IS NON-REFUNDABLE	DIDER ANY CIRCUMSTANCES. I ALSO AGREE TO
		The second secon
COMPLY WITH ALL M.O.S.H.A. REQUIREMENTS IN TESTING TH	iis Lot. (S	IGNATURE OF APPLICANT)
and the second	and the second s	DATE
APPROVED BY	FOR	Acceptance of the control of the con
DISAPPROVED BY	FOR	DATE
DISAFFROVED BY	and department of the control of the	and the second of the second o
HOLD PENDING FURTHER TESTS		2 Committee Contra
PEAGONS FOR DE JECTION OF HOLDING HOLD FI	OR PLAT, PERC	- OK MK 6/16/73
REASONS FOR REJECTION OR HOLDING // ULD FL		
PERCOLATION TEST PLAT/PRELIMINARY PLAT - TITLE OR I.D. #		DATE
· · · · · · · · · · · · · · · · · · ·		DATE
SITE DEVELOPMENT PLAN/FINAL PLAT - TITLE OR I.D. #		

THIS IS NOT A PERMIT

HD-216 (3/92)




APPROVED: FOR PRIVATE WATER AND PRIVATE SEWAGE SYSTEMS. HOWARD COUNTY HEALTH DEPARTMENT.

HOWARD COUNTY HEALTH OFFICER DATE

PROPERTY KNOWN AS: 11791 Tridelphia Road 3rd Election District Liber 238 Folio 254 Howard County, Maryland

Goldbach Property



TRIADELPHIA ROAD

EXISTING WELL

Scale = 1 = 100

This area designates a private sewerage easement of at least 10,000 square feet as required by the Maryland Department of the Environment for individual sewage disposal. Improvements of any nature in this area are restricted until public sewerage is available and servicing any residential structures constructed on these building sites. These easements shall become null and void upon connection to a public sewage system. The County Health Officer shall have the authority to grant variances for encroachments into the private sewage easements. Recordation of a modified sewage easements shall not be necessary.

- -All percolation test holes that have passed are shown hereon have been field located and thus shown (0)
- -All percolation test holes that have failed are shown hereon have been field located and thus shown (_____)

I hereby certify that all information contained herein is accurate to the best of my knowledge. All wells and private septic systems that are located within 100 feet of the property line are shown.

ean K (410-313-8144)DATE

7-12-93

C1 0455	SEQUENCE NO. (DENV USE ONLY)	STATE OF MARYLAND WELL COMPLETION REPORT	THIS REPORT MUST BE SUBMITTED WITHIN 45 DAYS AFTER WELL IS COMPLETED.			
1 2 3 (THIS NUMBER IS TO BE F IN COLS. 3-6 ON ALL CAR		FILL IN THIS FORM COMPLETELY PLEASE PRINT OR TYPE	COUNTY NUMBER # 49320			
ST/CO USE ONLY DATE Received	DATE WELL COMPLETED	Depth of Well 22 2 26 (TO NEAREST FOOT)	PERMIT NO. FROM "PERMIT TO DRILL WELL", PERMIT NO. FROM "PERMIT TO DRILL WELL", PERMIT NO. FROM "PERMIT NO			
	Tast name /1 ZQ /	first name TOWN	Mrs. Sield 7			
	STREET OR RFD LOT ARABIN PROPERTY SECTION TOWN LOT LOT LOT					
WELL I Not required for		GROUTING RECORD WELL HAS BEEN GROUTED (Circle Appropriate Box)	C 3			
STATE THE KIND OF PENETRATED, THEIF THICKNESS AND IF	R COLOR, DEPTH,	TYPE OF GBOUTING MATERIAL	PUMPING TEST HOURS PUMPED (nearest hour)			
DESCRIPTION (Use additional sheets if needed)	FEET Check	CEMENT C M BENTONITE CLAY B C	HOURS PUMPED (nearest hour) 8 9 PUMPING RATE (gal. per min.			
Top So.L	PROM TO bearing	NO. OF BAGS 25 NO. OF POUNDS 2 CAC GALLONS OF WATER DEPTH OF GROUT SEAL (to nearest foot) from from 152 ft. to 3 0 + 154 BOTTOM 58	to nearest gal.) METHOD USED TO MEASURE PUMPING RATE WATER LEVEL (distance from land surface)			
Sundy	2 40 0	(enter 0 if from surface) casing CASING RECORD	BEFORE PUMPING			
Shoul Stome	40 45	types insert appropriate code code PD OT	TYPE OF PUMP USED (for test) A air P piston T turbine			
MICKA	45 70	PLASTIC OTHER	27 27 27 other			
Smillstone	70 75 4	MAIN Nominal diameter Total depth CASING top (main) casing of main casing TYPE (nearest inch) (nearest foot)	C centrifugal R rotary (describe below) J jet S submersible			
MICKA	25 265	E OTHER CASING (if used) A diameter depth (feet)	27 27			
	۵	inch from to	DRILLER WILL INSTALL PUMP YES NO (CIRCLE) (YES or NO)			
		screen type SCREEN RECORD	IF DRILLER INSTALLS PUMP, THIS SECTION MUST BE COMPLETED FOR ALL WELLS EXCEPT HOME USE			
		or open hole ST BR HO appropriate STEEL BRASS OPEN	TYPE OF PUMP INSTALLED PLACE (A.C.J.P.R.S.T.O) IN BOX - SEE ABOVE:			
		code below PLASTIC OTHER	CAPACITY: GALLONS PER MINUTE (to nearest gallon) PUMP HORSE POWER			
	Consider (8	DEPTH (nearest ft.)	PUMP COLUMN LENGTH (nearest ft.)			
		E 1 # 0 54 1 265 17	CASING HEIGHT (circle appropriate box and enter casing height)			
OIDOLE ADDOOR	NOIATE LETTED	H 2 3 24 26 30 32 36	LAND SURFACE (nearest foot)			
CIRCLE APPROP A A WELL WAS ABANI WHEN THIS WELL V	DONED AND SEALED	R 3	LOCATION OF WELL ON LOT SHOW PERMANENT STRUCTURE SUCH AS			
E ELECTRIC LOG OBTA	AINED RTED TO PRODUCTION	SLOT SIZE 123 (NEAREST	BUILDING, SEPTIC TANKS, AND/OR LANDMARKS AND INDICATE NOT LESS			
P WELL THEREBY CERTIFY THAT THIS WE	LL HAS BEEN CONSTRUCTED IN	OF SCREEN 56 1NCH)	THAN TWO DISTANCES (MEASUREMENTS TO WELL)			
ACCORDANCE WITH COMAR 26. AND IN CONFORMANCE WITH ALL ABOVE CAPTIONED PERMIT, AND SENTED HEREIN IS ACCURATE AN MY KNOWLEDGE.	L CONDITIONS STATED IN THE THAT THE INFORMATION PRE-	GRAVEL PACK L	Lecc			
DRILLERS IDENT. NO. L	Marrie	F IN BOX 68 OEP USE ONLY (NOT TO BE FILLED IN BY DRILLER)	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			
DRILLERS SIGNATURE (MUST MATCH SIGNATUR	E ON APPLICATION)	T (E.R.O.S.) W Q 74, 75 76				
SITE SUPERVISOR (sign. responsible for sitework if	of driller or journeyman different from permittee)	TELESCOPE LOG OTHER DATA CASING INDICATOR	Prop Lunk			
	-	COUNTY				

EMERGENCY/TEMP NO IF ANY

15-20' per par. Hamill SERTIC EXSTANG BXIGING PRIXE DEIXE IN 10/8/02proposed additions or BOD138636-EASEMENT 179 CITY, MD ELLICOTT

/