

Tax IO -

1-6-87

approved
S. Abel

P 37762

PERMIT

SEWAGE DISPOSAL SYSTEM

MARYLAND STATE DEPARTMENT OF HEALTH

HOWARD COUNTY

BUREAU OF ENVIRONMENTAL HEALTH

992-2330X

461-9933

INDEXED

{ I.C.O.P. issued only }
Time expired

ELLICOTT CITY

DISTRICT 5th

DATE 10/6/86

Wayde Souder

IS PERMITTED TO INSTALL ☒ ALTER ☐

ADDRESS 13990 Triadelphis Mill Road

PHONE 531-2166

SUBDIVISION ROAD 14147 Triadelphia Mill LOT 2

PROPERTY OWNER Ken Lewis

ADDRESS

IF GARBAGE GRINDER IS USED INCREASE SEPTIC TANK CAPACITY BY 50% AND ABSORPTION AREA BY 22%.

GARBAGE GRINDER? YES ☐ NO ☒

SEPTIC TANK CAPACITY 1000 GALLONS NUMBER OF BEDROOMS 3

TRENCHES - 180 sq. ft. per bedroom. Trench to be 2 feet wide. Inlet 3 feet below original grade. Bottom maximum depth 8 feet below original grade. Effective area begins at 3 feet below original grade. 5 feet of stone below distribution pipe.

LOCATION - Start the first trench 100 feet from the left lot line and 175 feet from the short (200') rear lot line. Run trench(s) along contour toward right-rear section of property.

NOTES - No trench to exceed 100 feet in length. If more than one trench used, a distribution box is required. Call for inspection of trench(s) before and after gravel is installed. Provide 6" - 8" diameter cleanout and cap to grade or above on septic tank.

OK'd
BSW

BLDG. PERMIT SIGNED

AND RETURNED 7/27/86

Seal # 9471-Prod

PLANS APPROVED BY C. Williams

DATE 4/15/86

COVER NO WORK UNTIL INSPECTED AND APPROVED.

NEITHER THE HOWARD COUNTY COUNCIL NOR THE HEALTH DEPARTMENT IS RESPONSIBLE FOR THE SUCCESSFUL OPERATION OF ANY SYSTEM.

NOTE: IF TRENCH IS USED CALL FOR INSPECTION BEFORE AND AFTER PLACING GRAVEL IN TRENCH.

NOTE: NO DRY WELL SHALL EXCEED 15 FOOT IN DIAMETER. NO ABSORPTION TRENCH TO EXCEED 100 FEET IN LENGTH.

NOTE: ALL PIPE FROM HOUSE TO SEPTIC TANK MUST BE CAST IRON OR SCHEDULE 40 PVC OR ABS.

PERMIT VOID AFTER THREE YEARS.

NOTE: INSTALL STAND PIPE ON SEPTIC TANK AND DRY WELL. STAND PIPES MUST BE 6 INCHES IN DIAMETER. CAST IRON, CONCRETE OR TERRA COTTA, OR PVC OR ABS ACCEPTED. IF TOP OF SEPTIC TANK IS DEEPER THAN 3 FEET MANHOLE TO GRADE REQUIRED.


*INSTALLER IS RESPONSIBLE FOR OBTAINING FINAL APROVAL ON THIS PERMIT

*CALL 992-2330 FOR INSPECTION OF SEPTIC SYSTEMS.

EH - 2-1082

P37762

GREENBRIDGE RD



INDICATE NORTH. - NAME ADJOINING ROADWAY AS BASE LINE.

PERMIT CARD

SEPTIC TANK, LEVEL

1500 gal

CLEANOUTS

1 S.T.

DISTRIBUTION BOX, LEVEL

8

TILE FIELD, DEPTH

8

FT.

TRENCH WIDTH

2

FT.

GRAVEL DEPTH

IN.

TOTAL LENGTH

72 + 75

FT.

NUMBER OF TRENCHES

2

TOTAL BOTTOM AREA

SEEPAGE PITS, INSIDE DIAMETER

FT.

DEPTH BELOW INLET

FT.

ABSORBENT AREA

SQ. FT.

REMARKS

10/8/86 OK to add stone to trenches 1+2. OK to partial backfill as needed.

10/8/86 OK to add paper to trench #3 + cover. OK to finish adding pipe + paper to trench #2 + cover. OK to cover D. Box. leave ends of tank open for house verification.

DATE SYSTEM APPROVED

1-6-87

INSPECTOR

J. Aul

180
3
540 MM
75 72
3 3
375 360

C1 2591 SEQUENCE NO. (OEP USE ONLY)

(THIS NUMBER IS TO BE PUNCHED IN COLS. 3-6 ON ALL CARDS)

STATE OF MARYLAND
WELL COMPLETION REPORTFILL IN THIS FORM COMPLETELY
PLEASE PRINT OR TYPETHIS REPORT MUST BE SUBMITTED WITHIN
45 DAYS AFTER WELL IS COMPLETED.COUNTY
NUMBER

H 31244 23762

DATE Received

8	9	10	11	12	13
---	---	----	----	----	----

DATE WELL COMPLETED

042585

Triadelphia
Mill Road

Depth of Well

22	1	8	5	26
----	---	---	---	----

(TO NEAREST FOOT)

PERMIT NO.

FROM "PERMIT TO DRILL WELL"

28	1	0	8	1	-	0	9	7	8
----	---	---	---	---	---	---	---	---	---

28 29 30 31 32 33 34 35 36 37

OWNER

Lewis Kenneth

first name

TOWN

Baltimore 21207

STREET OR RD.

last name

SUBDIVISION

CONCRETE SUBDIVISION

SECTION

LOT

WELL LOG

Not required for driven wells

STATE THE KIND OF FORMATIONS
PENETRATED, THEIR COLOR, DEPTH,
THICKNESS AND IF WATER BEARINGDESCRIPTION (Use
additional sheets if needed)FEET
FROM TOCheck
if water
bearing

Brown shale

0 43

Gray mica rock

43 185

GROUTING RECORD

WELL HAS BEEN GROUTED
(Circle Appropriate Box)yes
Y N
44 44

TYPE OF GROUTING MATERIAL

CEMENT CM

BENTONITE CLAY BC

NO. OF BAGS

NO. OF POUNDS

GALLONS OF WATER

DEPTH OF GROUT SEAL (to nearest foot)

from 0 ft. to 185 ft.
(enter 0 if from surface)casing
types
insert
appropriate
code
below

CASING RECORD

ST CO
STEEL CONCRETE
PL OT
PLASTIC OTHERMAIN Casing Nominal diameter Total depth
top (main) casing of main casing
(nearest inch) (nearest foot)

TYPE S 7 6 49

OTHER CASING (if used)

diameter depth (feet)
inch from to

5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
---	---	---	---	---	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	-----

screen type
or open holeinsert
appropriate
code
below

SCREEN RECORD

ST BR HO
STEEL BRASS OPEN
HOLE
PL OT
PLASTIC OTHER

C2

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
---	---	---	---	---	---	---	---	---	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	-----

SLOT SIZE 1 2 3

DIAMETER OF SCREEN (NEAREST INCH)

GRAVEL PACK
IF WELL DRILLED WAS
FLOWING WELL INSERT
F IN BOX 68

OEP USE ONLY

(NOT TO BE FILLED IN BY DRILLER)

T

(E.R.O.S.)

WQ

TELESCOPE
CASINGLOG
INDICATOR

OTHER DATA

C3

PUMPING TEST

HOURS PUMPED (nearest hour)

PUMPING RATE (gal. per min.
to nearest gal.)METHOD USED TO
MEASURE PUMPING RATE

WATER LEVEL (distance from land surface)

BEFORE PUMPING

WHEN PUMPING

TYPE OF PUMP USED (for test)

A air P piston T turbine
C centrifugal R rotary O other
(describe below)

J jet S submersible

PUMP INSTALLED

DRILLER WILL INSTALL PUMP YES NO

IF DRILLER INSTALLS PUMP, THIS SECTION
MUST BE COMPLETED FOR ALL WELLS

EXCEPT HOME USE

TYPE OF PUMP INSTALLED

PLACE (A,C,J,P,R,S,T,O)

IN BOX - SEE ABOVE:

CAPACITY:

GALLONS PER MINUTE

(to nearest gallon)

PUMP HORSE POWER

PUMP COLUMN LENGTH

(nearest ft.)

CASING HEIGHT (circle appropriate box
and enter casing height)


+ above

- below

LAND SURFACE

(nearest
foot)

LOCATION OF WELL ON LOT

SHOW PERMANENT STRUCTURE SUCH AS
BUILDING, SEPTIC TANKS, AND/OR
LANDMARKS AND INDICATE NOT LESS
THAN TWO DISTANCES
(MEASUREMENTS TO WELL)

HEALTH


B 1 3344 (THIS NUMBER IS TO BE PUNCHED IN COLS. 3-6 ON ALL CARDS)	SEQUENCE NO. (OEP USE ONLY)	STATE OF MARYLAND PERMIT TO DRILL WELL please print or type	OEP PERMIT NUMBER H0-81-0978 fill in this form completely
Date Received: 4/29/85 9:30AM OWNER INFORMATION 15 Last Name: LEWIS Owner: A First Name: KENNETH 36 Street or RFD: 80 MOUNTAIN GREEN 57 Town: BALTIMORE 70 State: MD Zip: 21207		B 3 LOCATION OF WELL 8 COUNTY: HOWARD 23 SUBDIVISION: DONALD SOUNDER PROP. SECTION: LOT: 52 NEAREST TOWN: DAYTON MILES FROM TOWN (enter 0 if in town): 1 1/2 MI	
DRILLER INFORMATION Driller's Name: Joseph L. Magee 77 License No. 238 Firm Name: WELL DRILLING Address: 5512 Ridge Rd Mt. Airy, Md. 21771 Signature: Joseph L. Magee Date: 4/2/85		B 4 1 2 DIRECTION OF WELL FROM TOWN (CIRCLE BOX) 11 NEAR WHAT ROAD: Philadelphia Mill Road ON WHICH SIDE OF ROAD (CIRCLE APPROPRIATE BOX) NORTH ☒ WEST ☐ EAST ☐ SOUTH ☐ 34 DISTANCE FROM ROAD: 540 37 ENTER FT or MI: FT	
B 2 WELL INFORMATION APPROX. PUMPING RATE (GAL. PER MIN.): 5 AVERAGE DAILY QUANTITY NEEDED (GAL. PER DAY): 500 USE FOR WATER (CIRCLE APPROPRIATE BOX) ☒ HOME (SINGLE OR DOUBLE HOUSEHOLD UNIT ONLY) ☐ FARMING (LIVESTOCK WATERING & AGRICULTURAL IRRIGATION) ☐ INDUSTRIAL, COMMERCIAL, STATE AND FEDERAL GOV. OTHER (REQUIRES APPROPRIATION PERMIT) ☐ PUBLIC OR PRIVATE WATER COMPANY (REQUIRES APPROPRIATION PERMIT AND STATE HEALTH DEPARTMENT APPROVAL) ☐ TEST, OBSERVATION, MONITORING (MAY REQUIRE APPROPRIATION PERMIT)		NOT TO BE FILLED IN BY DRILLER HEALTH DEPARTMENT APPROVAL COUNTY NAME: HOWARD COUNTY NO.: P37762 OEP SIGNATURE: J. Stayer STATE HEALTH INSERT S: ☐ DATE ISSUED: 10/16/85 NORTH GRID: 506000 EAST GRID: 0799000	
APPROXIMATE DEPTH OF WELL: 200 FEET APPROXIMATE DIAMETER OF WELL: 6 INCH		SHOW MAJOR FEATURES OF BOX & LOCATE WELL WITH AN X SOURCES OF DRILLING WATER: 1. WELL 2. 3. WRITE THE BOX NUMBER FROM THE MAP HERE: E 7909 N 5006	
METHOD OF DRILLING (circle one) BORED (or Augered) JETTED Jetted & DRIVEN 30 AIR-ROTARY AIR-PERCussion ROTARY (Hydraulic Rotary) 37 CABLE REVERSE-ROTARY Drive-POINT other:		NO OPPORTUNITY TO MAKE INSPECTION SCHEDULE 49' casing 45' open 12 bags cement MRS. M. called in info. JS	
REPLACEMENT OR DEEPEMED WELLS (CIRCLE APPROPRIATE BOX) ☒ THIS WELL WILL NOT REPLACE AN EXISTING WELL ☐ THIS WELL WILL REPLACE A WELL THAT WILL BE ABANDONED AND SEALED ☐ THIS WELL WILL REPLACE A WELL THAT WILL BE USED AS A STANDBY ☐ THIS WELL WILL DEEPEMED AN EXISTING WELL PERMIT NUMBER OF WELL TO BE REPLACED OR DEEPEMED (IF AVAILABLE):		DRAW A SKETCH BELOW SHOWING LOCATION OF WELL IN RELATION TO NEARBY TOWNS AND ROADS AND GIVE DISTANCE FROM WELL TO NEAREST ROAD JUNCTION 	
Not to be filled in by driller (OEP USE ONLY) APPROP. PERMIT NUMBER: GAP FORCE JS INITIALS IN BOX PERMIT No.: H0-81-0978		SPECIAL CONDITIONS	

William E. Doyle

LAND SURVEYOR 8480

8312 EMERALD DRIVE SYKEVILLE, MARYLAND 21784 PHONE (301) 798-2210

PROPERTY OF
J. F. KING & WIFE
555/85



Elevation of
7/7/86
Done

EXIST. GRN. AT DISTR. BOX	121.60	✓
INV. IN DISTR. BOX	118.10	✓
INV. OUT OF SEPTIC TANK	118.30	✓
INV. INTO SEPTIC TANK	118.70	✓
INV. OUT OF DWELLING	118.90	✓
FIRST FLOOR ELEV.	129.00	✓
CELLAR ELEV.	119.90	✓
WELL ELEV.	129.60	✓
NO. OF BEDROOMS	4	✓
ACREAGE	7.562 ACRES	

PLOT PLAN

PROPERTY OF KENNETH A. LEWIS
7.562 ± AC.
PARCEL OF LAND

TAX MAP 51 - FIFTH ELECTION DISTRICT
HOMER COUNTY, MONTGOMERY
SCALE 1"=100'

I CERTIFY THE ABOVE MEASUREMENTS
AND ELEVATIONS ARE ACTUAL AND
CORRECT FOR THIS PROPERTY
signed *William E. Doyle*

144 FT TRENCH
NEEDED

INLET 3
BOTTOM 8'
150 #/RR

MARCH 18, 1985

FILE NO. 557



BLDG. PERMIT SIGNED
AND RETURNED 7/7/86 8A

#71575

14147

TRIADELPHIA MILL

PRELIMINARY

APPLICATION

SEWAGE DISPOSAL TESTING

STATE OF MARYLAND - DEPARTMENT OF HEALTH AND MENTAL HYGIENE

HOWARD COUNTY HEALTH DEPARTMENT
ENVIRONMENTAL HEALTH SERVICES

P. O. BOX 473 ELLICOTT CITY, MARYLAND 21043
TELEPHONE: 992-2330

DISTRICT 5th

DATE 3/24/81

~~37244~~
A ~~#XXXX~~
P 37762

TO: THE COUNTY HEALTH OFFICER
ELLICOTT CITY, MARYLAND

I, HEREBY, APPLY FOR THE NECESSARY TEST IN ORDER TO CONSTRUCT (OR RECONSTRUCT) A SEWAGE DISPOSAL SYSTEM.

PROPERTY OWNER Souder Builders, Inc.

ADDRESS 9335 Old Scaggsville Road, Laurel, Md. 20810 PHONE _____

PROPERTY LOCATION:

SUBDIVISION _____ LOT NO. 2

ROAD AND DESCRIPTION Green Bridge Road 14147 Triadelphia Mill Rd.

Dayton Md.

SIZE OF LOT ? TYPE BLDG. 3 or 4 bedrooms
(NUMBER OF BEDROOMS)

THE SYSTEM INSTALLED UNDER THIS APPLICATION IS ACCEPTABLE ONLY UNTIL PUBLIC FACILITIES BECOME AVAILABLE. I FULLY UNDERSTAND THE FEE CONNECTED WITH THE FILING OF THIS PERC TEST APPLICATION IS NON-REFUNDABLE UNDER ANY CIRCUMSTANCES. I ALSO AGREE TO COMPLY WITH ALL M.O.S.H.A. REQUIREMENTS IN TESTING THIS LOT. /s/ Donald E. Souder

(SIGNATURE OF APPLICANT)

APPROVED BY _____ FOR _____ DATE _____

REJECTED BY _____ FOR _____ DATE _____

HOLD PENDING FURTHER TESTS _____ DATE _____

4/6/81 REASONS FOR REJECTION OR HOLDING FOR PLAT & BACK COMMENTS. 1 LOT TESTED
ONLY. C.B.D.


BLDG. PERMIT SIGNED
AND RETURNED 7-7-86 8A

71575

THIS IS NOT A PERMIT

5E
R9C4
H02A
BELOW

FIELD SHEET



2001-01-27
WILLARD

INDICATE NORTH - NAME ADJOINING ROADWAY AS BASE LINE

GREEN ANT OF RE

DRIT.

DATE		TEST NO.	DEPTH	PRE-WET		TEST - 1" DROP		TIME
				START	STOP	START	STOP	
4/6/2	(C) 1	3'	9:50	10:04	10:04	10:26	25	
11' 14' 10"		12 1/2'	9:50	9:56	9:56	10:12	16	
3		3'	10:00	10:02	10:02	10:11	9	
(C) 4		8 1/2'	10:00	10:02	10:02	10:07	5	
5		3'	11:12	11:11	11:11	11:11	XX	
(H) 6		8'	11:12	11:20	11:20	11:25	5	
7		3'	11:00	11:02	11:02	11:06	4	
(H) 8		8'	11:00	11:02	11:02	11:04	2	
5		4'	11:37	11:42	11:42	11:50	14	
9		3 1/2'	11:44	11:47	11:47	12:01	14	
10		1'						

READY
FOR
TEST
ONLY

Use 4+6

encl 3'

Maximum
die 76

101
D. W.

1

TEST 5

REMARKS

TYPE OF SOIL

TESTED BY

(NO PLAT WITH APPLICATION) (TEST PER MAX SKINNER)
HOLD IF TESTED FOR REVISED. IF SAILOR, (A) CERTIFIED HOLES.
(1) LUT LINES, (2) HOUSE TIE, (3) WELL SITE, D. SOUNDER
C. B. S. ALSO PRESENT. R. ALLEN

EH-12-1079

PRELIMINARY

APPLICATION

SEWAGE DISPOSAL TESTING

STATE OF MARYLAND - DEPARTMENT OF HEALTH AND MENTAL HYGIENE

HOWARD COUNTY HEALTH DEPARTMENT
ENVIRONMENTAL HEALTH SERVICES

P. O. BOX 473 ELLICOTT CITY, MARYLAND 21043
TELEPHONE: 992-2330

DISTRICT 5th

DATE 3/24/81

~~31244~~
~~XXXX~~
P 37762

TO: THE COUNTY HEALTH OFFICER
ELLICOTT CITY, MARYLAND

I, HEREBY, APPLY FOR THE NECESSARY TEST IN ORDER TO CONSTRUCT (OR RECONSTRUCT) A SEWAGE DISPOSAL SYSTEM.

PROPERTY OWNER Souder Builders, Inc.

ADDRESS 9335 Old Scaggsville Road, Laurel, Md. 20810

PHONE _____

PROPERTY LOCATION:

SUBDIVISION

Tan map 27 Parcel 62?

LOT NO.

2

ROAD AND DESCRIPTION

Green Bridge Road

SIZE OF LOT

?

TYPE BLDG.

3 or 4 bedrooms

(NUMBER OF BEDROOMS)

THE SYSTEM INSTALLED UNDER THIS APPLICATION IS ACCEPTABLE ONLY UNTIL PUBLIC FACILITIES BECOME AVAILABLE. I FULLY UNDERSTAND THE FEE CONNECTED WITH THE FILING OF THIS PERC TEST APPLICATION IS NON-REFUNDABLE UNDER ANY CIRCUMSTANCES. I ALSO AGREE TO COMPLY WITH ALL M.O.S.H.A. REQUIREMENTS IN TESTING THIS LOT.

/s/ Donald E. Souder

(SIGNATURE OF APPLICANT)

APPROVED BY

FOR

DATE

REJECTED BY

FOR

DATE

HOLD PENDING FURTHER TESTS

DATE

REASONS FOR REJECTION OR HOLDING

FOR PLAT & BACK COMMENTS.


1 LOT TESTED

ONLY.

C.D.S.

THIS IS NOT A PERMIT

FIELD SHEET



INDICATE NORTH - NAME ADJOINING ROADWAY AS BASE LINE

GREEN BRIDGE RD

DAYTON

DATE	TEST NO.	DEPTH	PRE-WET		TEST - 1" DROP		TIME
			START	STOP	START	STOP	
4/1/81	① 1	3 ft	9:50	10:04	10:04	10:26	22
Drug to 14' 10"	② 2	12 1/2 ft	9:50	9:56	9:56	10:12	16 in
SANDSTONE	3	3'	10:00	10:02	10:02	10:11	9 in
④ 4	4	8 1/2'	10:00	10:02	10:02	10:07	5 in
5 SAND	5	3'	11:17	11:11:3	11:11	little pore	XX
⑥ 6 High	6	8'	11:17	11:20	11:20	11:25	5 in
7	7	3'	11:00	11:02	11:02	11:06	4 in
⑧ 8	8	8'	11:00	11:02	11:02	11:04	2 in
5 B	4 ft	11:37	11:56	11:56	12:00	pulling	
14' 3"	10 2nd	3 1/2'	11:44	11:47	11:47	12:01	14 in
	1	1'	11:44	11:47	11:47	12:01	14 in

READY
FOR
TEST
ONLY

Use-7+8

Uncl 3'
Maximum
depth
10'
Dry Well

TEST 5

REMARKS

TYPE OF SOIL

TESTED BY

TESTS

[(1) NO PLAT WITH APPLICATION] (2) TEST PER MR. SKINNER

HOLD IF TESTED FOR REVISED. IF SO ILOK

(1) LOT LINES, (2) HOUSE SITE (3) CERTIFIED HOLES

POSSIBLY) + WELL SITE

C, B, S. ALSO PRESENT { D. SOLDER
+ MEN
C. R. ALLEN }

EH-12-1079

PROPERTY OF
J. F. KING & WIFE
655/551

N 46° 11' 23" E - 200.00'


IRON PIPE
ROUND

S 45° 09' 37" E
115.17'

IRON PIPE
ROUND

N 46° 22' 24" E - 411.85'

POINT OF
BEGINNING



PRIVATE SEWAGE
EASEMENT

AREA = 7.562 ± AC.

PROPERTY OF
J. F. KING & WIFE
655/551

N 53° 02' 48" E - 501.73'

TRIADELPHIA ROAD

Stream

Stream

91.50'

521.50'

S 43° 03' 13" W - 530.00'

GREEN BRIDGE ROAD

FISHER, COLLINS AND CARTER, INC.
CONSULTING ENGINEERS AND SURVEYORS
2302 COURT AVENUE
ELLICOTT CITY, MARYLAND 21043
TELEPHONE (301) 461-2055


PLAT TO ACCOMPANY DESCRIPTION OF A
7.562 ± AC.
PARCEL OF LAND
TAX MAP 27 - FIFTH ELECTION DISTRICT
HOWARD COUNTY, MARYLAND
SCALE: 1" = 100'

Plat rec'd from
Tommie Morrison
3/7/85

SET BACKS
REAR PL 10'
SIDE PL 30'
HOUSE 10'
SEPTIC 20'
WELL 10'

PRIVATE WELL & SEPTIC

NOTE:
A VACUUM BREAKER WILL
BE INSTALLED AS PER CODE.



GREEN BRIDGE RD.

SITE PLAN


SCALE: 1"=100'

14147 TRIDELPHIA MILL RD.
HOWARD COUNTY, MD. 21036

5TH ELECTION DISTRICT
LIBER 1445, FOLIO 589

TAX MAP 27, (LOT SIZE 9.225 AC.±)

PROPERTY OF KENNETH A. LEWIS



GENERAL NOTES

- 0 FT. OF ELECTRIC IN CONTRACT.
- POOL AREA TO BE FENCED BY OWNER. GATES TO BE SELF CLOSING & LATCHING PER COUNTY CODES.
- STEPS TO HAVE 12" +/- TREADS & 8.25" RISERS. TOP TREAD TO 18".
- DO NOT TURN POOL LIGHTS ON WHEN POOL IS EMPTY.
- DO NOT USE BLACK RUBBER HOSE WHEN FILLING POOL. IT WILL MARK PLASTER & COPING.
- WET DOWN CONCRETE SHELL AT LEAST TWICE DAILY FOR 7 DAYS WHEN TEMP. EXCEEDS 70 DEGREES.

SPECIAL NOTES

EXCAVATION CREW:

PLUMBING CREW:

STEEL CREW:

GUNITE CREW:

COPING & TILE:

DECK CREW:

PLASTER CREW:

EQUIPMENT LIST

DIRT: ON SITE
TILE: STANDARD
COPING: INCLUDED
STEPS: INCLUDED STYLE: AS DRAWN
PLASTER: MARBELITE
FILTER: DE 60 W/24, 231A RUMP, SEP. TANK
SAFETY EQ: INCLUDED
CLEANING EQ: INCLUDED
VACUUM EQ: INCLUDED
DIVING EQ: 8' LONG (ROMAN)
LADDERS: NONE
GRABRAILS: NONE
LIGHTS: TWO
WATTS: 500 VOLTS: 110
HEATER: "LAARS" (PROP. GAS) MOD. 400
SPA: 50 W/6 JETTS, (1) 100 W. LIGHT, BLOWER
LOVESEAT: (ONE) 6' LONG (INSIDE)
DECKING: 1200# BRUSHED CONC. (BY M.P.)
POOL COVER- WINTER: NONE
SOLAR: NONE
AUTO: N/A
FENCE: (BY OWNER)
OTHER ITEMS: \$100 CHEMICAL ALLOWANCE
10' LONG AQUA BENCH, PLARIS
AUTO CLEANER, IONIZER/
MAGNETIZER INCL. W/SMART
SYSTEM

POOL DATA


SIZE: 26' x 45' SHAPE: CUSTOM
AREA- POOL: 850 OTHER:
TOTAL Sq.Ft.: 850
PERIMETER- POOL: LUMP; OTHER:
GALLONAGE:

Both Customer and Salesman agree that this drawing, access, elevation & location of all equipment and appurtenances are in agreement. Any changes from this drawing must be approved in writing by the Customer and MPI.


CHECKED BY - SALESMAN
CHECKED BY - CUSTOMER

DIRECTIONS:
RTE. 32 (WEST) TO RIGHT ON RTE. 108 TO LEFT ON TEN OAKS RD., CONT. TO LEFT ON TRIDELPHIA MILL RD. TO STOP, FOLLOW TO RIGHT ON GREEN BRIDGE ROAD TO IMMEDIATE LEFT ON TRIDELPHIA MILL RD., CONT. TO 1ST DRIVE ON LEFT AT 14147 TRIDELPHIA MILL RD.

Cross Section POOL ELEVATION:



Bond Beam



Piping Schedule

Basic Pool	Allow.	Act.	Over/Under
Skimmer 2"	25'		
Return 1 1/2"	30'		
Return 1 1/2"	10'		
POLARIS 1 1/2"	25'		
RAYVAC 1 1/2"	25'		
STUB OUT 1 1/2"	25'		
BLOWER 2"	25'		
FOUNTAIN 1"	25'		
SPRAY 1 1/2"	10'		
SOLAR RETS	-0-		
TURBO CLEAN 2"			
ACTUATOR W/I 10' of Pool	25'		
POOL COVER DR.	10'		
LIGHT CONDUIT	10'		
SPA 36 S.F.	60'		
SPA 50 S.F.	80'		

NAME: KEN & NORMA LEWIS

ADDRESS: 14147 TRIDELPHIA MILL RD.

CITY: DAYTON, MARYLAND 21036

COUNTY: HOWARD ZONE:

TELEPHONE - HOME: 531-6402

OFFICE: 525-3800

SCALE:

DRAWN BY:

DATE:

JOB NO:

7-22-92

92-3357

MARYLAND POOLS

9515 GERWIG LANE - SUITE 119
COLUMBIA, MARYLAND 21046
410-995-6600 BALTIMORE
301-621-3319 WASHINGTON